

Aim

To write a Java program to implement **constructor overloading** for maintaining employee details such as **name, ID, designation, salary, and promotion status** according to the cadre of the employee.

Algorithm

1. Start the program.
2. Create a class named Employee.
3. Declare the attributes name, id, designation, salary, and promotionStatus.
4. Create multiple constructors with different parameter lists.
5. Create a method displayDetails() to display employee information.
6. Create an object using the first constructor.
7. Create another object using the second constructor.
8. Create another object using the third constructor.
9. Display the details of all employees.
10. Stop the program.



+ displayDetails() : void	
+ main(args : String[]) : void	

--

Code:

```
package Records;
```

```
public class Employee {
```

```
    String name;
```

```
    int id;
```

```
    String designation;
```

```
    double salary;
```

```
    String promotionStatus;
```

```
// Constructor 1
```

```
    public Employee(String name, int id) {
```

```
        this.name = name;
```

```
        this.id = id;
```

```
        this.designation = "Junior Employee";
```

```
        this.salary = 25000;
```

```
        this.promotionStatus = "Not Eligible";
```

```
    }
```

```
// Constructor 2
```

```
    public Employee(String name, int id, String designation) {
```

```
        this.name = name;
```

```
        this.id = id;
```

```
        this.designation = designation;
```

```
    this.salary = 40000;

    this.promotionStatus = "Under Review";
}
```

```
// Constructor 3
```

```
    public Employee(String name, int id, String designation, double salary, String
promotionStatus) {
```

```
        this.name = name;

        this.id = id;

        this.designation = designation;

        this.salary = salary;

        this.promotionStatus = promotionStatus;
    }
```

```
// Method
```

```
void displayDetails() {

    System.out.println("Name      : " + name);

    System.out.println("ID        : " + id);

    System.out.println("Designation   : " + designation);

    System.out.println("Salary       : " + salary);

    System.out.println("Promotion Status : " + promotionStatus);

}
```

```
public static void main(String[] args) {
```

```
    Employee e1 = new Employee("Ravi", 101);
```

```
Employee e2 = new Employee( "Sita", 102, "Senior Developer" );
```

```
Employee e3 = new Employee("Kiran", 103, "Project Manager",75000, "Promoted");
```

```
e1.displayDetails();
```

```
e2.displayDetails();
```

```
e3.displayDetails();
```

```
}
```

```
}
```

Output:

```
PS C:\Users\Sahithi_pyla\Desktop\Sahithi_java> c:;; cd 'c:\Users\Sahithi_pyla\Desktop\Sahithi_java' & java -Djava.class.path=. -Djava.library.path=. -XX:+ShowCodeDetailsInExceptionMessages -cp 'C:\Users\Sahithi_pyla\Desktop\Sahithi_java\bin' 'Records.Employee'
Name           : Ravi
ID             : 101
Designation    : Junior Employee
Salary         : 25000.0
Promotion Status : Not Eligible
Name           : Sita
ID             : 102
Designation    : Senior Developer
Salary         : 40000.0
Promotion Status : Under Review
Name           : Kiran
ID             : 103
Designation    : Project Manager
Salary         : 75000.0
Promotion Status : Promoted
PS C:\Users\Sahithi_pyla\Desktop\Sahithi_java> 
```