INSTITUT UNIVERSITAIRE DE SCIENCES

Faculté des Sciences et Technologies

Rapport Td4 – Admin Système

Préparé Par :

Nom :

PIERRE

Prénom :

Yann Lelay

Niveau :

L4- Sciences Informatiques

Partie I – Installation et preparation

```
yann@client: ~
yann@client:~$ sudo apt update && sudo apt upgrade -y
[sudo] password for yann:
Sorry, try again.
[sudo] password for yann:
Get:1 http://security.ubuntu.com/ubuntu jammy-security InRelease [129 kB]
Hit:2 http://archive.ubuntu.com/ubuntu jammy InRelease
Get:3 http://archive.ubuntu.com/ubuntu jammy-updates InRelease [128 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy-backports InRelease [127 kB]
Get:5 http://security.ubuntu.com/ubuntu jammy-security/main amd64 Packages [3068 k
]
Get:6 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 Packages [3365 kB]
Get:7 http://security.ubuntu.com/ubuntu jammy-security/main Translation-en [438 kB
Get:8 http://security.ubuntu.com/ubuntu jammy-security/main amd64 c-n-f Metadata [
4.1 kB]
Get:9 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 Packages [10
5 kB]
Get:10 http://security.ubuntu.com/ubuntu jammy-security/universe Translation-en [2
6 kB]
Get:11 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 c-n-f Metad
ta [22.8 kB]
Get:12 http://archive.ubuntu.com/ubuntu jammy-updates/main Translation-en [512 kB]
Get:13 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 c-n-f Metadata [1
.6 kB]
Get:14 http://archive.ubuntu.com/ubuntu jammy-updates/restricted amd64 Packages [5
08 kB]
Get:15 http://archive.ubuntu.com/ubuntu jammy-updates/restricted Translation-en [1
75 kB]
Get:16 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 Packages [126
 kB]
Get:17 http://archive.ubuntu.com/ubuntu jammy-updates/universe Translation-en [316
kB]
Get:18 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 c-n-f Metadat
 [30.5 kB]
Fetched 17.4 MB in 11s (1554 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
28 packages can be upgraded. Run 'apt list --upgradable' to see them.
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Calculating upgrade... Done
The following packages will be upgraded:
```

yann@client: ~

```
yann@client:~$ sudo apt install samba -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  attr ibverbs-providers libboost-iostreams1.74.0 libboost-thread1.74.0
  libcephfs2 libgfapi0 libgfrpc0 libgfxdr0 libglusterfs0 libgpgme11 libibverbs1
  libldb2 libnl-route-3-200 librados2 librdmacm1 libtalloc2 libtdb1 libtevent0
  liburing2 libwbclient0 python3-dnspython python3-gpg python3-ldb
  python3-markdown python3-pygments python3-requests-toolbelt python3-samba
  python3-talloc python3-tdb samba-common samba-common-bin samba-dsdb-modules
  samba-libs samba-vfs-modules tdb-tools
Suggested packages:
  python3-sniffio python3-trio python-markdown-doc python-pygments-doc
  ttf-bitstream-vera bind9 bind9utils ctdb ldb-tools ntp | chrony smbldap-tools
  winbind heimdal-clients
The following NEW packages will be installed:
  attr ibverbs-providers libboost-iostreams1.74.0 libboost-thread1.74.0
  libcephfs2 libgfapi0 libgfrpc0 libgfxdr0 libglusterfs0 libgpgme11 libibverbs1
  libldb2 libnl-route-3-200 librados2 librdmacm1 libtalloc2 libtdb1 libtevent0
  liburing2 libwbclient0 python3-dnspython python3-gpg python3-ldb
  python3-markdown python3-pygments python3-requests-toolbelt python3-samba
  python3-talloc python3-tdb samba samba-common samba-common-bin
  samba-dsdb-modules samba-libs samba-vfs-modules tdb-tools
0 upgraded, 36 newly installed, 0 to remove and 0 not upgraded.
Need to get 20.0 MB of archives.
After this operation, 105 MB of additional disk space will be used.
Get:1 http://archive.ubuntu.com/ubuntu jammy/main amd64 libtalloc2 amd64 2.3.3-2bui
ld1 [25.6 kB]
Get:2 http://archive.ubuntu.com/ubuntu jammy/main amd64 libtevent0 amd64 0.11.0-1bu
ild1 [39.2 kB]
Get:3 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libwbclient0 amd64
2:4.15.13+dfsg-0ubuntu1.10 [267 kB]
Get:4 http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-dnspython all 2.1.0
-1ubuntu1 [123 kB]
Get:5 http://archive.ubuntu.com/ubuntu jammy/main amd64 libtdb1 amd64 1.4.5-2build1
 [46.4 kB]
Get:6 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libldb2 amd64 2:2.4
.4-0ubuntu0.22.04.2 [154 kB]
Get:7 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 python3-ldb amd64 2
:2.4.4-0ubuntu0.22.04.2 [41.7 kB]
Get:8 http://archive.ubuntu.com/ubuntu jammy/main amd64 python3-tdb amd64 1.4.5-2bu
ild1 [15.5 kB]
```

II - Création des groupes et des utilisateurs



yann@client: ~

```
Changing the user information for admin3
Enter the new value, or press ENTER for the default
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n]
yann@client:~$ sudo adduser admin4
Adding user `admin4' ...
Adding new group `admin4' (1007) ...
Adding new user `admin4' (1005) with group `admin4' ...
Creating home directory `/home/admin4' ...
Copying files from `/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for admin4
Enter the new value, or press ENTER for the default
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n]
yann@client:~$ sudo adduser admin5
Adding user `admin5' ...
Adding new group `admin5' (1008) ...
Adding new user `admin5' (1006) with group `admin5' ...
Creating home directory `/home/admin5' ...
Copying files from `/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for admin5
Enter the new value, or press ENTER for the default
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n]
yann@client:~$
```

```
yann@client:~$ sudo usermod -aG admin admin1
yann@client:~$ sudo usermod -aG admin admin2
yann@client:~$ sudo usermod -aG admin admin3
yann@client:~$ sudo usermod -aG admin admin4
yann@client:~$ sudo usermod -aG admin admin5
yann@client:~$
```

yann@client: ~

```
Enter the new value, or press ENTER for the default
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n]
yann@client:~$ sudo adduser reseau4
Adding user `reseau4' ...
Adding new group `reseau4' (1012) ...
Adding new user `reseau4' (1010) with group `reseau4' ...
Creating home directory `/home/reseau4' ...
Copying files from `/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for reseau4
Enter the new value, or press ENTER for the default
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n]
yann@client:~$ sudo adduser reseau5
Adding user `reseau5' ...
Adding new group `reseau5' (1013) ...
Adding new user `reseau5' (1011) with group `reseau5' ...
Creating home directory `/home/reseau5' ...
Copying files from `/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for reseau5
Enter the new value, or press ENTER for the default
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n]
yann@client:~$
```

```
yann@client:~$
yann@client:~$ sudo usermod -aG reseau reseau1
yann@client:~$ sudo usermod -aG reseau reseau2
yann@client:~$ sudo usermod -aG reseau reseau3
yann@client:~$ sudo usermod -aG reseau reseau4
yann@client:~$ sudo usermod -aG reseau reseau5
yann@client:~$ _
```

yann@client: ~

```
Changing the user information for dev3
Enter the new value, or press ENTER for the def
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n]
yann@client:~$ sudo adduser dev5
Adding user `dev5' ...
Adding new group `dev5' (1017) ...
Adding new user `dev5' (1015) with group `dev5'
Creating home directory `/home/dev5' ...
Copying files from `/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for dev5
Enter the new value, or press ENTER for the def
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n]
yann@client:~$ sudo adduser dev4
Adding user `dev4' ...
Adding new group `dev4' (1018) ...
Adding new user `dev4' (1016) with group `dev4'
Creating home directory `/home/dev4' ...
Copying files from `/etc/skel' ...
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for dev4
Enter the new value, or press ENTER for the def
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n]
yann@client:~$
```

```
Is the information correct? [Y/n]
yann@client:~$ sudo usermod -aG dev dev1
yann@client:~$ sudo usermod -aG dev dev2
yann@client:~$ sudo usermod -aG dev dev3
yann@client:~$ sudo usermod -aG dev dev4
yann@client:~$ sudo usermod -aG dev dev5
yann@client:~$
```

Définition des mots de passe Samba :

```
yann@client:~$ sudo smbpasswd -a admin1
New SMB password:
Retype new SMB password:
Added user admin1.
yann@client:~$ sudo smbpasswd -a admin2
New SMB password:
Retype new SMB password:
Added user admin2.
yann@client:~$ sudo smbpasswd -a admin3
New SMB password:
Retype new SMB password:
Added user admin3.
yann@client:~$ sudo smbpasswd -a admin4
New SMB password:
Retype new SMB password:
Added user admin4.
yann@client:~$ sudo smbpasswd -a admin5
New SMB password:
Retype new SMB password:
Added user admin5.
yann@client:~$ sudo smbpasswd -a reseau1
New SMB password:
Retype new SMB password:
Added user reseau1.
yann@client:~$ sudo smbpasswd -a reseau2
New SMB password:
Retype new SMB password:
Added user reseau2.
yann@client:~$ sudo smbpasswd -a reseau3
New SMB password:
Retype new SMB password:
Added user reseau3.
yann@client:~$ sudo smbpasswd -a reseau4
New SMB password:
Retype new SMB password:
Added user reseau4.
yann@client:~$ sudo smbpasswd -a reseau5
New SMB password:
Retype new SMB password:
Added user reseau5.
yann@client:~$
```

```
yann@client: ~
yann@client:~$ sudo smbpasswd -a dev1
New SMB password:
Retype new SMB password:
Added user dev1.
yann@client:~$ sudo smbpasswd -a dev2
New SMB password:
Retype new SMB password:
Added user dev2.
yann@client:~$ sudo smbpasswd -a dev3
New SMB password:
Retype new SMB password:
Added user dev3.
yann@client:~$ sudo smbpasswd -a dev4
New SMB password:
Retype new SMB password:
Added user dev4.
yann@client:~$ sudo smbpasswd -a dev5
New SMB password:
Retype new SMB password:
Added user dev5.
yann@client:~$
```

Vérification

```
admin1
admin2
admin3
admin4
admin5
reseau1
reseau2
reseau3
reseau4
reseau5
dev1
dev2
dev3
dev5
dev4
yann@client:~$
```

```
yann@client:~$ getent group admin reseau dev
admin:x:116:admin1,admin2,admin3,admin4,admin5
reseau:x:1002:reseau1,reseau2,reseau3,reseau4,reseau5
dev:x:1003:dev1,dev2,dev3,dev4,dev5
yann@client:~$
```

Partie III - Création des dossiers partagés

```
yann@client: ~
yann@client:~$ sudo mkdir -p /srv/partages/partage_admin
yann@client:~$ sudo mkdir -p /srv/partages/partage_reseau
yann@client:~$ sudo mkdir -p /srv/partages/partage_dev
yann@client:~$ sudo mkdir -p /srv/partages/partage_public
yann@client:~$
```

Attribution de la propriété des dossiers :

```
yann@client:~$
yann@client:~$ sudo chown :admin /srv/partages/partage_admin
yann@client:~$ sudo chown :reseau /srv/partages/partage_reseau
yann@client:~$ sudo chown :dev /srv/partages/partage_dev
yann@client:~$
```

Définition des permissions d'accès :

```
yann@client: ~
yann@client:~$ sudo chmod 770 /srv/partages/partage_admin
yann@client:~$ sudo chmod 770 /srv/partages/partage_reseau
yann@client:~$ sudo chmod 770 /srv/partages/partage_dev
yann@client:~$ sudo chmod 755 /srv/partages/partage_public
yann@client:~$
```

Vérification des permissions :

```
yann@client:~$ ls -ld /srv/partages/*
drwxrwx--- 1 root admin  512 Apr  2 11:02 /srv/partages/partage_admin
drwxrwx--- 1 root dev    512 Apr  2 11:03 /srv/partages/partage_dev
drwxr-xr-x 1 root root   512 Apr  2 11:03 /srv/partages/partage_public
drwxrwx--- 1 root reseau 512 Apr  2 11:02 /srv/partages/partage_reseau
yann@client:~$
```

Partie IV - Configuration du service Samba

Edition du fichier smb.conf

```
yann@client: ~
GNU nano 6.2                    /etc/samba/smb.conf *

[partage_admin]
   path = /srv/partages/partage_admin
   valid users = @admin
   writable = yes
   browseable = yes
   read only = no

[partage_reseau]
   path = /srv/partages/partage_reseau
   valid users = @reseau
   writable = yes
   browseable = yes
   read only = no

[partage_dev]
   path = /srv/partages/partage_dev
   valid users = @dev
   writable = yes
   browseable = yes
   read only = no

[partage_public]
   path = /srv/partages/partage_public
   browseable = yes
   read only = yes
   guest ok = yes
```

Partie V - Connexion et test depuis les clients

Test depuis Windows :

```
    inet 169.254.2.165/16 brd 169.254.255.255 scope global dynamic
       valid_lft forever preferred_lft forever
    inet6 fe80::71e0:7da9:2fa8:28bb/64 scope link dynamic
       valid_lft forever preferred_lft forever
1: lo: <LOOPBACK,UP> mtu 1500 group default qlen 1
    link/loopback 00:00:00:00:00:00
    inet 127.0.0.1/8 brd 127.255.255.255 scope global dynamic
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host dynamic
       valid_lft forever preferred_lft forever
27: wifi0: <BROADCAST,MULTICAST,UP> mtu 1500 group default qlen 1
    link/ieee802.11 48:51:b7:cf:00:85
    inet 192.168.0.171/24 brd 192.168.0.255 scope global dynamic
       valid_lft 79630sec preferred_lft 79630sec
    inet6 fe80::6dd4:f284:c2fd:e9c4/64 scope link dynamic
       valid_lft forever preferred_lft forever
26: wifi1: <> mtu 1500 group default qlen 1
    link/ieee802.11 48:51:b7:cf:00:86
    inet 169.254.237.212/16 brd 169.254.255.255 scope global dynamic
       valid_lft forever preferred_lft forever
    inet6 fe80::f822:10:29ec:7e49/64 scope link dynamic
       valid_lft forever preferred_lft forever
12: wifi2: <> mtu 1500 group default qlen 1
    link/ieee802.11 4a:51:b7:cf:00:86
    inet 169.254.91.183/16 brd 169.254.255.255 scope global dynamic
       valid_lft forever preferred_lft forever
    inet6 fe80::a88f:46da:97b5:361a/64 scope link dynamic
       valid_lft forever preferred_lft forever
21: wifi3: <> mtu 1500 group default qlen 1
    link/ieee802.11 4a:51:b7:cf:00:85
    inet 169.254.12.174/16 brd 169.254.255.255 scope global dynamic
       valid_lft forever preferred_lft forever
    inet6 fe80::5ab9:820c:f26c:6f0f/64 scope link dynamic
       valid_lft forever preferred_lft forever
```

client

Serveur

```
yann@client: ~
ED25519 key fingerprint is SHA256:+0JV5tAacb2QDsHpWH3/8IPtEBF8jrlWF
DjOhcH5//E.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])
? yes
Warning: Permanently added '192.168.0.171' (ED25519) to the list of
 known hosts.
yann@192.168.0.171's password:
Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 4.4.0-19041-Microsoft x86_
64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

 System information as of Thu Apr  2 11:19:21 EDT 2026

  System load:    0.52      Processes:               13
  Usage of /home: unknown   Users logged in:         0
  Memory usage:   82%       IPv4 address for wifi0: 192.168.0.171
  Swap usage:     5%

  => /mnt/c is using 90.5% of 118.70GB


The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted b
y
applicable law.

yann@client:~$
```

```
yann@client: ~
       valid_lft forever preferred_lft forever
    inet6 fe80::f822:10:29ec:7e49/64 scope link dynamic
       valid_lft forever preferred_lft forever
12: wifi2: <> mtu 1500 group default qlen 1
    link/ieee802.11 4a:51:b7:cf:00:86
    inet 169.254.91.183/16 brd 169.254.255.255 scope global dynamic
       valid_lft forever preferred_lft forever
    inet6 fe80::a88f:46da:97b5:361a/64 scope link dynamic
       valid_lft forever preferred_lft forever
21: wifi3: <> mtu 1500 group default qlen 1
    link/ieee802.11 4a:51:b7:cf:00:85
    inet 169.254.12.174/16 brd 169.254.255.255 scope global dynamic
       valid_lft forever preferred_lft forever
    inet6 fe80::5ab9:820c:f26c:6f0f/64 scope link dynamic
       valid_lft forever preferred_lft forever
yann@client:~$ sudo systemctl start ssh
System has not been booted with systemd as init system (PID 1). Can't operate.
Failed to connect to bus: Host is down
yann@client:~$ sudo apt install openssh-server
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
openssh-server is already the newest version (1:8.9p1-3ubuntu0.14).
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
yann@client:~$ sudo systemctl start ssh
System has not been booted with systemd as init system (PID 1). Can't operate.
Failed to connect to bus: Host is down
yann@client:~$ sudo smbd -F -S

Invalid option -S: unknown option

Usage: smbd [-?bDiFV] [-?|--help] [--usage] [-b|--build-options]
        [-p|--port=STRING] [-P|--profiling-level=PROFILE_LEVEL]
        [-d|--debuglevel=DEBUGLEVEL] [--debug-stdout]
        [-s|--configfile=CONFIGFILE] [--option=name=value]
        [-l|--log-basename=LOGFILEBASE] [--leak-report] [--leak-report-full]
        [-D|--daemon] [-i|--interactive] [-F|--foreground] [--no-process-group]
        [-V|--version]
yann@client:~$ sudo service ssh start
 * Starting OpenBSD Secure Shell server sshd                              [ OK ]
yann@client:~$ sudo service ssh start
 * Starting OpenBSD Secure Shell server sshd                              [ OK ]
yann@client:~$
```

Connecter a reseau1

```
yann@client:~$ su reseau1
Password:
reseau1@client:/home/yann$
```

```
yann@client:~$ ping 192.168.0.171
PING 192.168.0.171 (192.168.0.171) 56(84) bytes of data.
64 bytes from 192.168.0.171: icmp_seq=1 ttl=128 time=0.315
64 bytes from 192.168.0.171: icmp_seq=2 ttl=128 time=0.239
64 bytes from 192.168.0.171: icmp_seq=3 ttl=128 time=0.661
64 bytes from 192.168.0.171: icmp_seq=4 ttl=128 time=0.332
64 bytes from 192.168.0.171: icmp_seq=5 ttl=128 time=0.540
64 bytes from 192.168.0.171: icmp_seq=6 ttl=128 time=0.277
64 bytes from 192.168.0.171: icmp_seq=7 ttl=128 time=0.472
^Z
[1]+  Stopped                 ping 192.168.0.171
```

Partie VI

1. Activez un mot de passe Samba pour chaque utilisateur

```
yann@client:~$ sudo smbpasswd -a admin1
New SMB password:
Retype new SMB password:
Added user admin1.
yann@client:~$ sudo smbpasswd -a admin2
New SMB password:
Retype new SMB password:
Added user admin2.
yann@client:~$ sudo smbpasswd -a admin3
New SMB password:
Retype new SMB password:
Added user admin3.
yann@client:~$ sudo smbpasswd -a admin4
New SMB password:
Retype new SMB password:
Added user admin4.
yann@client:~$ sudo smbpasswd -a admin5
New SMB password:
Retype new SMB password:
Added user admin5.
yann@client:~$ sudo smbpasswd -a reseau1
New SMB password:
Retype new SMB password:
Added user reseau1.
yann@client:~$ sudo smbpasswd -a reseau2
New SMB password:
Retype new SMB password:
Added user reseau2.
yann@client:~$ sudo smbpasswd -a reseau3
New SMB password:
Retype new SMB password:
Added user reseau3.
yann@client:~$ sudo smbpasswd -a reseau4
New SMB password:
Retype new SMB password:
Added user reseau4.
yann@client:~$ sudo smbpasswd -a reseau5
New SMB password:
Retype new SMB password:
Added user reseau5.
yann@client:~$
```

yann@client: ~

```
yann@client:~$ sudo smbpasswd -a dev1
New SMB password:
Retype new SMB password:
Added user dev1.
yann@client:~$ sudo smbpasswd -a dev2
New SMB password:
Retype new SMB password:
Added user dev2.
yann@client:~$ sudo smbpasswd -a dev3
New SMB password:
Retype new SMB password:
Added user dev3.
yann@client:~$ sudo smbpasswd -a dev4
New SMB password:
Retype new SMB password:
Added user dev4.
yann@client:~$ sudo smbpasswd -a dev5
New SMB password:
Retype new SMB password:
Added user dev5.
yann@client:~$
```

```
reseau1@client:/home/yann$ sudo smbstatus
[sudo] password for reseau1:
reseau1 is not in the sudoers file.  This incident will be reported
.
reseau1@client:/home/yann$
```

```
reseau1@client: /home/yann
reseau1@client:/home/yann$ ls -ld /srv/partages/partage_public
drwxr-xr-x 1 root root 512 Apr  2 11:03 /srv/partages/partage_publi
c
reseau1@client:/home/yann$ ls -ld /srv/partages/partage_reseau
drwxrwx--- 1 root reseau 512 Apr  2 11:02 /srv/partages/partage_res
eau
reseau1@client:/home/yann$ ls -ld /srv/partages/partage_dev
drwxrwx--- 1 root dev 512 Apr  2 11:03 /srv/partages/partage_dev
reseau1@client:/home/yann$ ls -ld /srv/partages/partage_admin
drwxrwx--- 1 root admin 512 Apr  2 11:02 /srv/partages/partage_admi
n
```

```
reseau1@client: /home/yann
reseau1@client:/home/yann$ sudo tail -n 20 /var/log/samba/log.smbdsudo tail -n 20 /var/log/samba/log.smbd
[sudo] password for reseau1:
tail: cannot open '/var/log/samba/log.smbdsudo' for reading: No such file or directory
tail: cannot open 'tail' for reading: No such file or directory
tail: cannot open '/var/log/samba/log.smbd' for reading: No such file or directory
reseau1@client:/home/yann$ sudo smbstatus

Samba version 4.15.13-Ubuntu
PID     Username     Group        Machine                                   Protocol Version  Encryption           Signing
----------------------------------------------------------------------------------------------------------------------------------------

Service      pid     Machine       Connected at                     Encryption   Signing
---------------------------------------------------------------------------------------------

/run/samba/locking.tdb not initialised
reseau1@client:/home/yann$
```

```
reseau1@client:/home/yann$ ls -l /srv/partages/
total 0
drwxrwx--- 1 root admin  512 Apr  2 11:02 partage_admin
drwxrwx--- 1 root dev    512 Apr  2 11:03 partage_dev
drwxr-xr-x 1 root root   512 Apr  2 11:03 partage_public
drwxrwx--- 1 root reseau 512 Apr  2 11:02 partage_reseau
reseau1@client:/home/yann$
```

Conclusion :

Ce TD m'a permis de maîtriser la mise en place d'un serveur de fichiers sous Linux. J'ai appris à configurer Samba pour structurer des partages réseau sécurisés, en gérant les permissions d'accès par groupes. Cette

expérience souligne l'importance du cloisonnement des données pour garantir la confidentialité et l'intégrité du système.