

## 乐字节教育高级架构课程

正所谓"授人以鱼不如授人以渔", 你们想要的 Java 学习资料来啦!不管你是学生, 还是已经步入职场的同行, 希望你们都要珍惜眼前的学习机会, 奋斗没有终点, 知识永不过时。

## 扫描下方二维码即可领取







## 测试Redis缓存

GoodsServiceTest.java

```
package com.xxxx.manager;
import com.xxxx.common.result.BaseResult;
import com.xxxx.common.util.JsonUtil;
import com.xxxx.manager.pojo.Goods;
import com.xxxx.manager.service.GoodsService;
import org.junit.jupiter.api.Test;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.boot.test.context.SpringBootTest;
/**
  商品测试
 * @author zhoubin
 * @since 1.0.0
 */
@SpringBootTest(classes = ManagerApplication.class)
public class GoodsServiceTest {
  @Autowired
   private GoodsService goodsService
   public void testGoodsRedis(){
      Goods goods = new Goods();
      goods.setGoodsName("华为");
      BaseResult baseResult = goodsService.selectGoodsListByPage(goods, 1, 10);
      System.out.println(JsonUtil.object2JsonStr(baseResult.getPageInfo()));
   }
}
```







