USC Ground Truth Documentation

October 9, 2018

Contents

1 Background

We use influence diagrams as the underlying graph structure for our ground truth. Here is a simple influence diagram for a simulation of two actors, showing the three types of nodes and some possible links (always directed) among them:



Figure 1: Simple influence diagram

- Rectangular nodes are possible actions for a particular agent ("Actor 1", indicated by color) representing a potential behavior. They are labeled with a verb ("action") and an optional object of the verb ("Actor2"). An action node has a binary value, indicating whether or not the action was chosen.
- Oval nodes are state variables. Their value is potentially a probability distribution over a domain of possible values. All true state variables will be certain (i.e., 100% probability for a single value), but agents' perceptions of the true state will often be uncertain.
- Hexagonal nodes are utility or reward nodes. They represent an expected value computation by the agent ("Actor1"). The node's value is a table with each row corresponding to a possible action choice and its expected utility.
- Links from action nodes to state nodes specify an effect that the action has on the value of the state. In the following specifications of these effects, a variable name followed by a ' will denote the value of the variable after the action is performed.
- Links from one state node to another specify an influence that the value of the first state node has on the effect of at least one action on the second state node.
- Links from a state node to an agent's utility node specify that the state node is an input to the expected value calculation performed by that agent. There is a real-valued weight from $(0,1]$ on each link specifying the priority of that variable's influence on that agent's reward calculation (higher values mean higher priority).
- Links from utility nodes to action nodes indicate that the expected value calculation then determines whether or not that action is chosen. In the simulations described here, we use a strict maximization, so that the action choice is deterministic (i.e., the action with the highest expected value is performed, with ties broken by a pre-determined fixed order).
- Therefore, in the above simple ground truth, whether or not "Actor1" chooses to do "action" to "Actor2" influences the subsequent value of the variable "state" (link from rectangle to oval). The subsequent value of "state" also depends on its prior value (link from oval to itself). "Actor1"'s expected value of doing "action" to "Actor2" is a function of the value of "state" (link from oval to hexagon), and this expected value influences whether or not "Actor1" chooses to do so (link from hexagon to rectangle).

Any real values (e.g., initial values of variables, conditional probability table values, reward weights) will be drawn from either a set {0, 0.5, 1} or {0, 0.2, 0.4, 0.6, 0.8, 1}, depending on the appropriate granularity needed.

2 State

2.1 Actor's age

Type: Integer

psychsim/domains/groundtruth/actor.py:66

2.2 Actor's alive

Type: Boolean



psychsim/domains/groundtruth/actor.py:190

2.2.1 Default change in Actor's alive

psychsim/domains/groundtruth/actor.py:465
IF **Actor's alive**
THEN : IF **Actor's health**$'$>0.01
THEN : **Actor's alive**$'$←**true**
ELSE : **Actor's alive**$'$←**false**
ELSE : **Actor's alive**$'$←**Actor's alive**

2.3 Actor's attachment

Attachment style

Type: String

Values: **anxious**, **avoidant**, **secure**



psychsim/domains/groundtruth/actor.py:101

2.4 Actor's category

Type: Integer

psychsim/domains/groundtruth/actor.py:649

2.4.1 Observation function of Actor's category when Nature-evolve

IF **Nature's category**$\in\{0,1\}$
THEN : **Actor's category**$'\leftarrow$**Nature's category**
ELSE :
80%: **Actor's category**$'\leftarrow$**Nature's category**
19%: **Actor's category**$'\leftarrow$**Nature's category**+1

2.4.2 Default observation of Actor's category

Actor's category$'\leftarrow$0

2.5 Actor's center

Type: String

Values: Region01, **none**

psychsim/domains/groundtruth/actor.py:644

2.5.1 Default observation of Actor's center

Actor's center$'\leftarrow$**Nature's location**

2.6 Actor's children

Number of children

Type: Real



psychsim/domains/groundtruth/actor.py:75

2.7 Actor's childrenHealth

Current level of children's physical wellbeing

Type: Real



psychsim/domains/groundtruth/actor.py:212

2.7.1 Default change in Actor's childrenHealth

psychsim/domains/groundtruth/actor.py:456

IF **Actor's alive**

THEN : IF **Actor's risk**$'\in$

[0,0.2]: **Actor's childrenHealth**$'\leftarrow$60%$\cdot$**Actor's childrenHealth**+0.24

(0.2,0.4]:

20%: **Actor's childrenHealth**$'\leftarrow$60%$\cdot$**Actor's childrenHealth**

80%: **Actor's childrenHealth**$'\leftarrow$60%$\cdot$**Actor's childrenHealth**+0.24

(0.4,0.6]:

40%: **Actor's childrenHealth**$'\leftarrow$60%$\cdot$**Actor's childrenHealth**

60%: **Actor's childrenHealth**$'\leftarrow$60%$\cdot$**Actor's childrenHealth**+0.24

(0.6,0.8]:
60%: **Actor's childrenHealth**′←60%·**Actor's childrenHealth**
40%: **Actor's childrenHealth**′←60%·**Actor's childrenHealth**+0.24
(0.8,1.0]:
80%: **Actor's childrenHealth**′←60%·**Actor's childrenHealth**
19%: **Actor's childrenHealth**′←60%·**Actor's childrenHealth**+0.24
(1.0,1]:
100%: **Actor's childrenHealth**′←60%·**Actor's childrenHealth**
0%: **Actor's childrenHealth**′←60%·**Actor's childrenHealth**+0.24
ELSE : **Actor's childrenHealth**′←0.00

2.8 Actor's days

Type: Integer

`psychsim/domains/groundtruth/actor.py:639`

2.8.1 Default observation of Actor's days

Actor's days′←**Nature's days**

2.9 Actor's employed

Has a full-time job

Type: Boolean



`psychsim/domains/groundtruth/actor.py:83`

2.10 Actor's ethnicGroup

Ethnicity of actor

Type: String

Values: majority, **minority**

`psychsim/domains/groundtruth/actor.py:39`

2.11 Actor's gender

Type: String

Values: **female**, **male**

`psychsim/domains/groundtruth/actor.py:58`

2.12 Actor's grievance

Current level of grievance felt toward system

Type: Real



`psychsim/domains/groundtruth/actor.py:248`

2.12.1 Effect of System-allocate-Region01 on Actor's grievance

`psychsim/domains/groundtruth/system.py:53`
IF **Actor's region**=**Region01**
THEN : **Actor's grievance**′←80%·**Actor's grievance**
ELSE : **Actor's grievance**′←80%·**Actor's grievance**+0.20

2.13 Actor's health

Current level of physical wellbeing

Type: Real



psychsim/domains/groundtruth/actor.py:194

2.13.1 Default change in Actor's health

psychsim/domains/groundtruth/actor.py:443

IF **Actor's alive**

THEN : IF **Actor's risk**′∈

[0,0.2]: **Actor's health**′←60%·**Actor's health**+0.24

(0.2,0.4]:

20%: **Actor's health**′←60%·**Actor's health**

80%: **Actor's health**′←60%·**Actor's health**+0.24

(0.4,0.6]:

40%: **Actor's health**′←60%·**Actor's health**

60%: **Actor's health**′←60%·**Actor's health**+0.24

(0.6,0.8]:

60%: **Actor's health**′←60%·**Actor's health**

40%: **Actor's health**′←60%·**Actor's health**+0.24

(0.8,1.0]:

80%: **Actor's health**′←60%·**Actor's health**

19%: **Actor's health**′←60%·**Actor's health**+0.24

(1.0,1]:

100%: **Actor's health**′←60%·**Actor's health**

0%: **Actor's health**′←60%·**Actor's health**+0.24

ELSE : **Actor's health**′←0.00

2.14 Actor's location

Current location

Type: String

Values: Region01, **evacuated**, **shelter1**



psychsim/domains/groundtruth/actor.py:187

2.14.1 Effect of Actor-evacuate on Actor's location

psychsim/domains/groundtruth/actor.py:400
Actor's location′←evacuated

2.14.2 Effect of Actor-moveTo-Region01 on Actor's location

psychsim/domains/groundtruth/actor.py:407
Actor's location′←Region01

2.14.3 Effect of Actor-moveTo-shelter1 on Actor's location

psychsim/domains/groundtruth/actor.py:397
Actor's location′←shelter1

2.15 Actor's perceivedChildrenHealth

Type: Real

psychsim/domains/groundtruth/actor.py:680

2.15.1 Default observation of Actor's perceivedChildrenHealth

Actor's perceivedChildrenHealth′←Actor's childrenHealth

2.16 Actor's perceivedHealth

Type: Real

psychsim/domains/groundtruth/actor.py:675

2.16.1 Default observation of Actor's perceivedHealth

Actor's perceivedHealth′←Actor's health

2.17 Actor's pet

Owns a pet

Type: Boolean



psychsim/domains/groundtruth/actor.py:88

2.17.1 Effect of Actor-moveTo-shelter1 on Actor's pet

psychsim/domains/groundtruth/actor.py:578
IF **Actor's location**′=**shelter1**
THEN : IF **Region01's shelterPets**
THEN : **Actor's pet**′←**Actor's pet**
ELSE : **Actor's pet**′←**false**
ELSE : **Actor's pet**′←**Actor's pet**

2.18 Actor's phase

Type: String

Values: **active**, **approaching**, **none**

psychsim/domains/groundtruth/actor.py:635

2.18.1 Default observation of Actor's phase

Actor's phase′←**Nature's phase**

2.19 Actor's region

Region of residence

Type: String

Values: **Region01**



psychsim/domains/groundtruth/actor.py:150

2.20 Actor's religion

Religious affiliation of actor

Type: String

Values: majority, **minority**, **none**

psychsim/domains/groundtruth/actor.py:47

2.21 Actor's resources

Material resources (wealth) currently owned

Type: Real



psychsim/domains/groundtruth/actor.py:216

2.21.1 Effect of Actor-evacuate on Actor's resources

psychsim/domains/groundtruth/actor.py:502
IF **Actor's resources**>0.20
THEN : **Actor's resources**′←**Actor's resources**−0.20
ELSE : **Actor's resources**′←0.00

2.21.2 Effect of Actor-moveTo-Region01 on Actor's resources

psychsim/domains/groundtruth/actor.py:494
IF **Actor's alive**
THEN : IF **Actor's employed**
THEN : **Actor's resources**′←80%·**Actor's resources**+0.20
ELSE : **Actor's resources**′←**Actor's resources**
ELSE : **Actor's resources**′←**Actor's resources**

2.21.3 Effect of Actor-stayInLocation on Actor's resources

psychsim/domains/groundtruth/actor.py:483
IF **Actor's alive**
THEN : IF **Actor's employed**
THEN : IF **Actor's location**={'Region01', 'evacuated'}
THEN : **Actor's resources**′←80%·**Actor's resources**+0.20
ELSE : **Actor's resources**′←**Actor's resources**
ELSE : **Actor's resources**′←**Actor's resources**
ELSE : **Actor's resources**′←**Actor's resources**

2.21.4 Effect of Actor-takeResources-Region01 on Actor's resources

psychsim/domains/groundtruth/actor.py:545
Actor's resources′←80%·**Actor's resources**+0.20

2.22 Actor's risk

Current level of risk from hurricane

Type: Real



psychsim/domains/groundtruth/actor.py:236

2.22.1 Effect of Actor-decreaseRisk-Region01 on Actor's risk

psychsim/domains/groundtruth/actor.py:527
Actor's risk′←80%·**Actor's risk**+0.20

2.22.2 Effect of Actor-takeResources-Region01 on Actor's risk

psychsim/domains/groundtruth/actor.py:552
IF **Nature's phase**=**none**
    THEN : **Actor's risk**′←19%·**Actor's risk**+0.80
    ELSE : **Actor's risk**′←40%·**Actor's risk**+0.60

2.22.3 Default change in Actor's risk

psychsim/domains/groundtruth/actor.py:430
IF **Actor's alive**
    THEN : IF **Actor's location**′=**shelter1**
        THEN : **Actor's risk**′←**Region01's shelterRisk**
        ELSE : IF **Actor's location**′=**evacuated**
            THEN : **Actor's risk**′←9%·**Actor's risk**
            ELSE : **Actor's risk**′←**Region01's risk**
    ELSE : **Actor's risk**′←0.00

2.23 Actor's x

Representation of residence's longitude

Type: Real

psychsim/domains/groundtruth/actor.py:161

2.24 Actor's y

Representation of residence's latitude

Type: Real

psychsim/domains/groundtruth/actor.py:163

2.25 Group's size

Type: Integer



psychsim/domains/groundtruth/group.py:24

2.25.1 Effect of Actor-join-Group on Group's size

psychsim/domains/groundtruth/group.py:112
Group's size′←**Group's size**+1

2.25.2 Effect of Actor-leave-Group on Group's size

psychsim/domains/groundtruth/group.py:123
Group's size′←**Group's size**−1

2.26 Nature's category

Type: Integer



psychsim/domains/groundtruth/nature.py:26

2.26.1 Effect of Nature-evolve on Nature's category

psychsim/domains/groundtruth/nature.py:80
IF **Nature's phase**′

= **approaching**: IF **Nature's category**=0
THEN :
20%: **Nature's category**′←1
20%: **Nature's category**′←2
20%: **Nature's category**′←3
20%: **Nature's category**′←4
20%: **Nature's category**′←5
ELSE : IF **Nature's category**=1
THEN :
60%: **Nature's category**′←**Nature's category**
40%: **Nature's category**′←2
ELSE : IF **Nature's category**=5
THEN :
40%: **Nature's category**′←4
60%: **Nature's category**′←**Nature's category**
ELSE :
20%: **Nature's category**′←**Nature's category**−1
60%: **Nature's category**′←**Nature's category**
20%: **Nature's category**′←**Nature's category**+1
= **active**: **Nature's category**′←**Nature's category**
= **none**: **Nature's category**′←0

2.27 Nature's days

Type: Integer



psychsim/domains/groundtruth/nature.py:18

2.27.1 Effect of Nature-evolve on Nature's days

psychsim/domains/groundtruth/nature.py:54
IF **Nature's phase**=**Nature's phase**′
THEN : **Nature's days**′←**Nature's days**+1
ELSE : **Nature's days**′←0

2.28 Nature's location

Type: String

Values: **Region01**, **none**



psychsim/domains/groundtruth/nature.py:23

2.28.1 Effect of Nature-evolve on Nature's location

psychsim/domains/groundtruth/nature.py:111
IF **Nature's phase**′
= **approaching**: IF **Nature's location**=**none**
THEN : **Nature's location**′←**Region01**
ELSE : **Nature's location**′←**Nature's location**
= **active**: IF **Nature's location**
OTHERWISE : **Nature's location**′←**Nature's location**
= **Region01**: **Nature's location**′←**none**
= **none**: **Nature's location**′←**none**

2.29 Nature's phase

Type: String

Values: **active**, **approaching**, **none**



psychsim/domains/groundtruth/nature.py:16

2.29.1 Effect of Nature-evolve on Nature's phase

psychsim/domains/groundtruth/nature.py:49
IF **Nature's phase**
= **none**: IF **Nature's days**>1
THEN :
80%: **Nature's phase**′←**approaching**
19%: **Nature's phase**′←**none**
ELSE : **Nature's phase**′←**none**
= **approaching**: IF **Nature's days**>1
THEN :
80%: **Nature's phase**′←**active**
19%: **Nature's phase**′←**approaching**
ELSE : **Nature's phase**′←**approaching**
OTHERWISE : IF **Nature's location**=**none**
THEN : **Nature's phase**′←**none**
ELSE : **Nature's phase**′←**active**

2.30 Region01's economy

Current economic level of region

Type: Real

psychsim/domains/groundtruth/region.py:77

2.31 Region01's risk

Level of risk from hurricane

Type: Real



psychsim/domains/groundtruth/region.py:51

2.31.1 Effect of Actor-decreaseRisk-Region01 on Region01's risk

psychsim/domains/groundtruth/actor.py:522
Region01's risk′←80%·**Region01's risk**

2.31.2 Effect of Nature-evolve on Region01's risk

psychsim/domains/groundtruth/nature.py:129
IF **Nature's phase**′=**active**
THEN : IF **Nature's location**′
OTHERWISE : **Region01's risk**′←80%·**Region01's risk**
= **Region01**: IF **Nature's category**
= **1**: **Region01's risk**′←80%·**Region01's risk**+0.20
= **2**: **Region01's risk**′←60%·**Region01's risk**+0.40
= **3**: **Region01's risk**′←39%·**Region01's risk**+0.60
= **4**: **Region01's risk**′←19%·**Region01's risk**+0.80
= **5**: **Region01's risk**′←0%·**Region01's risk**+1.00
ELSE : **Region01's risk**′←80%·**Region01's risk**

2.31.3 Effect of System-allocate-Region01 on Region01's risk

psychsim/domains/groundtruth/system.py:41
Region01's risk′←80%·**Region01's risk**

2.32 Region01's security

Level of law enforcement in region

Type: Real

psychsim/domains/groundtruth/region.py:64

2.33 Region01's shelterPets

Type: Boolean



psychsim/domains/groundtruth/region.py:88

2.34 Region01's shelterRisk

Type: Real



psychsim/domains/groundtruth/region.py:82

2.34.1 Effect of Nature-evolve on Region01's shelterRisk

psychsim/domains/groundtruth/nature.py:144

IF **Nature's phase′=active**

THEN : IF **Nature's location′=Region01**

THEN : IF **Nature's category**

= **1**: **Region01's shelterRisk′←Region01's shelterRisk**

= **2**: **Region01's shelterRisk′**←80%·**Region01's shelterRisk**+0.20

= **3**: **Region01's shelterRisk′**←60%·**Region01's shelterRisk**+0.40

= **4**: **Region01's shelterRisk′**←39%·**Region01's shelterRisk**+0.60

= **5**: **Region01's shelterRisk′**←19%·**Region01's shelterRisk**+0.80

ELSE : **Region01's shelterRisk′←Region01's shelterRisk**

ELSE : **Region01's shelterRisk′**←80%·**Region01's shelterRisk**

2.35 System's resources

Type: Integer



psychsim/domains/groundtruth/system.py:20

2.35.1 Effect of System-allocate-Region01 on System's resources

psychsim/domains/groundtruth/system.py:43
System's resources′←**System's resources**

2.36 day

Type: Integer



psychsim/domains/groundtruth/__main__.py:710

2.36.1 Effect of Nature-evolve on day

psychsim/domains/groundtruth/nature.py:149
day′←**day**+1

3 Relations

3.1 Actor friendOf Actor

Type: Boolean

psychsim/domains/groundtruth/actor.py:723

3.2 Actor memberOf Group

Type: Boolean



psychsim/domains/groundtruth/group.py:93

3.2.1 Effect of Actor-join-Group on Actor memberOf Group

Actor memberOf Group′←true

3.2.2 Effect of Actor-leave-Group on Actor memberOf Group

Actor memberOf Group′←false

4 Actions

4.1 Nature evolve



psychsim/domains/groundtruth/nature.py:14

4.1.1 Effect on Nature's category of Nature evolve

IF **Nature's phase′**
= **approaching**: IF **Nature's category**=0
THEN :

20%: **Nature's category**$'$←1
20%: **Nature's category**$'$←2
20%: **Nature's category**$'$←3
20%: **Nature's category**$'$←4
20%: **Nature's category**$'$←5
ELSE : IF **Nature's category**=1
THEN :
60%: **Nature's category**$'$←**Nature's category**
40%: **Nature's category**$'$←2
ELSE : IF **Nature's category**=5
THEN :
40%: **Nature's category**$'$←4
60%: **Nature's category**$'$←**Nature's category**
ELSE :
20%: **Nature's category**$'$←**Nature's category**−1
60%: **Nature's category**$'$←**Nature's category**
20%: **Nature's category**$'$←**Nature's category**+1
= **active**: **Nature's category**$'$←**Nature's category**
= **none**: **Nature's category**$'$←0

4.1.2 Effect on Nature's days of Nature evolve

IF **Nature's phase**=**Nature's phase**$'$
THEN : **Nature's days**$'$←**Nature's days**+1
ELSE : **Nature's days**$'$←0

4.1.3 Effect on Nature's location of Nature evolve

IF **Nature's phase**$'$
= **approaching**: IF **Nature's location**=**none**
THEN : **Nature's location**$'$←**Region01**
ELSE : **Nature's location**$'$←**Nature's location**
= **active**: IF **Nature's location**
OTHERWISE : **Nature's location**$'$←**Nature's location**
= **Region01**: **Nature's location**$'$←**none**
= **none**: **Nature's location**$'$←**none**

4.1.4 Effect on Nature's phase of Nature evolve

IF **Nature's phase**
= **none**: IF **Nature's days**>1
THEN :
80%: **Nature's phase**$'$←**approaching**
19%: **Nature's phase**$'$←**none**
ELSE : **Nature's phase**$'$←**none**
= **approaching**: IF **Nature's days**>1
THEN :
80%: **Nature's phase**$'$←**active**
19%: **Nature's phase**$'$←**approaching**
ELSE : **Nature's phase**$'$←**approaching**
OTHERWISE : IF **Nature's location**=**none**
THEN : **Nature's phase**$'$←**none**
ELSE : **Nature's phase**$'$←**active**

4.1.5 Effect on Region01's risk of Nature evolve

IF **Nature's phase′**=**active**
THEN : IF **Nature's location′**
OTHERWISE : **Region01's risk′**←80%·**Region01's risk**
= **Region01**: IF **Nature's category**
= **1**: **Region01's risk′**←80%·**Region01's risk**+0.20
= **2**: **Region01's risk′**←60%·**Region01's risk**+0.40
= **3**: **Region01's risk′**←39%·**Region01's risk**+0.60
= **4**: **Region01's risk′**←19%·**Region01's risk**+0.80
= **5**: **Region01's risk′**←0%·**Region01's risk**+1.00
ELSE : **Region01's risk′**←80%·**Region01's risk**

4.1.6 Effect on Region01's shelterRisk of Nature evolve

IF **Nature's phase′**=**active**
THEN : IF **Nature's location′**=**Region01**
THEN : IF **Nature's category**
= **1**: **Region01's shelterRisk′**←**Region01's shelterRisk**
= **2**: **Region01's shelterRisk′**←80%·**Region01's shelterRisk**+0.20
= **3**: **Region01's shelterRisk′**←60%·**Region01's shelterRisk**+0.40
= **4**: **Region01's shelterRisk′**←39%·**Region01's shelterRisk**+0.60
= **5**: **Region01's shelterRisk′**←19%·**Region01's shelterRisk**+0.80
ELSE : **Region01's shelterRisk′**←**Region01's shelterRisk**
ELSE : **Region01's shelterRisk′**←80%·**Region01's shelterRisk**

4.1.7 Effect on day of Nature evolve

day′←**day**+1

4.2 Actor decreaseRisk Region01



psychsim/domains/groundtruth/actor.py:325

4.2.1 Applicability of Actor decreaseRisk Region01

IF **Actor's location**=**Region01**
THEN : IF **Actor's alive**

THEN : **true**
ELSE : **false**
ELSE : **false**

4.2.2 Effect on Actor's risk of Actor decreaseRisk Region01

Actor's risk$'\leftarrow 80\%\cdot$**Actor's risk**$+0.20$

4.2.3 Effect on Region01's risk of Actor decreaseRisk Region01

Region01's risk$'\leftarrow 80\%\cdot$**Region01's risk**

4.3 Actor evacuate



`psychsim/domains/groundtruth/actor.py:307`

4.3.1 Applicability of Actor evacuate

IF **Nature's phase**$=$**none**
THEN : **false**
ELSE : IF **Actor's location**$=$**evacuated**
THEN : **false**
ELSE : IF **Actor's alive**
THEN : **true**
ELSE : **false**

4.3.2 Effect on Actor's location of Actor evacuate

Actor's location$'\leftarrow$**evacuated**

4.3.3 Effect on Actor's resources of Actor evacuate

IF **Actor's resources**>0.20
THEN : **Actor's resources**$'\leftarrow$**Actor's resources**-0.20
ELSE : **Actor's resources**$'\leftarrow 0.00$

4.4 Actor join Group



psychsim/domains/groundtruth/group.py:108

4.4.1 Applicability of Actor join Group

IF **Actor's alive**
THEN : IF **Actor memberOf Group**
THEN : **false**
ELSE : **true**
ELSE : **false**

4.4.2 Effect on Actor memberOf Group of Actor join Group

Actor memberOf Group$'$**←true**

4.4.3 Effect on Group's size of Actor join Group

Group's size$'$**←Group's size**+1

4.5 Actor leave Group



psychsim/domains/groundtruth/group.py:119

4.5.1 Applicability of Actor leave Group

IF **Actor's alive**
THEN : IF **Actor memberOf Group**
THEN : **true**
ELSE : **false**
ELSE : **false**

4.5.2 Effect on Actor memberOf Group of Actor leave Group

Actor memberOf Group$'$←**false**

4.5.3 Effect on Group's size of Actor leave Group

Group's size$'$←**Group's size**−1

4.6 Actor moveTo Region01



psychsim/domains/groundtruth/actor.py:314

4.6.1 Applicability of Actor moveTo Region01

IF **Actor's location={'evacuated', 'shelter1'}**
THEN : **true**
ELSE : **false**

4.6.2 Effect on Actor's location of Actor moveTo Region01

Actor's location$'$←**Region01**

4.6.3 Effect on Actor's resources of Actor moveTo Region01

IF **Actor's alive**
THEN : IF **Actor's employed**
THEN : **Actor's resources**$'$←80%·**Actor's resources**+0.20
ELSE : **Actor's resources**$'$←**Actor's resources**
ELSE : **Actor's resources**$'$←**Actor's resources**

4.7 Actor moveTo shelter1



psychsim/domains/groundtruth/actor.py:297

4.7.1 Applicability of Actor moveTo shelter1

IF **Nature's phase=none**
THEN : **false**
ELSE : IF **Actor's alive**
THEN : IF **Actor's location=shelter1**
THEN : **false**
ELSE : **true**
ELSE : **false**

4.7.2 Effect on Actor's location of Actor moveTo shelter1

Actor's location$'$←shelter1

4.7.3 Effect on Actor's pet of Actor moveTo shelter1

IF **Actor's location$'$=shelter1**
THEN : IF **Region01's shelterPets**
THEN : **Actor's pet$'$←Actor's pet**
ELSE : **Actor's pet$'$←false**
ELSE : **Actor's pet$'$←Actor's pet**

4.8 Actor stayInLocation



psychsim/domains/groundtruth/actor.py:258

4.8.1 Effect on Actor's resources of Actor stayInLocation

IF **Actor's alive**
THEN : IF **Actor's employed**
THEN : IF **Actor's location**={**'Region01', 'evacuated'**}
THEN : **Actor's resources**$'$←80%·**Actor's resources**+0.20
ELSE : **Actor's resources**$'$←**Actor's resources**
ELSE : **Actor's resources**$'$←**Actor's resources**
ELSE : **Actor's resources**$'$←**Actor's resources**

4.9 Actor takeResources Region01



psychsim/domains/groundtruth/actor.py:360

4.9.1 Applicability of Actor takeResources Region01

IF **Actor's location**=**Region01**
THEN : IF **Actor's alive**

THEN : **true**
ELSE : **false**
ELSE : **false**

4.9.2 Effect on Actor's resources of Actor takeResources Region01

Actor's resources′←80%·**Actor's resources**+0.20

4.9.3 Effect on Actor's risk of Actor takeResources Region01

IF **Nature's phase**=**none**
THEN : **Actor's risk**′←19%·**Actor's risk**+0.80
ELSE : **Actor's risk**′←40%·**Actor's risk**+0.60

4.10 System allocate Region01



psychsim/domains/groundtruth/system.py:37

4.10.1 Effect on Actor's grievance of System allocate Region01

IF **Actor's region**=**Region01**
THEN : **Actor's grievance**′←80%·**Actor's grievance**
ELSE : **Actor's grievance**′←80%·**Actor's grievance**+0.20

4.10.2 Effect on Region01's risk of System allocate Region01

Region01's risk′←80%·**Region01's risk**

4.10.3 Effect on System's resources of System allocate Region01

System's resources′←**System's resources**

4.11 Group decreaseRisk



psychsim/domains/groundtruth/group.py:34

4.11.1 Applicability of Group decreaseRisk

IF **Group's size**>0
THEN : **true**
ELSE : **false**

4.12 Group evacuate



psychsim/domains/groundtruth/group.py:61

4.12.1 Applicability of Group evacuate

IF **Nature's phase=none**
THEN : **false**
ELSE : **true**

4.13 Group noDecision



psychsim/domains/groundtruth/group.py:64

4.14 Group returnHome



psychsim/domains/groundtruth/group.py:62

4.15 Group takeResources



psychsim/domains/groundtruth/group.py:55

4.15.1 Applicability of Group takeResources

IF **Group's size**>0
THEN : **true**
ELSE : **false**

5 Expected Reward

5.1 Actor's Reward



IF **Actor's risk**>0.60
THEN : IF **Actor's attachment**=**anxious**
THEN : R←20%·**Actor memberOf Group**+40%·**Actor's childrenHealth**+60%·**Actor's health**+40%·**Actor's pet**+20%·**Actor's resources**+-60%·**Region01's risk**
ELSE : IF **Actor's attachment**=**avoidant**
THEN : R←-20%·**Actor memberOf Group**+40%·**Actor's childrenHealth**+60%·**Actor's health**+40%·**Actor's pet**+20%·**Actor's resources**+-60%·**Region01's risk**

ELSE : R←40%·**Actor's childrenHealth**+60%·**Actor's health**+40%·**Actor's pet**+20%·**Actor's resources**+-60%·**Region01's risk**

ELSE : R←40%·**Actor's childrenHealth**+60%·**Actor's health**+40%·**Actor's pet**+20%·**Actor's resources**+-60%·**Region01's risk**

5.2 Group's Reward



IF **Actor's risk**>0.60

THEN : IF **Actor's attachment**=**anxious**

THEN : R←20%·**Actor memberOf Group**+40%·**Actor's childrenHealth**+60%·**Actor's health**+40%·**Actor's pet**+20%·**Actor's resources**+-60%·**Region01's risk**

ELSE : IF **Actor's attachment**=**avoidant**

THEN : R←-20%·**Actor memberOf Group**+40%·**Actor's childrenHealth**+60%·**Actor's health**+40%·**Actor's pet**+20%·**Actor's resources**+-60%·**Region01's risk**

ELSE : R←40%·**Actor's childrenHealth**+60%·**Actor's health**+40%·**Actor's pet**+20%·**Actor's resources**+-60%·**Region01's risk**

ELSE : R←40%·**Actor's childrenHealth**+60%·**Actor's health**+40%·**Actor's pet**+20%·**Actor's resources**+-60%·**Region01's risk**