USC Ground Truth Documentation

October 9, 2018

Contents

1	Background Background	
2	State	e
	2.1	Actor's age
	2.2	Actor's alive
		2.2.1 Default change in Actor's alive
	2.3	Actor's attachment
	2.4	Actor's category
	2.4	
		2.4.2 Default observation of Actor's category
	2.5	Actor's center
		2.5.1 Default observation of Actor's center
	2.6	Actor's children
	2.7	Actor's childrenHealth
		2.7.1 Default change in Actor's childrenHealth
	2.8	Actor's days
		2.8.1 Default observation of Actor's days
	2.9	Actor's employed
		Actor's ethnicGroup
		Actor's gender
	2.12	Actor's grievance
		2.12.1 Effect of System-allocate-Region01 on Actor's grievance
	2.13	Actor's health
		2.13.1 Default change in Actor's health
	2.14	Actor's location
		2.14.1 Effect of Actor-evacuate on Actor's location
		2.14.2 Effect of Actor-moveTo-Region01 on Actor's location
		2.14.3 Effect of Actor-moveTo-shelter1 on Actor's location
	2 15	Actor's perceivedChildrenHealth
	2.13	2.15.1 Default observation of Actor's perceivedChildrenHealth
	2.16	•
	2.10	Actor's perceivedHealth
		2.16.1 Default observation of Actor's perceivedHealth
	2.17	Actor's pet
		2.17.1 Effect of Actor-moveTo-shelter1 on Actor's pet
	2.18	Actor's phase
		2.18.1 Default observation of Actor's phase
	2.19	Actor's region
		Actor's religion
		Actor's resources
	2.21	2.21.1 Effect of Actor-evacuate on Actor's resources
		2.21.2 Effect of Actor-moveTo-Region01 on Actor's resources
		2.21.3 Effect of Actor-stayInLocation on Actor's resources
		2.21.4 Effect of Actor-takeResources-Region01 on Actor's resources
	2.22	Actor's risk
		2.22.1 Effect of Actor-decreaseRisk-Region01 on Actor's risk
		2.22.2 Effect of Actor-takeResources-Region01 on Actor's risk
		2.22.3 Default change in Actor's risk
	2.23	Group's size
	0	2.23.1 Effect of Actor-join-Group on Group's size
		2.23.2 Effect of Actor-leave-Group on Group's size
	2.24	
	2.24	Nature's category
		2.24.1 Effect of Nature-evolve on Nature's category

	2.25		17
		2.25.1 Effect of Nature-evolve on Nature's days	18
	2.26	Nature's location	18
		2.26.1 Effect of Nature-evolve on Nature's location	18
	2.27	Nature's phase	19
		2.27.1 Effect of Nature-evolve on Nature's phase	19
		Region01's economy	19
	2.29	Region01's risk	20
		2.29.1 Effect of Actor-decreaseRisk-Region01 on Region01's risk	20
		2.29.2 Effect of Nature-evolve on Region01's risk	20
		2.29.3 Effect of System-allocate-Region01 on Region01's risk	20
	2.30	Region01's security	20
	2.31	Region01's shelterPets	21
	2.32	Region01's shelterRisk	21
		2.32.1 Effect of Nature-evolve on Region01's shelterRisk	21
	2.33	System's resources	22
		2.33.1 Effect of System-allocate-Region01 on System's resources	22
	2.34	day	22
		2.34.1 Effect of Nature-evolve on day	23
3	Rela	tions	23
	3.1	Actor friendOf Actor	23
	3.2	Actor memberOf Group	23
		3.2.1 Effect of Actor-join-Group on Actor memberOf Group	23
		3.2.2 Effect of Actor-leave-Group on Actor memberOf Group	23
4	Acti	ons	24
	4.1	Nature evolve	24
		4.1.1 Effect on Nature's category of Nature evolve	24
		4.1.2 Effect on Nature's days of Nature evolve	24
		4.1.3 Effect on Nature's location of Nature evolve	25
		4.1.4 Effect on Nature's phase of Nature evolve	25
		4.1.5 Effect on Region01's risk of Nature evolve	25
		4.1.6 Effect on Region01's shelterRisk of Nature evolve	25
		4.1.7 Effect on day of Nature evolve	26
	4.2	Actor decreaseRisk Region01	26
		4.2.1 Applicability of Actor decreaseRisk Region01	26
		4.2.2 Effect on Actor's risk of Actor decreaseRisk Region01	26
		4.2.3 Effect on Region01's risk of Actor decreaseRisk Region01	26
	4.3	Actor evacuate	27
	1.5	4.3.1 Applicability of Actor evacuate	27
		4.3.2 Effect on Actor's location of Actor evacuate	27
		4.3.3 Effect on Actor's resources of Actor evacuate	27
	4.4	Actor join Group	28
	4.4	4.4.1 Applicability of Actor join Group	28
		11 • • • •	
		4.4.2 Effect on Actor memberOf Group of Actor join Group	28
	1 =	4.4.3 Effect on Group's size of Actor join Group	28
	4.5	Actor leave Group	28
		4.5.1 Applicability of Actor leave Group	29
		4.5.2 Effect on Actor memberOf Group of Actor leave Group	29
		4.5.3 Effect on Group's size of Actor leave Group	29
	4.6	Actor moveTo Region01	29
		4.6.1 Applicability of Actor moveTo Region01	29
		4.6.2 Effect on Actor's location of Actor moveTo Region01	29

	4.6.3 Effect on Actor's resources of Actor moveTo Region01	29
4.7	Actor moveTo shelter1	30
	4.7.1 Applicability of Actor moveTo shelter1	30
	4.7.2 Effect on Actor's location of Actor moveTo shelter1	30
	4.7.3 Effect on Actor's pet of Actor moveTo shelter1	30
4.8	Actor stayInLocation	31
	4.8.1 Effect on Actor's resources of Actor stayInLocation	31
4.9	Actor takeResources Region01	31
	4.9.1 Applicability of Actor takeResources Region01	31
	4.9.2 Effect on Actor's resources of Actor takeResources Region01	32
	4.9.3 Effect on Actor's risk of Actor takeResources Region01	32
4.10	System allocate Region01	32
	4.10.1 Effect on Actor's grievance of System allocate Region01	32
	4.10.2 Effect on Region01's risk of System allocate Region01	32
	4.10.3 Effect on System's resources of System allocate Region01	32
4.11	Group decreaseRisk	33
	4.11.1 Applicability of Group decreaseRisk	33
4.12	Group evacuate	33
	4.12.1 Applicability of Group evacuate	33
4.13	Group noDecision	34
	Group returnHome	34
	Group takeResources	35
	4.15.1 Applicability of Group takeResources	35
5 Exp	ected Reward	35
5.1	Actor's Reward	35
5.2	Group's Reward	36

1 Background

We use influence diagrams as the underlying graph structure for our ground truth. Here is a simple influence diagram for a simulation of two actors, showing the three types of nodes and some possible links (always directed) among them:




Figure 1: Simple influence diagram

- Rectangular nodes are possible actions for a particular agent ("Actor 1", indicated by color) representing a potential behavior. They are labeled with a verb ("action") and an optional object of the verb ("Actor2"). An action node has a binary value, indicating whether or not the action was chosen.
- Oval nodes are state variables. Their value is potentially a probability distribution over a domain of possible values. All true state variables will be certain (i.e., 100% probability for a single value), but agents' perceptions of the true state will often be uncertain.
- Hexagonal nodes are utility or reward nodes. They represent an expected value computation by the agent ("Actor1"). The node's value is a table with each row corresponding to a possible action choice and its expected utility.
- Links from action nodes to state nodes specify an effect that the action has on the value of the state. In the following specifications of these effects, a variable name followed by a 'will denote the value of the variable after the action is performed.
- Links from one state node to another specify an influence that the value of the first state node has on the effect of at least one action on the second state node.
- Links from a state node to an agent's utility node specify that the state node is an input to the expected value calculation performed by that agent. There is a real-valued weight from \$(0,1]\$ on each link specifying the priority of that variable's influence on that agent's reward calculation (higher values mean higher priority).
- Links from utility nodes to action nodes indicate that the expected value calculation then determines whether or not that action is chosen. In the simulations described here, we use a strict maximization, so that the action choice is deterministic (i.e., the action with the highest expected value is performed, with ties broken by a pre-determined fixed order).
- Therefore, in the above simple ground truth, whether or not "Actor1" chooses to do "action" to "Actor2" influences the subsequent value of the variable "state" (link from rectangle to oval). The subsequent value of "state" also depends on its prior value (link from oval to itself). "Actor1" s expected value of doing "action" to "Actor2" is a function of the value of "state" (link from oval to hexagon), and this expected value influences whether or not "Actor1" chooses to do so (link from hexagon to rectangle).

Any real values (e.g., initial values of variables, conditional probability table values, reward weights) will be drawn from either a set $\{0, 0.5, 1\}$ or $\{0, 0.2, 0.4, 0.6, 0.8, 1\}$, depending on the appropriate granularity needed.

2 State


2.1 Actor's age

Type: Integer

psychsim/domains/groundtruth/actor.py:66

2.2 Actor's alive

Type: Boolean



psychsim/domains/groundtruth/actor.py:191

2.2.1 Default change in Actor's alive

psychsim/domains/groundtruth/actor.py:466

IF Actor's alive

THEN: IF Actor's health'>0.01

THEN: Actor's alive'←true

ELSE: Actor's alive'←false


ELSE: Actor's alive'←Actor's alive

2.3 Actor's attachment

Attachment style

Type: String

Values: anxious, avoidant, secure



psychsim/domains/groundtruth/actor.py:101

2.4 Actor's category

Type: Integer

psychsim/domains/groundtruth/actor.py:650

2.4.1 Observation function of Actor's category when Nature-evolve

IF Nature's category $\in \{0,5\}$

THEN: Actor's category'←Nature's category

ELSE:

80%: Actor's category' \leftarrow Nature's category 19%: Actor's category' \leftarrow Nature's category -1

2.4.2 Default observation of Actor's category

Actor's category' $\leftarrow 0$

2.5 Actor's center

Type: String

Values: Region01, none

psychsim/domains/groundtruth/actor.py:645


2.5.1 Default observation of Actor's center

Actor's center'←Nature's location

2.6 Actor's children

Number of children

Type: Real




psychsim/domains/groundtruth/actor.py:75

2.7 Actor's childrenHealth

Current level of children's physical wellbeing

Type: Real



psychsim/domains/groundtruth/actor.py:213

2.7.1 Default change in Actor's childrenHealth

psychsim/domains/groundtruth/actor.py:457

IF Actor's alive

THEN : IF **Actor's risk'** \in

[0,0.2]: Actor's childrenHealth \leftarrow 60%·Actor's childrenHealth+0.24

(0.2,0.4]:

20%: Actor's childrenHealth ←60%·Actor's childrenHealth

80%: Actor's childrenHealth'←60%·Actor's childrenHealth+0.24

(0.4,0.6]:

40%: Actor's childrenHealth ←60%·Actor's childrenHealth

60%: Actor's childrenHealth'←60%·Actor's childrenHealth+0.24

(0.6,0.8]:

60%: Actor's childrenHealth ←60%·Actor's childrenHealth

40%: Actor's childrenHealth' \leftarrow 60%·Actor's childrenHealth+0.24

(0.8,1.0]:

80%: Actor's childrenHealth ←60%·Actor's childrenHealth

19%: Actor's children Health' \leftarrow 60%·Actor's children Health+0.24 (1.0,1]:

100%: Actor's childrenHealth ←60%·Actor's childrenHealth

0%: Actor's childrenHealth'←60%·Actor's childrenHealth+0.24

ELSE: Actor's childrenHealth $'\leftarrow 0.00$

2.8 Actor's days

Type: Integer

psychsim/domains/groundtruth/actor.py:640


2.8.1 Default observation of Actor's days

Actor's days'←Nature's days

2.9 Actor's employed

Has a full-time job

Type: Boolean



psychsim/domains/groundtruth/actor.py:83

2.10 Actor's ethnicGroup

Ethnicity of actor

Type: String

Values: majority, minority

psychsim/domains/groundtruth/actor.py:39

2.11 Actor's gender

Type: String


Values: female, male

psychsim/domains/groundtruth/actor.py:58

2.12 Actor's grievance

Current level of grievance felt toward system

Type: Real



psychsim/domains/groundtruth/actor.py:249

2.12.1 Effect of System-allocate-Region01 on Actor's grievance

psychsim/domains/groundtruth/system.py:53


IF Actor's region=Region01

THEN : Actor's grievance' \leftarrow 80%·Actor's grievance ELSE : Actor's grievance' \leftarrow 80%·Actor's grievance+0.20

2.13 Actor's health

Current level of physical wellbeing

Type: Real



psychsim/domains/groundtruth/actor.py:195

2.13.1 Default change in Actor's health

psychsim/domains/groundtruth/actor.py:444

IF Actor's alive

THEN: IF Actor's risk' \in

[0,0.2]: Actor's health' \leftarrow 60%·Actor's health+0.24 (0.2, 0.4]: 20%: Actor's health' \leftarrow 60% · Actor's health 80%: Actor's health \leftarrow 60%·Actor's health+0.24 (0.4,0.6]: 40%: Actor's health' \leftarrow 60%·Actor's health 60%: Actor's health' \leftarrow 60%·Actor's health+0.24 (0.6, 0.8]: 60%: Actor's health $'\leftarrow$ 60%·Actor's health 40%: Actor's health'←60%·Actor's health+0.24 (0.8, 1.0]: 80%: Actor's health' \leftarrow 60% · Actor's health 19%: Actor's health $\leftarrow 60\%$ ·Actor's health+0.24(1.0,1]: 100%: Actor's health \leftarrow 60%·Actor's health 0%: Actor's health' \leftarrow 60%·Actor's health+0.24


ELSE : Actor's health' $\leftarrow 0.00$

2.14 Actor's location

Current location

Type: String

Values: Region01, evacuated, shelter1



psychsim/domains/groundtruth/actor.py:188

2.14.1 Effect of Actor-evacuate on Actor's location

psychsim/domains/groundtruth/actor.py:401

Actor's location'←evacuated

2.14.2 Effect of Actor-moveTo-Region01 on Actor's location

psychsim/domains/groundtruth/actor.py:408

Actor's location $'\leftarrow$ Region01

2.14.3 Effect of Actor-moveTo-shelter1 on Actor's location

psychsim/domains/groundtruth/actor.py:398
Actor's location'←shelter1

2.15 Actor's perceivedChildrenHealth

Type: Real

psychsim/domains/groundtruth/actor.py:681

2.15.1 Default observation of Actor's perceivedChildrenHealth

Actor's perceivedChildrenHealth ← Actor's childrenHealth

2.16 Actor's perceivedHealth

Type: Real

psychsim/domains/groundtruth/actor.py:676


2.16.1 Default observation of Actor's perceivedHealth

Actor's perceivedHealth ← Actor's health

2.17 Actor's pet

Owns a pet

Type: Boolean



psychsim/domains/groundtruth/actor.py:88

2.17.1 Effect of Actor-moveTo-shelter1 on Actor's pet

psychsim/domains/groundtruth/actor.py:579

IF Actor's location'=shelter1

THEN: IF Region01's shelterPets
THEN: Actor's pet'←Actor's pet
ELSE: Actor's pet'←false
ELSE: Actor's pet'←Actor's pet

2.18 Actor's phase

Type: String

Values: active, approaching, none

psychsim/domains/groundtruth/actor.py:636

2.18.1 Default observation of Actor's phase


Actor's phase \leftarrow Nature's phase

2.19 Actor's region

Region of residence

Type: String

Values: Region01



psychsim/domains/groundtruth/actor.py:150

2.20 Actor's religion

Religious affiliation of actor

Type: String


Values: majority, minority, none

psychsim/domains/groundtruth/actor.py:47

2.21 Actor's resources

Material resources (wealth) currently owned

Type: Real



psychsim/domains/groundtruth/actor.py:217

2.21.1 Effect of Actor-evacuate on Actor's resources

psychsim/domains/groundtruth/actor.py:503

IF Actor's resources>0.20

THEN: Actor's resources' \leftarrow Actor's resources -0.20

ELSE : Actor's resources' $\leftarrow 0.00$

2.21.2 Effect of Actor-moveTo-Region01 on Actor's resources

psychsim/domains/groundtruth/actor.py:495

IF Actor's alive

THEN: IF Actor's employed

 $THEN: \textbf{Actor's resources'} \leftarrow 80\% \cdot \textbf{Actor's resources} + 0.20$

 $ELSE: Actor's resources' \leftarrow Actor's resources$

2.21.3 Effect of Actor-stayInLocation on Actor's resources

psychsim/domains/groundtruth/actor.py:484

IF Actor's alive

THEN: IF Actor's employed

THEN: IF Actor's location={'evacuated', 'Region01'}

THEN: Actor's resources'←80%·Actor's resources+0.20

 $ELSE: \textbf{Actor's resources}' \leftarrow \textbf{Actor's resources} \\ ELSE: \textbf{Actor's resources}' \leftarrow \textbf{Actor's resources} \\$

 $ELSE: Actor's resources' \leftarrow Actor's resources$

2.21.4 Effect of Actor-takeResources-Region01 on Actor's resources


psychsim/domains/groundtruth/actor.py:546

Actor's resources' $\leftarrow 80\%$ ·Actor's resources+0.20

2.22 Actor's risk

Current level of risk from hurricane

Type: Real



psychsim/domains/groundtruth/actor.py:237

2.22.1 Effect of Actor-decreaseRisk-Region01 on Actor's risk

psychsim/domains/groundtruth/actor.py:528 Actor's risk' \leftarrow 80%·Actor's risk+0.20

2.22.2 Effect of Actor-takeResources-Region01 on Actor's risk

psychsim/domains/groundtruth/actor.py:553

IF Nature's phase=none

THEN: Actor's risk' \leftarrow 19%·Actor's risk+0.80 ELSE: Actor's risk' \leftarrow 40%·Actor's risk+0.60

2.22.3 Default change in Actor's risk

psychsim/domains/groundtruth/actor.py:431

IF Actor's alive

THEN: IF Actor's location'=shelter1

THEN: Actor's risk'←Region01's shelterRisk


ELSE: IF Actor's location'=evacuated

THEN: Actor's risk' \leftarrow 9%·Actor's risk ELSE: Actor's risk' \leftarrow Region01's risk

ELSE : Actor's risk' \leftarrow 0.00

2.23 Group's size

Type: Integer



psychsim/domains/groundtruth/group.py:24

2.23.1 Effect of Actor-join-Group on Group's size


 $psychsim/domains/groundtruth/group.py: 112\\ \textbf{Group's size'} \leftarrow \textbf{Group's size+} 1$

2.23.2 Effect of Actor-leave-Group on Group's size

psychsim/domains/groundtruth/group.py:123 Group's $size' \leftarrow Group$'s size-1

2.24 Nature's category

Type: Integer



psychsim/domains/groundtruth/nature.py:26


2.24.1 Effect of Nature-evolve on Nature's category

 ${\tt psychsim/domains/groundtruth/nature.py:80} \\ {\tt IF \ Nature's \ phase'} \\$

```
= approaching: IF Nature's category=0
    THEN:
         20%: Nature's category'\leftarrow1
         20%: Nature's category'\leftarrow2
         20%: Nature's category'\leftarrow3
         20%: Nature's category'\leftarrow4
         20%: Nature's category' \leftarrow 5
    ELSE: IF Nature's category=1
         THEN:
              60%: Nature's category ← Nature's category
              40%: Nature's category' \leftarrow 2
         ELSE: IF Nature's category=5
              THEN:
                   40%: Nature's category'\leftarrow4
                   60%: Nature's category ← Nature's category
              ELSE:
                   20%: Nature's category'←Nature's category−1
                   60%: Nature's category'←Nature's category
                   20%: Nature's category'←Nature's category+1
= active: Nature's category'←Nature's category
= none: Nature's category'\leftarrow0
```

2.25 Nature's days

Type: Integer



psychsim/domains/groundtruth/nature.py:18

2.25.1 Effect of Nature-evolve on Nature's days

psychsim/domains/groundtruth/nature.py:54

IF Nature's phase=Nature's phase'


THEN: Nature's days' \leftarrow Nature's days+1

ELSE : Nature's days' $\leftarrow 0$

2.26 Nature's location

Type: String

Values: Region01, none



psychsim/domains/groundtruth/nature.py:23

2.26.1 Effect of Nature-evolve on Nature's location

psychsim/domains/groundtruth/nature.py:111

IF Nature's phase'

= approaching: IF Nature's location=none THEN: Nature's location ← Region01

ELSE: Nature's location'

Nature's location

= active: IF Nature's location

OTHERWISE : Nature's location ← Nature's location


= Region01: Nature's location' \leftarrow none

= none: Nature's location $'\leftarrow$ none

2.27 Nature's phase

Type: String

Values: active, approaching, none



psychsim/domains/groundtruth/nature.py:16

2.27.1 Effect of Nature-evolve on Nature's phase

psychsim/domains/groundtruth/nature.py:49
IF Nature's phase

= none: IF Nature's days>1
THEN:
80%: Nature's phase' ← approaching
19%: Nature's phase' ← none
ELSE: Nature's phase' ← none
= approaching: IF Nature's days>1
THEN:
80%: Nature's phase' ← active
19%: Nature's phase' ← approaching
ELSE: Nature's phase' ← approaching
OTHERWISE: IF Nature's location=none

THEN : Nature's phase' \leftarrow none ELSE : Nature's phase' \leftarrow active

2.28 Region01's economy

Current economic level of region


Type: Real

psychsim/domains/groundtruth/region.py:77

2.29 Region01's risk

Level of risk from hurricane

Type: Real



psychsim/domains/groundtruth/region.py:51

2.29.1 Effect of Actor-decreaseRisk-Region01 on Region01's risk

psychsim/domains/groundtruth/actor.py:523

Region01's risk'←80%·Region01's risk

2.29.2 Effect of Nature-evolve on Region01's risk

psychsim/domains/groundtruth/nature.py:129

IF Nature's phase'=active

THEN: IF Nature's location

OTHERWISE : Region01's risk' \(-80\% \) Region01's risk

= Region01: IF Nature's category

= 1: Region01's risk' \leftarrow 80%·Region01's risk+0.20

= 2: Region01's risk' \leftarrow 60%·Region01's risk+0.40

= 3: Region01's risk' \leftarrow 39%·Region01's risk+0.60

= 4: Region01's risk' \(-19\% \cdot \) Region01's risk \(+0.80 \)

= 5: Region01's risk' \leftarrow 0%·Region01's risk+1.00

ELSE: Region01's risk' \leftarrow 80% · Region01's risk

2.29.3 Effect of System-allocate-Region01 on Region01's risk

psychsim/domains/groundtruth/system.py:41

Region01's risk'←80%·Region01's risk

2.30 Region01's security


Level of law enforcement in region

Type: Real

psychsim/domains/groundtruth/region.py:64

2.31 Region01's shelterPets


Type: Boolean



psychsim/domains/groundtruth/region.py:88

2.32 Region01's shelterRisk

Type: Real



psychsim/domains/groundtruth/region.py:82

2.32.1 Effect of Nature-evolve on Region01's shelterRisk

psychsim/domains/groundtruth/nature.py:144

IF Nature's phase'=active

THEN: IF Nature's location'=Region01

THEN: IF Nature's category


- = 1: Region01's shelterRisk' \leftarrow Region01's shelterRisk
- = 2: Region01's shelterRisk' \(-80\% \) Region01's shelterRisk+0.20
- = 3: Region01's shelterRisk' \(-60\% \cdot \text{Region01's shelterRisk} + 0.40
- = 4: Region01's shelterRisk' \(-39\% \) Region01's shelterRisk+0.60
- = 5: Region01's shelterRisk' \leftarrow 19%·Region01's shelterRisk+0.80

ELSE: Region01's shelterRisk'←Region01's shelterRisk

ELSE: Region01's shelterRisk' \(-80\% \) Region01's shelterRisk

2.33 System's resources

Type: Integer



psychsim/domains/groundtruth/system.py:20


2.33.1 Effect of System-allocate-Region01 on System's resources

psychsim/domains/groundtruth/system.py:43

System's resources \leftarrow System's resources

2.34 day

Type: Integer



psychsim/domains/groundtruth/__main__.py:710

2.34.1 Effect of Nature-evolve on day

psychsim/domains/groundtruth/nature.py:149 $\mathbf{day'} \leftarrow \mathbf{day} + 1$

3 Relations


3.1 Actor friendOf Actor

Type: Boolean

psychsim/domains/groundtruth/actor.py:724

3.2 Actor memberOf Group

Type: Boolean



psychsim/domains/groundtruth/group.py:93

3.2.1 Effect of Actor-join-Group on Actor memberOf Group


Actor memberOf $Group' \leftarrow true$

3.2.2 Effect of Actor-leave-Group on Actor memberOf Group

 $\textbf{Actor memberOf Group}' \leftarrow \textbf{false}$

4 Actions

4.1 Nature evolve



psychsim/domains/groundtruth/nature.py:14

4.1.1 Effect on Nature's category of Nature evolve

IF Nature's phase'

= approaching: IF Nature's category=0 THEN:

```
20%: Nature's category'\leftarrow1
              20%: Nature's category'\leftarrow2
              20%: Nature's category'\leftarrow3
              20%: Nature's category'\leftarrow4
              20%: Nature's category'\leftarrow5
         ELSE: IF Nature's category=1
              THEN:
                   60%: Nature's category ← Nature's category
                   40%: Nature's category'\leftarrow2
              ELSE: IF Nature's category=5
                   THEN:
                        40%: Nature's category'\leftarrow4
                        60%: Nature's category ← Nature's category
                   ELSE:
                        20%: Nature's category'←Nature's category−1
                        60%: Nature's category ← Nature's category
                        20%: Nature's category'←Nature's category+1
     = active: Nature's category'←Nature's category
     = none: Nature's category'\leftarrow 0
4.1.2 Effect on Nature's days of Nature evolve
IF Nature's phase=Nature's phase'
     THEN: Nature's days' \leftarrow Nature's days+1
     ELSE : Nature's days' \leftarrow 0
4.1.3 Effect on Nature's location of Nature evolve
IF Nature's phase'
     = approaching: IF Nature's location=none
         THEN: Nature's location' \leftarrow Region01
          ELSE: Nature's location \leftarrow Nature's location
     = active: IF Nature's location
         OTHERWISE : Nature's location - Nature's location
          = Region01: Nature's location\leftarrownone
     = none: Nature's location\leftarrownone
4.1.4 Effect on Nature's phase of Nature evolve
IF Nature's phase
     = none: IF Nature's days>1
         THEN:
              80%: Nature's phase' \leftarrow approaching
              19%: Nature's phase'←none
         ELSE : Nature's phase'\leftarrownone
     = approaching: IF Nature's days>1
         THEN:
              80%: Nature's phase'←active
              19%: Nature's phase'←approaching
         ELSE : Nature's phase \leftarrow approaching
     OTHERWISE: IF Nature's location=none
         THEN : Nature's phase'\leftarrownone
         ELSE: Nature's phase' \leftarrow active
```

4.1.5 Effect on Region01's risk of Nature evolve

IF Nature's phase'=active

THEN: IF Nature's location'

OTHERWISE : Region01's risk' \(-80\% \) Region01's risk

= Region01: IF Nature's category

= 1: Region01's risk' \leftarrow 80%·Region01's risk+0.20

= 2: Region01's risk' \leftarrow 60%·Region01's risk+0.40

= 3: Region01's risk' \leftarrow 39%·Region01's risk+0.60

= 4: Region01's risk' \leftarrow 19%·Region01's risk+0.80

= 5: Region01's risk' \leftarrow 0%·Region01's risk+1.00

ELSE: Region01's risk' \(-80\% \cdot \) Region01's risk

4.1.6 Effect on Region01's shelterRisk of Nature evolve

IF Nature's phase'=active

THEN: IF Nature's location'=Region01

THEN: IF Nature's category

= 1: Region01's shelterRisk' \leftarrow Region01's shelterRisk

= 2: Region01's shelterRisk' \(-80\% \cdot \) Region01's shelterRisk+0.20

= 3: Region01's shelterRisk' \(-60\% \cdot \text{Region01's shelterRisk} + 0.40

= 4: Region01's shelterRisk' \leftarrow 39%·Region01's shelterRisk+0.60

= 5: Region01's shelterRisk' \leftarrow 19\% \cdot \text{Region01's shelterRisk} + 0.80


 $ELSE: \textbf{Region01's shelterRisk}' \leftarrow \textbf{Region01's shelterRisk}$

ELSE: Region01's shelterRisk' \(-80\% \cdot \text{Region01's shelterRisk} \)

4.1.7 Effect on day of Nature evolve

 $day' \leftarrow day+1$

4.2 Actor decreaseRisk Region01



psychsim/domains/groundtruth/actor.py:326

4.2.1 Applicability of Actor decreaseRisk Region01

IF Actor's location=Region01

THEN: IF Actor's alive

THEN : true ELSE : false ELSE : false


4.2.2 Effect on Actor's risk of Actor decreaseRisk Region01

Actor's risk'←80%·Actor's risk+0.20

4.2.3 Effect on Region01's risk of Actor decreaseRisk Region01

Region01's risk'←80%·Region01's risk

4.3 Actor evacuate



psychsim/domains/groundtruth/actor.py:308

4.3.1 Applicability of Actor evacuate

IF Nature's phase=none

THEN : false

ELSE: IF Actor's location=evacuated

THEN: false

ELSE: IF Actor's alive

THEN : true ELSE : false

4.3.2 Effect on Actor's location of Actor evacuate

Actor's location'←evacuated


4.3.3 Effect on Actor's resources of Actor evacuate

IF Actor's resources>0.20

THEN : Actor's resources \leftarrow Actor's resources -0.20

ELSE : Actor's resources' $\leftarrow 0.00$

4.4 Actor join Group



psychsim/domains/groundtruth/group.py:108

4.4.1 Applicability of Actor join Group

IF Actor's alive

THEN: IF Actor memberOf Group

THEN : false ELSE : true ELSE : false


4.4.2 Effect on Actor memberOf Group of Actor join Group

Actor memberOf Group ′←**true**

4.4.3 Effect on Group's size of Actor join Group

Group's size'←Group's size+1

4.5 Actor leave Group



psychsim/domains/groundtruth/group.py:119

4.5.1 Applicability of Actor leave Group

IF Actor's alive

THEN: IF Actor memberOf Group

THEN : true ELSE : false ELSE : false


4.5.2 Effect on Actor memberOf Group of Actor leave Group

Actor memberOf Group' \leftarrow false

4.5.3 Effect on Group's size of Actor leave Group

Group's size' \leftarrow Group's size-1

4.6 Actor moveTo Region01



psychsim/domains/groundtruth/actor.py:315

4.6.1 Applicability of Actor moveTo Region01

IF Actor's location={'shelter1', 'evacuated'}

THEN : true ELSE : false

4.6.2 Effect on Actor's location of Actor moveTo Region01

Actor's location $'\leftarrow$ Region01

4.6.3 Effect on Actor's resources of Actor moveTo Region01


IF Actor's alive

THEN: IF Actor's employed

THEN: Actor's resources'←80%·Actor's resources+0.20

ELSE : Actor's resources' \leftarrow Actor's resources ELSE : Actor's resources' \leftarrow Actor's resources

4.7 Actor moveTo shelter1



psychsim/domains/groundtruth/actor.py:298

4.7.1 Applicability of Actor moveTo shelter1

IF Nature's phase=none

THEN: false

ELSE: IF Actor's alive

THEN: IF Actor's location=shelter1

THEN : false ELSE : true ELSE : false

4.7.2 Effect on Actor's location of Actor moveTo shelter1


Actor's location $'\leftarrow$ shelter1

4.7.3 Effect on Actor's pet of Actor moveTo shelter1

IF Actor's location'=shelter1

THEN: IF Region01's shelterPets
THEN: Actor's pet'←Actor's pet
ELSE: Actor's pet'←false
ELSE: Actor's pet'←Actor's pet

4.8 Actor stayInLocation



psychsim/domains/groundtruth/actor.py:259

4.8.1 Effect on Actor's resources of Actor stayInLocation

IF Actor's alive

THEN: IF Actor's employed

THEN: IF Actor's location={'evacuated', 'Region01'}


THEN: Actor's resources'←80%·Actor's resources+0.20

ELSE: Actor's resources' \leftarrow Actor's resources

 $ELSE: Actor's resources' \leftarrow Actor's resources$

ELSE : **Actor's resources**′←**Actor's resources**

4.9 Actor takeResources Region01



psychsim/domains/groundtruth/actor.py:361

4.9.1 Applicability of Actor takeResources Region01

IF Actor's location=Region01

THEN: IF Actor's alive

THEN : true ELSE : false ELSE : false

4.9.2 Effect on Actor's resources of Actor takeResources Region01


Actor's resources'←80%·Actor's resources+0.20

4.9.3 Effect on Actor's risk of Actor takeResources Region01

IF Nature's phase=none

THEN: Actor's risk'←19%·Actor's risk+0.80 ELSE: Actor's risk'←40%·Actor's risk+0.60

4.10 System allocate Region01



psychsim/domains/groundtruth/system.py:37

4.10.1 Effect on Actor's grievance of System allocate Region01

IF Actor's region=Region01

THEN: Actor's grievance'←80%·Actor's grievance ELSE: Actor's grievance'←80%·Actor's grievance+0.20


4.10.2 Effect on Region01's risk of System allocate Region01

Region01's risk' \leftarrow 80%·Region01's risk

4.10.3 Effect on System's resources of System allocate Region01

System's resources'←System's resources

4.11 Group decreaseRisk




psychsim/domains/groundtruth/group.py:34

4.11.1 Applicability of Group decreaseRisk

IF **Group's size**>0 THEN: **true** ELSE: **false**

4.12 Group evacuate




psychsim/domains/groundtruth/group.py:61

4.12.1 Applicability of Group evacuate

IF Nature's phase=none


THEN : false ELSE : true

4.13 Group noDecision




psychsim/domains/groundtruth/group.py:64

4.14 Group returnHome



psychsim/domains/groundtruth/group.py:62

4.15 Group takeResources




psychsim/domains/groundtruth/group.py:55

4.15.1 Applicability of Group takeResources

IF **Group's size**>0 THEN: **true** ELSE: **false**

5 Expected Reward

5.1 Actor's Reward



IF Actor's risk>0.60

THEN: IF Actor's attachment=anxious

THEN : $R \leftarrow 20\%$ ·Actor memberOf Group+40%·Actor's childrenHealth+60%·Actor's

health+40%·Actor's pet+20%·Actor's resources+-60%·Region01's risk

ELSE: IF Actor's attachment=avoidant


THEN : $R \leftarrow -20\%$ ·Actor memberOf Group+40%·Actor's childrenHealth+60%·Actor's

health+40%·Actor's pet+20%·Actor's resources+-60%·Region01's risk

 $ELSE: R \leftarrow 40\% \cdot \textbf{Actor's children Health} + 60\% \cdot \textbf{Actor's health} + 40\% \cdot \textbf{Actor's pet} + 20\% \cdot \textbf{Actor's resources} + -60\% \cdot \textbf{Region 01's risk}$

 $ELSE: R \leftarrow 40\% \cdot \textbf{Actor's childrenHealth} + 60\% \cdot \textbf{Actor's health} + 40\% \cdot \textbf{Actor's pet} + 20\% \cdot \textbf{Actor's resources} + -60\% \cdot \textbf{Region01's risk}$

5.2 Group's Reward



IF Actor's risk>0.60

THEN: IF Actor's attachment=anxious

THEN : $R \leftarrow 20\%$ ·Actor memberOf Group+40%·Actor's childrenHealth+60%·Actor's

health+40%·Actor's pet+20%·Actor's resources+-60%·Region01's risk

ELSE: IF Actor's attachment=avoidant

THEN : $R \leftarrow -20\% \cdot Actor memberOf Group + 40\% \cdot Actor's childrenHealth + 60\% \cdot Actor's$

 $\textbf{health+} 40\% \cdot \textbf{Actor's pet+} 20\% \cdot \textbf{Actor's resources+-} 60\% \cdot \textbf{Region01's risk}$

ELSE: $R\leftarrow 40\%$ ·Actor's childrenHealth+60%·Actor's health+40%·Actor's pet+20%·Actor's per-60%·Pagin 101's risk

 $\textbf{resources+-}60\% \cdot \textbf{Region01's risk}$

 $ELSE: R \leftarrow 40\% \cdot \textbf{Actor's childrenHealth} + 60\% \cdot \textbf{Actor's health} + 40\% \cdot \textbf{Actor's pet} + 20\% \cdot \textbf{Actor's resources} + -60\% \cdot \textbf{Region01's risk}$