USC Ground Truth

March 8, 2019

Contents

1	Back	kground	5
2	State	2	5
	2.1	Actor's age	5
	2.2	Actor's alive	6
		2.2.1 Default change in Actor's alive	6
	2.3	Actor's children	6
	2.4	Actor's childrenHealth	7
	2	2.4.1 Effect of Actor on Actor's childrenHealth	8
	2.5	Actor's employed	8
	2.6	Actor's ethnicGroup	9
	2.7	Actor's gender	9
	2.8	Actor's grievance	9
	2.0	2.8.1 Effect of System-allocate-Region01 on Actor's grievance	10
	2.9	Actor's health	10
	2.9	2.9.1 Effect of Actor on Actor's health	10
	2.10		12
		Actor's healthMax	
	2.11	Actor's location	12
		2.11.1 Effect of Actor-evacuate on Actor's location	13
		2.11.2 Effect of Actor-moveTo-Region01 on Actor's location	13
		2.11.3 Effect of Actor-moveTo-shelter1 on Actor's location	13
	2.12	Actor's perceivedCategory	13
		2.12.1 Observation function of Actor's perceivedCategory when Nature-evolve	14
		2.12.2 Default observation of Actor's perceivedCategory	14
	2.13	Actor's perceivedCenter	14
		2.13.1 Default observation of Actor's perceivedCenter	15
	2.14	Actor's perceivedChildrenHealth	15
		2.14.1 Default observation of Actor's perceivedChildrenHealth	16
	2.15	Actor's perceivedDays	16
		2.15.1 Default observation of Actor's perceivedDays	17
	2.16	Actor's perceivedHealth	17
		2.16.1 Default observation of Actor's perceivedHealth	18
	2.17	Actor's perceivedPhase	18
		2.17.1 Default observation of Actor's perceivedPhase	19
	2.18	Actor's pet	19
		2.18.1 Effect of Actor-moveTo-shelter1 on Actor's pet	20
	2.19	Actor's region	20
		Actor's religion	21
		Actor's resources	21
		2.21.1 Effect of Actor-evacuate on Actor's resources	22
		2.21.2 Effect of Actor-moveTo-Region01 on Actor's resources	22
		2.21.3 Effect of Actor-moveTo-shelter1 on Actor's resources	22
		2.21.4 Effect of Actor-stayInLocation on Actor's resources	23
		2.21.5 Effect of Actor-takeResources-Region01 on Actor's resources	23
	2 22	Actor's risk	23
	2,22	2.22.1 Effect of Actor-decreaseRisk-Region01 on Actor's risk	24
		· · · · · · · · · · · · · · · · · · ·	24
		2.22.2 Effect of Actor-takeResources-Region01 on Actor's risk	
	2.22	2.22.3 Default change in Actor's risk	24
	2.23	Nature's category	24
	0.04	2.23.1 Effect of Nature-evolve on Nature's category	25
	2.24	Nature's days	25
		2.24.1 Effect of Nature-evolve on Nature's days	26

	2.25	Nature's location	26
		2.25.1 Effect of Nature-evolve on Nature's location	27
	2.26	Nature's phase	27
		2.26.1 Effect of Nature-evolve on Nature's phase	28
		Region01's economy	28
	2.28	Region01's risk	29
		2.28.1 Effect of Actor-decreaseRisk-Region01 on Region01's risk	29
		2.28.2 Effect of Nature-evolve on Region01's risk	29
		2.28.3 Effect of System-allocate-Region01 on Region01's risk	30
	2.29	Region01's riskMin	30
		Region01's security	30
		Region01's shelterPets	30
		Region01's shelterRisk	31
		2.32.1 Effect of Nature-evolve on Region01's shelterRisk	32
	2.33	System's resources	32
	2.00	2.33.1 Effect of System-allocate-Region01 on System's resources	33
	2 34	day	33
	2.54	2.34.1 Effect of Nature-evolve on day	34
		2.34.1 Effect of Nature-Evolve on day	34
3	Rela	tions	34
	3.1	Actor friendOf Actor	34
	3.2	Actor neighbor Actor	34
	3.2	Actor heighbor Actor	34
4	Actio	ons	35
	4.1	Nature evolve None	35
	1.1	4.1.1 Effect on Nature's category of Nature evolve None	35
		4.1.2 Effect on Nature's days of Nature evolve None	36
		4.1.3 Effect on Nature's location of Nature evolve None	36
			36
			36
		4.1.6 Effect on Region01's shelterRisk of Nature evolve None	37
	4.0	4.1.7 Effect on day of Nature evolve None	37
	4.2	Actor decreaseRisk Region01	37
		4.2.1 Applicability of Actor decreaseRisk Region01	38
		4.2.2 Effect on Actor's risk of Actor decreaseRisk Region01	38
		4.2.3 Effect on Region01's risk of Actor decreaseRisk Region01	38
	4.3	Actor evacuate None	38
		4.3.1 Applicability of Actor evacuate None	38
		4.3.2 Effect on Actor's location of Actor evacuate None	39
		4.3.3 Effect on Actor's resources of Actor evacuate None	39
	4.4	Actor moveTo Region01	39
		4.4.1 Applicability of Actor moveTo Region01	39
		4.4.2 Effect on Actor's location of Actor moveTo Region01	40
		4.4.3 Effect on Actor's resources of Actor moveTo Region01	40
	4.5	Actor moveTo shelter1	40
		4.5.1 Applicability of Actor moveTo shelter1	40
		4.5.2 Effect on Actor's location of Actor moveTo shelter1	41
		4.5.3 Effect on Actor's pet of Actor moveTo shelter1	41
		4.5.4 Effect on Actor's resources of Actor moveTo shelter1	41
	4.6	Actor stayInLocation None	41
		4.6.1 Effect on Actor's resources of Actor stayInLocation None	41
	4.7	Actor takeResources Region01	42
	,	4.7.1 Applicability of Actor takeResources Region01	42
		4.7.2 Effect on Actor's resources of Actor takeResources Region01	42
		T. 1.2 Liter on Actor & resources of Actor taxenessures regions 1	+4

	4.7.3 Effect on Actor's risk of Actor takeResources Region01
4.8	System allocate Region01
	4.8.1 Effect on Actor's grievance of System allocate Region01
	4.8.2 Effect on Region01's risk of System allocate Region01
	4.8.3 Effect on System's resources of System allocate Region01
4.9	System doNothing None
5 Ex	pected Reward
5.1	Actor's Reward
5.2	System's Reward

1 Background

We use influence diagrams as the underlying graph structure for our ground truth. Here is a simple influence diagram for a simulation of two actors, showing the three types of nodes and some possible links (always directed) among them:




Figure 1: Simple influence diagram

- Rectangular nodes are possible actions for a particular agent ("Actor 1", indicated by color) representing a potential behavior. They are labeled with a verb ("action") and an optional object of the verb ("Actor2"). An action node has a binary value, indicating whether or not the action was chosen.
- Oval nodes are state variables. Their value is potentially a probability distribution over a domain of possible values. All true state variables will be certain (i.e., 100% probability for a single value), but agents' perceptions of the true state will often be uncertain.
- Hexagonal nodes are utility or reward nodes. They represent an expected value computation by the agent ("Actor1"). The node's value is a table with each row corresponding to a possible action choice and its expected utility.
- Links from action nodes to state nodes specify an effect that the action has on the value of the state. In the following specifications of these effects, a variable name followed by a 'will denote the value of the variable after the action is performed.
- Links from one state node to another specify an influence that the value of the first state node has on the effect of at least one action on the second state node.
- Links from a state node to an agent's utility node specify that the state node is an input to the expected value calculation performed by that agent. There is a real-valued weight from \$(0,1]\$ on each link specifying the priority of that variable's influence on that agent's reward calculation (higher values mean higher priority).
- Links from utility nodes to action nodes indicate that the expected value calculation then determines whether or not that action is chosen. In the simulations described here, we use a strict maximization, so that the action choice is deterministic (i.e., the action with the highest expected value is performed, with ties broken by a pre-determined fixed order).
- Therefore, in the above simple ground truth, whether or not "Actor1" chooses to do "action" to "Actor2" influences the subsequent value of the variable "state" (link from rectangle to oval). The subsequent value of "state" also depends on its prior value (link from oval to itself). "Actor1" s expected value of doing "action" to "Actor2" is a function of the value of "state" (link from oval to hexagon), and this expected value influences whether or not "Actor1" chooses to do so (link from hexagon to rectangle).

Any real values (e.g., initial values of variables, conditional probability table values, reward weights) will be drawn from either a set $\{0, 0.5, 1\}$ or $\{0, 0.2, 0.4, 0.6, 0.8, 1\}$, depending on the appropriate granularity needed.

2 State


2.1 Actor's age


Type: Integer

psychsim/domains/groundtruth/simulation/actor.py:80

2.2 Actor's alive

Type: Boolean





psychsim/domains/groundtruth/simulation/actor.py:205

2.2.1 Default change in Actor's alive

psychsim/domains/groundtruth/simulation/actor.py:491

IF Actor's alive

THEN: IF Actor's health'>0.01

THEN: Actor's alive'←true


ELSE: Actor's alive'←Actor's alive

ELSE: Actor's alive'←Actor's alive

2.3 Actor's children

Number of children

Type: Real




psychsim/domains/groundtruth/simulation/actor.py:89

2.4 Actor's childrenHealth

Current level of children's physical wellbeing

Type: Real



psychsim/domains/groundtruth/simulation/actor.py:230

2.4.1 Effect of Actor on Actor's childrenHealth


```
psychsim/domains/groundtruth/simulation/actor.py:480
IF Actor's alive
    THEN : IF Actor's risk' \in
        [0,0.2]: Actor's childrenHealth'\leftarrow60%·Actor's childrenHealth+40%·Actor's healthMax
             20%: Actor's childrenHealth ←60%·Actor's childrenHealth
             80%: Actor's childrenHealth'←60%·Actor's childrenHealth+40%·Actor's healthMax
        (0.4, 0.6]:
             40%: Actor's childrenHealth'←60%·Actor's childrenHealth
             60%: Actor's childrenHealth'←60%·Actor's childrenHealth+40%·Actor's healthMax
        (0.6, 0.8]:
             60%: Actor's childrenHealth ←60%·Actor's childrenHealth
             40%: Actor's childrenHealth'←60%·Actor's childrenHealth+40%·Actor's healthMax
        (0.8, 1.0]:
             80%: Actor's childrenHealth ←60%·Actor's childrenHealth
             19%: Actor's childrenHealth'←60%·Actor's childrenHealth+40%·Actor's healthMax
             100%: Actor's childrenHealth ←60%·Actor's childrenHealth
             0%: Actor's childrenHealth' \leftarrow 60% · Actor's childrenHealth + 40% · Actor's healthMax
```


2.5 Actor's employed

ELSE : Actor's childrenHealth' $\leftarrow 0.00$

Has a full-time job

Type: Boolean





2.6 Actor's ethnicGroup

Ethnicity of actor

Type: String

Values: majority, minority

psychsim/domains/groundtruth/simulation/actor.py:53

2.7 Actor's gender

Type: String


Values: female, male


psychsim/domains/groundtruth/simulation/actor.py:72

2.8 Actor's grievance

Current level of grievance felt toward system

Type: Real





2.8.1 Effect of System-allocate-Region01 on Actor's grievance

psychsim/domains/groundtruth/simulation/system.py:54


IF Actor's region=Region01


THEN : Actor's grievance' \leftarrow 80%·Actor's grievance ELSE : Actor's grievance' \leftarrow 80%·Actor's grievance+0.20

2.9 Actor's health

Current level of physical wellbeing

Type: Real





2.9.1 Effect of Actor on Actor's health

psychsim/domains/groundtruth/simulation/actor.py:464

IF Actor's alive

THEN: IF Actor's risk' \in

 $[0,\!0.2] \hbox{: } \textbf{Actor's health'} \leftarrow 60\% \cdot \textbf{Actor's health} + 40\% \cdot \textbf{Actor's healthMax}$

(0.2,0.4]:

20%: Actor's health \leftarrow 60% · Actor's health

80%: Actor's health \leftarrow 60%·Actor's health+40%·Actor's healthMax

(0.4, 0.6]:

40%: Actor's health \leftarrow 60%-Actor's health

60%: Actor's health'←60%·Actor's health+40%·Actor's healthMax

(0.6, 0.8]:

60%: Actor's health $'\leftarrow$ 60%·Actor's health

40%: Actor's health $' \leftarrow 60\% \cdot$ Actor's health $+40\% \cdot$ Actor's healthMax

(0.8,1.0]:

80%: Actor's health' \leftarrow 60%·Actor's health

19%: Actor's health'←60%·Actor's health+40%·Actor's healthMax

(1.0,1]:

100%: Actor's health \leftarrow 60%. Actor's health


0%: Actor's health $' \leftarrow 60\%$ ·Actor's health+40%·Actor's healthMax


ELSE : Actor's health $'\leftarrow 0.00$

2.10 Actor's healthMax

Maximum level of physical wellbeing

Type: Real






psychsim/domains/groundtruth/simulation/actor.py:224


2.11 Actor's location

Current location

Type: String

 $Values:\ Region 01, evacuated, shelter 1$





2.11.1 Effect of Actor-evacuate on Actor's location

 $psychsim/domains/groundtruth/simulation/actor.py: 420 \\ \textbf{Actor's location'} \leftarrow \textbf{evacuated}$

2.11.2 Effect of Actor-moveTo-Region01 on Actor's location

 $\verb|psychsim/domains/groundtruth/simulation/actor.py: 427| Actor's location' \leftarrow Region 01|$


2.11.3 Effect of Actor-moveTo-shelter1 on Actor's location

psychsim/domains/groundtruth/simulation/actor.py:417 $Actor's location' \leftarrow shelter1$

2.12 Actor's perceivedCategory

Perception of Nature's category

Type: Integer



2.12.1 Observation function of Actor's perceivedCategory when Nature-evolve

IF Nature's category $\in \{0,5\}$

THEN : Actor's perceived Category' \leftarrow Nature's category

ELSE:

80%: Actor's perceivedCategory' \leftarrow Nature's category 19%: Actor's perceivedCategory' \leftarrow Nature's category+1

2.12.2 Default observation of Actor's perceivedCategory


Actor's perceivedCategory $'\leftarrow 0$

2.13 Actor's perceivedCenter

Perception of Nature's location

Type: String

Values: Region01, none




2.13.1 Default observation of Actor's perceivedCenter

 $Actor's\ perceived Center' \leftarrow Nature's\ location$

2.14 Actor's perceivedChildrenHealth

Perception of Actor's childrenHealth

Type: Real




2.14.1 Default observation of Actor's perceivedChildrenHealth

 $Actor's \ perceived Children Health' \leftarrow Actor's \ children Health$

2.15 Actor's perceivedDays

Perception of Nature's days

Type: Integer




2.15.1 Default observation of Actor's perceivedDays

 $Actor's \ perceived Days' \leftarrow Nature's \ days$

2.16 Actor's perceivedHealth

Perception of Actor's health

Type: Real



2.16.1 Default observation of Actor's perceivedHealth


 $Actor's \ perceived Health' \leftarrow Actor's \ health$

2.17 Actor's perceivedPhase

Perception of Nature's phase

Type: String

Values: active, approaching, none




2.17.1 Default observation of Actor's perceivedPhase


 $Actor's \ perceived Phase' \leftarrow Nature's \ phase$

2.18 Actor's pet

Owns a pet

Type: Boolean





2.18.1 Effect of Actor-moveTo-shelter1 on Actor's pet

psychsim/domains/groundtruth/simulation/actor.py:610

IF Actor's location'=shelter1


THEN: IF Region01's shelterPets
THEN: Actor's pet \leftarrow Actor's pet
ELSE: Actor's pet \leftarrow False
ELSE: Actor's pet \leftarrow Actor's pet


2.19 Actor's region

Region of residence

Type: String

Values: Region01





2.20 Actor's religion

Religious affiliation of actor

Type: String


Values: majority, minority, none


psychsim/domains/groundtruth/simulation/actor.py:61

2.21 Actor's resources

Material resources (wealth) currently owned

Type: Real





2.21.1 Effect of Actor-evacuate on Actor's resources

psychsim/domains/groundtruth/simulation/actor.py:534

IF Actor's resources>0.40

THEN: Actor's resources' \leftarrow Actor's resources -0.40

ELSE : Actor's resources' $\leftarrow 0.00$

2.21.2 Effect of Actor-moveTo-Region01 on Actor's resources

psychsim/domains/groundtruth/simulation/actor.py:521

IF Actor's alive

THEN: IF Actor's employed

THEN: Actor's resources'←60%·Actor's resources+0.40

ELSE : Actor's resources' \leftarrow Actor's resources ELSE : Actor's resources' \leftarrow Actor's resources

2.21.3 Effect of Actor-moveTo-shelter1 on Actor's resources

psychsim/domains/groundtruth/simulation/actor.py:526

Actor's resources $\leftarrow 0\%$ ·Actor's resources

2.21.4 Effect of Actor-stayInLocation on Actor's resources

psychsim/domains/groundtruth/simulation/actor.py:510

IF Actor's alive

THEN: IF Actor's employed

THEN: IF Actor's location={'Region01', 'evacuated'}

THEN: Actor's resources' \leftarrow 60%·Actor's resources+0.40

ELSE: Actor's resources' \leftarrow Actor's resources

ELSE : Actor's resources \leftarrow Actor's resources

 $ELSE: Actor's resources' \leftarrow Actor's resources$


2.21.5 Effect of Actor-takeResources-Region01 on Actor's resources


psychsim/domains/groundtruth/simulation/actor.py:577 Actor's resources' $\leftarrow 80\%$ ·Actor's resources+0.20

2.22 Actor's risk

Current level of risk from hurricane

Type: Real





psychsim/domains/groundtruth/simulation/actor.py:254

2.22.1 Effect of Actor-decreaseRisk-Region01 on Actor's risk

psychsim/domains/groundtruth/simulation/actor.py:559 Actor's risk' $\leftarrow 80\%$ ·Actor's risk+0.20

2.22.2 Effect of Actor-takeResources-Region01 on Actor's risk

psychsim/domains/groundtruth/simulation/actor.py:584

IF Nature's phase=none

THEN: Actor's risk' \leftarrow 19%·Actor's risk+0.80 ELSE: Actor's risk' \leftarrow 40%·Actor's risk+0.60

2.22.3 Default change in Actor's risk

psychsim/domains/groundtruth/simulation/actor.py:450

IF Actor's alive

THEN: IF Actor's location'=shelter1


THEN : Actor's risk' \leftarrow Region01's shelterRisk


ELSE: IF Actor's location'=evacuated
THEN: Actor's risk' \(-9\% \) Actor's risk
ELSE: Actor's risk' \(-\text{Region01's risk'} \)

ELSE : Actor's risk' $\leftarrow 0.00$

2.23 Nature's category

Type: Integer







2.23.1 Effect of Nature-evolve on Nature's category

```
psychsim/domains/groundtruth/simulation/nature.py:80
IF Nature's phase'
    = approaching: IF Nature's category=0
         THEN:
              20%: Nature's category'\leftarrow 1
              20%: Nature's category'\leftarrow2
              20%: Nature's category'←3
              20%: Nature's category'\leftarrow4
              20%: Nature's category'\leftarrow5
         ELSE: IF Nature's category=1
              THEN:
                  60%: Nature's category ← Nature's category
                  40%: Nature's category' \leftarrow 2
              ELSE: IF Nature's category=5
                  THEN:
                       40%: Nature's category'\leftarrow4
                       60%: Nature's category ← Nature's category
                  ELSE:
                       20%: Nature's category' \leftarrow Nature's category -1
                       60%: Nature's category'←Nature's category
                       20%: Nature's category'←Nature's category+1
    = active: Nature's category'←Nature's category
    = none: Nature's category'\leftarrow 0
```

2.24 Nature's days

Type: Integer





2.24.1 Effect of Nature-evolve on Nature's days

psychsim/domains/groundtruth/simulation/nature.py:54

IF Nature's phase=Nature's phase'


THEN: Nature's days'←Nature's days+1


ELSE : Nature's days' $\leftarrow 0$

2.25 Nature's location

Type: String

Values: Region01, none





2.25.1 Effect of Nature-evolve on Nature's location

 $\verb|psychsim/domains/groundtruth/simulation/nature.py:113| IF Nature's phase'$

= approaching: IF Nature's location=none THEN: Nature's location'←Region01

 $ELSE: \textbf{Nature's location'} \leftarrow \textbf{Nature's location}$

= active: IF Nature's phase=approaching

THEN: Nature's location ← Nature's location

ELSE: IF Nature's location

OTHERWISE : Nature's location ← Nature's location

= Region01:


20%: Nature's location'←Region01 48%: Nature's location'←none


= none: Nature's location'←none

2.26 Nature's phase

Type: String

Values: active, approaching, none





2.26.1 Effect of Nature-evolve on Nature's phase

psychsim/domains/groundtruth/simulation/nature.py:49

IF Nature's phase

= none: IF Nature's days>2

THEN:

60%: Nature's phase'←approaching

40%: Nature's phase' \leftarrow none

ELSE : **Nature's phase'**←**none**

= approaching: IF Nature's days>2

THEN:

60%: Nature's phase' \leftarrow active

40%: Nature's phase'←approaching

ELSE: **Nature's phase'**←**approaching**

OTHERWISE: IF Nature's location=none

THEN : Nature's phase' \leftarrow none

ELSE : Nature's phase'←active

2.27 Region01's economy

Current economic level of region


Type: Real


psychsim/domains/groundtruth/simulation/region.py:83

2.28 Region01's risk

Level of risk from hurricane

Type: Real





psychsim/domains/groundtruth/simulation/region.py:51

2.28.1 Effect of Actor-decreaseRisk-Region01 on Region01's risk

psychsim/domains/groundtruth/simulation/actor.py:554

Region01's risk' \(-80\% \cdot \text{Region01's risk} + 20\% \cdot \text{Region01's risk} \)

2.28.2 Effect of Nature-evolve on Region01's risk

psychsim/domains/groundtruth/simulation/nature.py:132

IF Nature's phase'=active

THEN: IF Nature's location

OTHERWISE: Region01's risk' \(80\% \) Region01's risk+20% \(\) Region01's riskMin

- = Region01: IF Nature's category
 - = 1: Region01's risk' \leftarrow 80%·Region01's risk+0.20
 - = 2: Region01's risk' \leftarrow 60%·Region01's risk+0.40
 - = 3: Region01's risk' \leftarrow 39%·Region01's risk+0.60
 - = 4: Region01's risk' \leftarrow 19%·Region01's risk+0.80
 - = 5: Region01's risk' \leftarrow 0%·Region01's risk+1.00

ELSE: Region01's risk' \(-80\% \cdot \text{Region01's risk} + 20\% \cdot \text{Region01's riskMin} \)

2.28.3 Effect of System-allocate-Region01 on Region01's risk


psychsim/domains/groundtruth/simulation/system.py:42


Region01's risk'←80%·Region01's risk

2.29 Region01's riskMin

Minimum level of risk in this region

Type: Real





psychsim/domains/groundtruth/simulation/region.py:66

2.30 Region01's security


Level of law enforcement in region

Type: Real

psychsim/domains/groundtruth/simulation/region.py:70


2.31 Region01's shelterPets


Type: Boolean



2.32 Region01's shelterRisk

Type: Real





2.32.1 Effect of Nature-evolve on Region01's shelterRisk

psychsim/domains/groundtruth/simulation/nature.py:147

IF Nature's phase'=active

THEN: IF Nature's location'=Region01

THEN: IF Nature's category


- = 1: Region01's shelterRisk' \(-80\% \cdot \) Region01's shelterRisk+0.20
- = 2: Region01's shelterRisk' \(-80\% \cdot \text{Region01's shelterRisk} + 0.20
- = 3: Region01's shelterRisk' \(-80\% \cdot \text{Region01's shelterRisk} + 0.20
- = 4: Region01's shelterRisk' \(-80\% \cdot \text{Region01's shelterRisk} + 0.20
- = 5: Region01's shelterRisk' \(-80\% \cdot \text{Region01's shelterRisk} + 0.20


ELSE : Region01's shelterRisk'←Region01's shelterRisk

ELSE: Region01's shelterRisk' \(-80\% \cdot \text{Region01's shelterRisk} \)

2.33 System's resources

Type: Integer







2.33.1 Effect of System-allocate-Region01 on System's resources

 $\verb|psychsim/domains/groundtruth/simulation/system.py: 44| \\ \textbf{System's resources'} \leftarrow \textbf{System's resources}$

2.34 day

Type: Integer





2.34.1 Effect of Nature-evolve on day

 $\texttt{psychsim/domains/groundtruth/simulation/nature.py:} 152 \\ \textbf{day'} \leftarrow \textbf{day+} 1$

3 Relations

3.1 Actor friendOf Actor

Type: Boolean

psychsim/domains/groundtruth/simulation/actor.py:750


3.2 Actor neighbor Actor


Type: Boolean

psychsim/domains/groundtruth/simulation/actor.py:827

4 Actions

4.1 Nature evolve None





psychsim/domains/groundtruth/simulation/nature.py:14

4.1.1 Effect on Nature's category of Nature evolve None

IF Nature's phase' = approaching: IF Nature's category=0 THEN: 20%: Nature's category' \leftarrow 1 20%: Nature's category' \leftarrow 2 20%: Nature's category' \leftarrow 3 20%: Nature's category' \leftarrow 4 20%: Nature's category' \leftarrow 5 ELSE: IF Nature's category=1 THEN: 60%: Nature's category ← Nature's category 40%: Nature's category' \leftarrow 2 ELSE: IF Nature's category=5 THEN: 40%: Nature's category' ← 4 60%: Nature's category ← Nature's category ELSE:

```
20%: Nature's category' \leftarrow Nature's category -1
                        60%: Nature's category'←Nature's category
                        20%: Nature's category'←Nature's category+1
    = active: Nature's category ← Nature's category
    = none: Nature's category'\leftarrow 0
4.1.2 Effect on Nature's days of Nature evolve None
IF Nature's phase=Nature's phase'
    THEN: Nature's days'←Nature's days+1
    ELSE : Nature's days' \leftarrow 0
4.1.3 Effect on Nature's location of Nature evolve None
IF Nature's phase
     = approaching: IF Nature's location=none
         THEN: Nature's location'\leftarrowRegion01
         ELSE: Nature's location'←Nature's location
    = active: IF Nature's phase=approaching
         THEN: Nature's location ← Nature's location
         ELSE: IF Nature's location
              OTHERWISE : Nature's location ← Nature's location
              = Region01:
                   20%: Nature's location' ← Region 01
                   48%: Nature's location'←none
    = none: Nature's location\leftarrownone
4.1.4 Effect on Nature's phase of Nature evolve None
IF Nature's phase
    = none: IF Nature's days>2
         THEN:
              60%: Nature's phase'←approaching
              40%: Nature's phase'\leftarrownone
         ELSE : Nature's phase'\leftarrownone
    = approaching: IF Nature's days>2
         THEN:
              60%: Nature's phase'←active
              40%: Nature's phase'←approaching
         ELSE: Nature's phase' \leftarrow approaching
    OTHERWISE: IF Nature's location=none
         THEN : Nature's phase'\leftarrownone
         ELSE : Nature's phase' \leftarrow active
4.1.5 Effect on Region01's risk of Nature evolve None
IF Nature's phase'=active
    THEN: IF Nature's location
         OTHERWISE: Region01's risk' \( \in 80\% \cdot \text{Region01's risk} + 20\% \cdot \text{Region01's riskMin} \)
         = Region01: IF Nature's category
              = 1: Region01's risk'\leftarrow80%·Region01's risk+0.20
              = 2: Region01's risk'\leftarrow60%·Region01's risk+0.40
              = 3: Region01's risk'\leftarrow39%·Region01's risk+0.60
              = 4: Region01's risk'\leftarrow19%·Region01's risk+0.80
```

= 5: Region01's risk' \leftarrow 0%·Region01's risk+1.00

ELSE: Region01's risk' \(-80\% \cdot \) Region01's risk+20% Region01's riskMin

4.1.6 Effect on Region01's shelterRisk of Nature evolve None

IF Nature's phase'=active

THEN: IF Nature's location'=Region01

THEN: IF Nature's category

- = 1: Region01's shelterRisk' \(-80\% \cdot \text{Region01's shelterRisk} + 0.20
- = 2: Region01's shelterRisk' \(-80\% \) Region01's shelterRisk+0.20
- = 3: Region01's shelterRisk' \(-80\% \cdot \) Region01's shelterRisk+0.20
- = 4: Region01's shelterRisk' \(-80\% \cdot \text{Region01's shelterRisk} + 0.20
- = 5: Region01's shelterRisk' \(-80\% \cdot \text{Region01's shelterRisk} + 0.20


ELSE: Region01's shelterRisk' \leftarrow Region01's shelterRisk


ELSE: Region01's shelterRisk' \(-80\% \) Region01's shelterRisk

4.1.7 Effect on day of Nature evolve None

 $day' \leftarrow day+1$

4.2 Actor decreaseRisk Region01





psychsim/domains/groundtruth/simulation/actor.py:345

4.2.1 Applicability of Actor decreaseRisk Region01

IF Actor's location=Region01

THEN: IF Actor's alive
THEN: true
ELSE: false

ELSE : false


4.2.2 Effect on Actor's risk of Actor decreaseRisk Region01


Actor's risk'←80%·Actor's risk+0.20

4.2.3 Effect on Region01's risk of Actor decreaseRisk Region01

Region01's risk'←80%·Region01's risk+20%·Region01's riskMin

4.3 Actor evacuate None





psychsim/domains/groundtruth/simulation/actor.py:327

4.3.1 Applicability of Actor evacuate None

IF Nature's phase=none

THEN: false

ELSE: IF Actor's location=evacuated

THEN: false

ELSE: IF Actor's alive THEN: true ELSE: false

4.3.2 Effect on Actor's location of Actor evacuate None

Actor's location $'\leftarrow$ evacuated


4.3.3 Effect on Actor's resources of Actor evacuate None


IF Actor's resources>0.40

THEN : Actor's resources' \leftarrow Actor's resources -0.40

ELSE : Actor's resources' $\leftarrow 0.00$

4.4 Actor moveTo Region01





psychsim/domains/groundtruth/simulation/actor.py:334

4.4.1 Applicability of Actor moveTo Region01

IF Actor's location={'evacuated', 'shelter1'}

THEN : true ELSE : false

4.4.2 Effect on Actor's location of Actor moveTo Region01

Actor's location $'\leftarrow$ Region01

4.4.3 Effect on Actor's resources of Actor moveTo Region01


IF Actor's alive


THEN: IF Actor's employed

THEN: Actor's resources' ←60%·Actor's resources+0.40

 $ELSE: Actor's \ resources' \leftarrow Actor's \ resources$ $ELSE: Actor's \ resources' \leftarrow Actor's \ resources$

4.5 Actor moveTo shelter1





psychsim/domains/groundtruth/simulation/actor.py:317

4.5.1 Applicability of Actor moveTo shelter1

IF Nature's phase=none

THEN: false

ELSE: IF Actor's alive

THEN: IF Actor's location=shelter1

THEN: false ELSE: true ELSE: false

4.5.2 Effect on Actor's location of Actor moveTo shelter1

Actor's location $'\leftarrow$ shelter1

4.5.3 Effect on Actor's pet of Actor moveTo shelter1


IF Actor's location'=shelter1


THEN: IF Region01's shelterPets
THEN: Actor's pet' \leftarrow Actor's pet
ELSE: Actor's pet' \leftarrow false
ELSE: Actor's pet' \leftarrow Actor's pet

4.5.4 Effect on Actor's resources of Actor moveTo shelter1

Actor's resources $\leftarrow 0\%$ ·Actor's resources

4.6 Actor stayInLocation None





psychsim/domains/groundtruth/simulation/actor.py:277

4.6.1 Effect on Actor's resources of Actor stayInLocation None

IF Actor's alive

THEN: IF Actor's employed


THEN : IF Actor's location={'Region01', 'evacuated'} THEN : Actor's resources' \leftarrow 60%·Actor's resources+0.40


ELSE: Actor's resources'
ELSE: Actor's resources'
Actor's resources

E. Actor's resources'
Actor's resources

$ELSE: Actor's resources' \leftarrow Actor's resources$

4.7 Actor takeResources Region01





psychsim/domains/groundtruth/simulation/actor.py:380

4.7.1 Applicability of Actor takeResources Region01

IF Actor's location=Region01

THEN: IF Actor's alive THEN: true ELSE: false

ELSE : false

4.7.2 Effect on Actor's resources of Actor takeResources Region01


Actor's resources'←80%·Actor's resources+0.20


4.7.3 Effect on Actor's risk of Actor takeResources Region01

IF Nature's phase=none

THEN : Actor's risk' \leftarrow 19%·Actor's risk+0.80 ELSE : Actor's risk' \leftarrow 40%·Actor's risk+0.60

4.8 System allocate Region01





psychsim/domains/groundtruth/simulation/system.py:38

4.8.1 Effect on Actor's grievance of System allocate Region01

IF Actor's region=Region01

THEN : Actor's grievance' \leftarrow 80%·Actor's grievance ELSE : Actor's grievance' \leftarrow 80%·Actor's grievance+0.20


4.8.2 Effect on Region01's risk of System allocate Region01


Region01's risk'←80%·Region01's risk

4.8.3 Effect on System's resources of System allocate Region01

System's resources'←System's resources

4.9 System doNothing None






psychsim/domains/groundtruth/simulation/system.py:35


5 Expected Reward


5.1 Actor's Reward



 $R \leftarrow 0\% \cdot \textbf{Actor's health} + 40\% \cdot \textbf{Actor$

5.2 System's Reward





 $R\leftarrow$ -20%·Actor's grievance+60%·Actor's health