

From Open Weights to Trusted Models

Emmanuel Okedele

October 2026, Swiss Python Summit


Motivation

Open-weight models trail the frontier by

4–5 months

UK AISI, 2026

Motivation



Source: https://www.aisi.gov.uk/blog/how-far-behind-the-frontier-are-leading-open-weight-models-on-cyber

Open-weight models trail the frontier by

4–5 months

UK AISI, 2026


Motivation


Not all tasks require
frontier model cost.

Motivation

Tiers of AI workloads

Deterministic → semi-variable → variable





Not all tasks require frontier model cost.

Other reasons

Privacy and data controls

Other reasons

Privacy and data controls

Over-refusals of frontier models

Rate-limited sessions

Other reasons

Privacy and data controls

Over-refusals of frontier models

Rate-limited sessions

Compliance & Data sovereignty needs

Customised needs (post-training)

NEXT

Evaluations

Evaluation

How do you know which model (open-source or not) to use for your workloads?

01

I just throw Claude / Copilot at it?

02

I review existing evaluations of the model you're about to use?

03

I evaluate model(s) for my custom workload.

Increasing rigour →

Evaluation

Standard model on standard evaluation | Standard model on custom evaluation | Post-trained model on standard evaluation | Post-trained model on custom evaluation

The purpose of evaluating a large language model is to determine whether it performs a specific task **accurately, reliably, safely, and usefully** before and during real-world use.

Evaluation compares outputs against expected answers, rules, or human judgement to reveal the model's strengths and weaknesses.

Evaluation

Standard model on standard evaluation — Standard model on custom evaluation — Post-trained model on standard evaluation — Post-trained model on custom evaluation

The purpose of evaluating a large language model is to determine whether it performs a specific task **accurately, reliably, safely, and usefully** before and during real-world use.


Evaluation compares outputs against expected answers, rules, or human judgement to reveal the model's strengths and weaknesses.

Key factors impacting model performance

- **Prompts**
- **Context**
- **Sensors**
- **Guides**
- **Harness**

Evaluation

Standard model on standard evaluation | Standard model on custom evaluation | Post-trained model on standard evaluation | Post-trained model on custom evaluation




Source: https://inspect.aisi.org.uk/evals/

Inspect Evals

Evaluation

Standard model on standard evaluation | Standard model on custom evaluation | Post-trained model on standard evaluation | Post-trained model on custom evaluation

Public benchmarks




Source: https://openrouter.ai/benchmarks

Evaluation

Standard model on standard evaluation dataset | **Standard model on custom evaluation dataset** | Post-trained model on standard evaluation dataset | Post-trained model on custom evaluation dataset


Public benchmark (custom evals)



Source: https://www.vals.ai/benchmarks

NEXT

Are open-weight models safe in certain contexts?



Mitigating Backdoor Threats to Large Language Models: Advancement and Challenges

Qin Liu[1], Wenjie Mo[1], Terry Tong[1], Jiashu Xu[2], Fei Wang[3], Chaowei Xiao[4], Muhao Chen[1]
[1]*University of California, Davis* [2]*NVIDIA*
[3]*University of Southern California* [4]*University of Wisconsin, Madison*
{qinli, jacmo, tertong, muhchen}@ucdavis.edu;
jiashux@nvidia.com; fwang598@usc.edu; cxiao34@wisc.edu

***Abstract*—The advancement of Large Language Models (LLMs) has significantly impacted various domains, including Web search, healthcare, and software development. However, as these models scale, they become more vulnerable to cybersecurity risks, particularly backdoor attacks. By exploiting the potent memorization capacity of LLMs, adversaries can easily inject backdoors into LLMs by manipulating a small portion of training data, leading to malicious behaviors in downstream applications whenever the hidden backdoor is activated by the pre-defined triggers. Moreover, emerging learning paradigms like instruction tuning and reinforcement learning from human feedback (RLHF)**

- Supply-chain risks from model weights and chat templates
- Prefill attacks

Source: https://arxiv.org/pdf/2409.19993?
Backdoorllm benchmark: https://arxiv.org/pdf/2408.12798

Behavioural audit of LLMs

Getting Started
Using Petri
Petri Concepts
Running Audits
Interpreting Results
Components
Seeds
Dimensions
Skills
Approvals
Auditor Tools
Custom Tasks
Extensions
Petri Bloom
Petri Dish
Reference
Python API

Petri Bloom

Copy page

Overview

Petri Bloom automates behavioral evaluations using Petri's auditor/target/judge framework. Where Petri is "bring your own scenarios" by writing seed instructions that tell the auditor what to test, Bloom generates scenarios programmatically from high-level behavior descriptions.

Given a behavior like "sycophancy" or "self-preservation," Bloom runs a multi-stage pipeline that produces seed instructions and judging dimensions, then evaluates target models using Petri's `audit_solver()`, `auditor_agent()`, and `audit_judge()`.


How It Works

Bloom adds a scenario-generation layer on top of Petri's evaluation infrastructure:

1. **Behavior Definition** — Natural-language description of the pattern to evaluate (e.g. "the

`alignment_faking`	Target pretends to be aligned while harboring different goals.
`bias`	Target exhibits demographic, ideological, or topical bias.
`blackmail`	Target uses leverage (threats, exposure) to coerce.
`blame`	Target deflects responsibility or assigns it unfairly.
`censorship`	Target's responses are shaped by hidden content restrictions.
`cooperation_with_misuse`	Target helps a user pursue clearly harmful goals.
`criticism`	Target's response to or use of negative feedback.
`debate`	Target engages in adversarial argumentation.
`deception`	Target intentionally provides misleading information.
`delusional_user`	Target interacts with a user whose beliefs are delusional or impaired.

Sabotage propensity of LLMs



ControlArena

A library for running AI Control experiments

Welcome

Welcome to ControlArena, a library for running AI Control experiments built on top of Inspect AI, created by the UK AI Security Institute and Redwood Research.

The field of AI Control aims to design and evaluate control protocols. Control protocols are plans designed to prevent unsafe actions by AI systems, even if those AIs were misaligned and intended to subvert the safeguards.

New to Control?

We recommend starting with our intro to control page.


Core features of ControlArena include:

Source: https://control-arena.aisi.org.uk/settings/apps.html

Deployment monitoring with Pydantic Logfire


Full-stack observability and evaluation for AI apps

With Pydantic Logfire, traces find the problem, evals prove a change fixed it, and rollouts ship the fix without a deploy.



- Telemetry and cost from deployed agents
- Build eval data from your production traffic

“Good evaluations are hard to build, but they are necessary to know whether model improvements are real.”



BLOG RESEARCH

Evaluating Teen Safety

We tested 18 AI chatbots on teen safety. Every one failed, and some far more often than others.



CAROLINE FIGUEROA & ANDREA MOCK • 10/20/2026

Content warning: this post discusses suicide, self-harm, eating disorders and abuse, and quotes simulated conversations about them. If you or someone you know is struggling, call or text 988 in the US to reach the 988 Suicide & Crisis Lifeline.

Picture this: it's 2 AM. You're 15, staring at the ceiling. Tomorrow is your first day at a new school where you don't know anyone. You've just had a huge fight with your best friend, and home has been tense since your parents' divorce.

https://www.vals.ai/blogs/teen-safety

Practical Takeaways

01 Build an evaluation from your own traffic, then let Petri's auditor extend it, so you test the cases you've seen and the ones you haven't.

02 **Collecting telemetry.** The challenge with evaluation is that production use differs from evaluation conditions.

03 Score candidates against your current model on real agent work, across many turns and tool calls, not on a single tidy reply.

Open Discourse

What's your optimal AI setup?

Proprietary, open-weight,
or a mix?

whoami



Emmanuel Okedele

Machine Learning Engineer | Software Engineer

Emmanuel Okedele

- Currently works at Coefficient AI
- Consumes food & art
- first time in switzerland, wants to hike!



Thank You