1.	What is the effect of increasing the "NumOctaves" option when detecting SURF features?	1/1 point
	 More corners are detected. Larger blobs are detected. Smaller blobs are detected. 	
	Correct Yes! The "NumOctaves" option affects the sizes of the detected blobs. The larger the value, the larger the blobs.	
2.	Which of the following summarizes how the SURF extraction algorithm works for a single detected feature?	1/1 point
	It identifies the dominant orientation around a feature, identifies a square neighborhood around the feature oriented in this direction, and calculates gradient values in the neighborhood.	
	 It identifies a circular neighborhood around the feature and averages gradient values of the pixels in the neighborhood. 	
	O It calculates gradient values in the neighborhood of the feature and computes a weighted average of these values using the orientation.	
	Correct Yes! These are the general steps of the SURF extraction algorithm. Other extraction algorithms follow a similar process.	

3.	How does the extractFeatures function in MATLAB choose an extraction algorithm by default?	0 / 1 point
	It chooses FREAK for any corner feature input and SURF for any blob or region feature input.	
	Based on the input object, it will choose either the FREAK, SURF, SIFT, ORB, or Block extraction algorithm.	
	O You need to specify which extraction algorithm you want to use.	
	Incorrect Refer back to the "Feature Detection and Extraction Reference" to see how the extraction algorithm is chosen.	
4.	Some extraction algorithms are scale and rotation invariant, while others are not. Why might you use an algorithm	1/1 point
	that is not scale or rotation invariant?	1/ 1 point
	O You prioritize computational efficiency.	
	The images you work with are all taken from the same orientation.	
	Both (a) and (b).	
	Correct Using a scale or rotation invariant algorithm results in more expensive computations. If you prioritize efficiency or don't need to account for changes in scale or rotation, you may choose to use an extraction algorithm like ORB or Block.	


Yes! If the vectors are very similar, then the two features match.

How is it determined whether two features match?

Correct


1/1 point

6.	Convert the images to grayscale and detect SURF features in both images using the default settings. How many SURF features were detected in the second image, img2 ?
	757
	O 771
	O 50
	 Correct Yes, you can check the number of detected features using the Count property.
7. Once you have the detected features, you need to extract features from both images. What are the inputs and outputs of the extractFeatures function?	
	Inputs: image and SURFPoints object (detected features)
	Outputs: extracted feature descriptions and SURFPoints object (extracted features)
	O Input: SURFPoints object (detected features)
	Output: SURFPoints object (extracted features)
	O Input: image
	Output: extracted feature descriptions
	Correct Yes! Be sure to save both outputs of the function because you'll need them to perform matching and visualization.



○ Correct Yes! You can get the values of the 15th pair using

9. Which of the following code blocks would you use to visualize your results, assuming you use the same variable naming conventions as those shown in the "Matching Features" video?



1/1 point

good

Correct

Many of the features seem to be matched correctly, but there are definitely a few that are incorrect. In the next section of the course, you will learn a technique that can be used to identify incorrect matches.