

Amoret Fashion

Romance, Reimagined

Project Documentation

Creative Website Development · ASP.NET Web Forms

Designer: Nio Pei Zhi

February 2026

1. Website Description

Amoret Fashion is a creative, visually-driven fashion brand website built with ASP.NET Web Forms. The website promotes the personal fashion brand "**Amoret**" with the tagline "*Romance, Reimagined*", founded by designer Nio Pei Zhi.

The site presents a modern, elegant aesthetic centred on soft romanticism and timeless femininity. It features a warm colour palette of blush pinks, beiges, and earth tones complemented by a serif and sans-serif typography pairing (Cormorant Garamond and Raleway). The design prioritises visual storytelling and brand identity over complex system functionality.

Key brand pillars include Modern Romanticism, Timeless Elegance, and Feminine Empowerment. The collection spans handbags, shoes, dresses, outerwear, and accessories, all priced in Malaysian Ringgit (RM).

2. How to Run / Deploy the Website

Prerequisites

- Visual Studio 2019 or later (with ASP.NET and web development workload)
- .NET Framework 4.7.2 or higher installed
- IIS Express (included with Visual Studio)

Running Locally

1. Open **AmoretFashion.slnx** in Visual Studio.
2. Restore NuGet packages (Visual Studio does this automatically on build).
3. Press **F5** or click **Start Debugging**.
4. The site launches on IIS Express at **https://localhost:44323/**.

Deploying to IIS (Production)

1. Right-click the project in Visual Studio and select **Publish**.
2. Choose a publish target (Folder, IIS, Azure, etc.).
3. Configure the target .NET Framework version (4.7.2+) and deploy.
4. Ensure the IIS application pool targets .NET CLR v4.0.

3. Additional Features

Beyond the core page requirements, the following enhancements have been added:

- **Custom Cursor** – A stylised circular cursor that scales up when hovering over interactive elements, using mix-blend-mode for a modern feel. Hidden on mobile.
- **Parallax Scrolling** – The hero image scrolls at a slower rate than the page content, creating a depth effect on the home page.
- **Lazy Image Loading** – Images load on-demand using IntersectionObserver, improving initial page load performance.
- **Button Ripple Effect** – Material-design-inspired ripple animation on button clicks, with position-aware origin.

- **Scroll Animations** – Cards and headings fade in and slide up as the user scrolls, with staggered timing between elements.
- **Newsletter Subscription** – An email subscription form with server-side validation and colour-coded success/error messages.
- **Collection Filtering** – Client-side category filtering lets users filter products by Handbags, Shoes, Dresses, and Accessories.
- **Navbar Scroll Effect** – The navigation bar gains a shadow on scroll, providing visual feedback for the user's position.
- **Nav Stagger Animation** – Menu items fade in sequentially on page load for a polished entrance effect.

4. Code Structure Overview

The project follows the standard ASP.NET Web Forms architecture with a master page, individual content pages, a shared stylesheet, and a shared script file.

Site.Master (Master Page)

Defines the shared layout for every page: a fixed navigation bar with the brand logo, menu links (Home, About, Collection, Lookbook), and icon buttons for search and cart. Loads Google Fonts (Cormorant Garamond, Raleway), references Site.css and Site.js, and contains a ContentPlaceHolder for page-specific content. The footer includes brand info, social media links (Facebook, Instagram, YouTube), navigation shortcuts, a newsletter form, and copyright.

Default.aspx (Home Page)

Opens with a full-viewport hero section displaying the brand name, tagline, and a "View Collection" call-to-action button. Below the hero is a brand introduction section, a three-column featured collections grid (Handbags, Dresses, Accessories), and a brand philosophy statement. The code-behind handles the CTA button redirect to Collection.aspx.

About.aspx (About the Designer)

Introduces Nio Pei Zhi as Founder and Creative Director with a photo and biography. Includes three philosophy cards (Modern Romanticism, Timeless Elegance, Feminine Empowerment), a design inspiration section listing artistic influences, the Amoret style characteristics (palettes, fabrics, details, cuts), and a CTA button redirecting to Collection.aspx.

Collection.aspx (Collection / Gallery)

Showcases eight fashion items in a filterable three-column grid. Each product card displays an image, name, category tag, description, price (RM), and a "View Details" overlay on hover. Category filter buttons (All, Handbags, Shoes, Dresses, Accessories) toggle visibility using JavaScript and server-side ViewState tracking. The code-behind manages filter button states and stores the selected category.

Lookbook.aspx (Lookbook / Blog)

A fashion journal page with a large featured article, a six-article grid covering styling tips and seasonal trends, four quick styling tip cards, and a newsletter subscription section. The code-behind validates the email input (empty check and basic format validation) and displays success or error messages.

5. Libraries and Frameworks Used

Backend

- **ASP.NET Web Forms** (.NET Framework 4.7.2) – server-side web framework
- **C#** – programming language for code-behind logic
- **Microsoft.CodeDom.Providers.DotNetCompilerPlatform 2.0.1** – Roslyn compiler provider (NuGet package)
- **IIS Express** – development web server (HTTPS on port 44323)

Frontend

- **HTML5** – semantic page markup
- **CSS3** – custom properties, Grid, Flexbox, keyframe animations

- **Vanilla JavaScript (ES6+)** – all interactivity without external libraries
- **SVG** – inline vector icons for navigation and social links

External Resources

- **Google Fonts** – Cormorant Garamond (serif) and Raleway (sans-serif)

No external JavaScript frameworks (jQuery, React, etc.) or CSS frameworks (Bootstrap, Tailwind, etc.) are used. All styling and interactivity is custom-built, demonstrating full control over design and behaviour.

6. Error Handling

The website implements error handling appropriate to its scope as a static, content-driven fashion brand site with no database or external API dependencies.

Server-Side Validation (Lookbook Page)

The newsletter subscription form performs server-side validation in `Lookbook.aspx.cs`:

- **Empty input check** – verifies the email field is not blank.
- **Format validation** – checks that the email contains both "@" and "." characters.
- **User feedback** – displays colour-coded messages (.success green, .error red).
- **Form reset** – clears the input field after successful submission.

Client-Side Resilience

JavaScript features use defensive patterns to prevent runtime errors:

- `IntersectionObserver` is used with safe iteration for lazy loading and scroll animations.
- DOM queries use `querySelectorAll` with null-safe `forEach` iteration.
- The custom cursor is hidden on mobile (under 768px) to avoid touch-device issues.
- Event listeners are attached only to elements confirmed to exist on the page.

Framework-Level Handling

The project relies on the default ASP.NET Web Forms error handling pipeline. The `Global.asax` file registers standard application-level events (`Application_Start`, `Session_Start`, `Application_Error`) with default implementations. Since the site is purely content-driven with no database connections, API calls, or user authentication, the risk surface for runtime errors is minimal.