

# Cloud Computing and Big Data

## Big Data Introduction

Oxford University  
Software Engineering  
Programme  
Sep 2016



© Paul Fremantle 2015. This work is licensed under a Creative Commons  
Attribution-NonCommercial-ShareAlike 4.0 International License  
See <http://creativecommons.org/licenses/by-nc-sa/4.0/>

# Contents

- Definitions
- Origins of Big Data
- Case Studies and Motivations



© Paul Fremantle 2015. This work is licensed under a Creative Commons  
Attribution-NonCommercial-ShareAlike 4.0 International License  
See <http://creativecommons.org/licenses/by-nc-sa/4.0/>

# Big Data definition

- Data of a very large size, typically to the extent that its manipulation and management present significant logistical challenges
  - Oxford English Dictionary



# Gartner

**Big data is high-volume, high-velocity and high-variety information assets that demand cost-effective, innovative forms of information processing for enhanced insight and decision making.**



# The three Vs

- **Velocity**
  - Need to be able to process data faster
  - Handle very large numbers of data elements/sec incoming
- **Variety**
  - Not just the same old columns
  - New formats, new sources, new details
- **Volume**
  - Massive volumes are becoming normal
  - Collecting the next level of data
    - E.g. Bank Trades, Website interactions, shopping experiences, etc



# My Big Data definition

- Any data storage and analysis that:
  - Cannot be processed on a single machine in a timely manner
  - Over time needs more computation and resources than a fixed size system can provide



# Origins of Big Data - 1997

## Application-Controlled Demand Paging for Out-of-Core Visualization

Michael Cox

MRJ/NASA Ames Research Center

Microcomputer Research Labs, Intel Corporation

<mbc@nas.nasa.gov>

David Ellsworth

MRJ/NASA Ames Research Center

<ellswort@nas.nasa.gov>

### Abstract

In the area of scientific visualization, input data sets are often very large. In visualization of Computational Fluid Dynamics (CFD) in particular, input data sets today can surpass 100 Gbytes, and are expected to scale with the ability of supercomputers to generate them. Some visualization tools already partition large data sets into segments, and load appropriate segments as they are needed. However, this does not remove the problem for two reasons: 1) there are data sets for which even the individual segments are too large for the largest graphics workstations, 2) many practitioners do not have access to workstations with the memory capacity required to load even a segment, especially since the state-of-the-art visualization tools tend to be developed by researchers with much more powerful machines. When the size of the data that must be accessed is larger than the size of memory, some form of virtual memory is simply required. This may be by segmentation, paging, or by paged segments. In this paper we

### 1 Introduction

Visualization provides an interesting challenge for computer systems: data sets are generally quite large, taxing the capacities of main memory, local disk, and even remote disk. We call this the problem of *big data*. When data sets do not fit in main memory (*in core*), or when they do not fit even on local disk, the most common solution is to acquire more resources. This *write-a-check* algorithm has two drawbacks. First, if visualization algorithms and tools are worth developing, then they are worth deploying to more production-oriented scientists and engineers who may have on their desks machines with significantly less memory and disk. Some researchers have noted that their software tools were not used in practice for several years after development because the tools required more power and memory than were available on the average engineer's desk [15]. Second, there may not even be a machine that supports sufficiently large main memory or local disk for the data set one wishes to visualize. We find this in particular in the area of visualization of *Computational Fluid Dynamics (CFD)*.



© Paul Fremantle 2015. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License  
See <http://creativecommons.org/licenses/by-nc-sa/4.0/>

# Map Reduce 2008

## MapReduce: Simplified Data Processing on Large Clusters

Jeffrey Dean and Sanjay Ghemawat

jeff@google.com, sanjay@google.com

*Google, Inc.*




© Paul Fremantle 2015. This work is licensed under a Creative Commons  
Attribution-NonCommercial-ShareAlike 4.0 International License  
See <http://creativecommons.org/licenses/by-nc-sa/4.0/>

# Master Data


- One widely used approach
- You ingest core data and never change it
  - You can create summaries, cleaned data, etc
  - But the original data is immutable
- Cheap disk space...
- Related to Event Sourcing




# Lambda Architecture



# Lambda Architecture instantiation (WSO2)



# Lambda Architecture (MapR)



# Big Data technologies

- Map Reduce
  - Hadoop, Spark, etc
- In-Memory Directed Acyclic Graphs
  - Spark, Tez
- Realtime Stream processing
  - Spark, Storm, Siddhi
- NoSQL
  - Cassandra, Mongo, CouchDB, etc
- Statistical Analysis
  - R, SparkR, MapR
- Machine Learning
  - Mahout, MLlib, TensorFlow




# CASE STUDIES



© Paul Fremantle 2015. This work is licensed under a Creative Commons  
Attribution-NonCommercial-ShareAlike 4.0 International License  
See <http://creativecommons.org/licenses/by-nc-sa/4.0/>

# Big Data

# Cloud management analytics




# Realtime Big Data

- New York-based Bank
- 25 servers in a cluster analysing trading and system data from operational systems
- Siddhi-based engine processing data in realtime
- Handling 10,000s of events/second




## XKEYSCORE AT A GLANCE



# Big Data in Genomics

<http://www.laboratory-journal.com/science/information-technology-it/big-data-genomics-challenges-and-solutions>




# Maclaren Formula 1



- Collects 1Gb/race
- Analysing in real-time to tune and manage the car




© Paul Fremantle 2015. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License  
See <http://creativecommons.org/licenses/by-nc-sa/4.0/>



# Large Hadron Collider

## Compact Muon Solenoid Experiment

Source: <http://cmsweb.cern.ch/phedex>



# Questions?



© Paul Fremantle 2015. This work is licensed under a Creative Commons  
Attribution-NonCommercial-ShareAlike 4.0 International License  
See <http://creativecommons.org/licenses/by-nc-sa/4.0/>