

Content Calendar Classlist Groups Dropbox Discussions Chat Surveys
Quizzes Grades

My Library Locker
Help

Quiz Submissions - Midterm2014 ▼

Piter Garcia Bautista (username: pzg8794)

Attempt 1

Written: Mar 20, 2014 11:17 AM - Mar 20, 2014 12:26 PM

Submission View

released: Jan 11, 2012 11:53 AM

Weeks1_4Random

Question 1

0 / 1 point

This type of normalization transforms the data into a range with a mean of 0 and a standard deviation of

1. Z-score ✖ (Standard)

Question 2

0 / 1 point

Which of the following are characteristics of monotonic variables? Choose all that apply.

-   ☒ Increase without bound
-  ☐ Have the same value
-   ☐ New values appear at an almost constant rate
-   ☐ Values are approximately the same distance apart

Question 3

1 / 1 point

The number of standard deviations a data value is from the mean is called

-  ☒ The z-score
- ☐ the variance
- ☐ the null hypothesis
- ☐ the confidence interval

 ☒ True☐ False**Question 5****1 / 1 point**

Descriptive statistics include

☐ measures of central tendency☐ measures of variation ☒ all of these☐ none of these**Question 6****0 / 1 point**An r^2 value close to 1 meansAnswer: A very close approximation to the actual value.  (The variables are highly correlated)**Question 7****0 / 1 point**

List three ways to handle an imbalanced class variable.

- No text entered -

This question has not been graded.**The correct answer is not displayed for Long Answer type questions.****Question 8****0 / 1 point**

X and Y are highly correlated; therefore, X must cause Y.

 ☐ True ☒ False**Question 9****0 / 1 point**

Choose all that apply:

What graphical methods would you use to compare more than one set of data?

Close

-  ☒ True
- ☐ False

Question 11**0 / 1 point**

We should always remove attributes that have a constant value. True or false?

-  ☐ True
-  ☐ False

Question 12**1 / 1 point**

Histograms are not affected by the size or number of bins.

- ☐ True
-  ☒ False

Question 13**1 / 1 point**

The Greek letter sigma is used to represent the population variance. What character do we use to represent the sample variance?

- ☐ t
- ☐ v
-  ☒ s
- ☐ z

Question 14**0 / 1 point**

We use confidence intervals when our measuring systems are inefficient.

-  ☐ True
-  ☐ False

 [View Feedback](#)

Close

Question 16**0 / 1 point**

Match the data type with its example.

 2 98.6 F 2 (1) Hot 2 100 yds 2 (1) 14623-1019 1. Qualitative data 2 10 oz. 2. Quantitative data 2 (1) Sierra 2 (1) Small 2 42 g**Question 17****1 / 1 point**

Monotonic attributes should always be removed.

☐ True ☒ False**Question 18****0 / 1 point**

Efficient processes have a lot of variation.

 ☐ True ☐ False**Close**

z-score
minmax

This question has not been graded.

The correct answer is not displayed for Long Answer type questions.

Question 20**0 / 1 point**

Analitical  **(Inferential)** statistics help us predict behaviors or trends

Question 21**1 / 1 point**

A histogram plots data that has been grouped into bins.

-  ☒ True
- ☐ False

Question 22**0 / 1 point**

Stem and leaf plots show the steam  **(range of the data)** and leaf  **(frequency of values)**

Question 23**1 / 1 point**

A measure of central tendency is

- ☐ scale
- ☐ kurtosis
- ☐ standard deviation
-  ☒ mean

Question 24**0 / 1 point**

This type of normalization results in a range of [0,1]; the data shape is linear in the middle and non-linear on the ends.

Answer: minmax  **(Softmax)**

Question 25**1 / 1 point**

Given a standard deviation of 15 and a mean of 6, calculate the z-score for the value $x=12$ 0.4 

Attempt Score: 10 / 25**Close**

 My Home

CSCI.721.01 - Data Clean...

| |

Piter Garcia Bautista

Close