

Search

You are here: [CRS Extranet](#) > [Customer Support](#) > [CRS Platform Support](#) > Overbooking

Support case: Overbooking (Extranet)

Introduction

Issue Description: Overbooking occurs when multiple reservations exceed available room stock. It may result from incorrect availability updates, integration delays, or issues in partner systems.


Context for Use: Use this article to investigate and resolve overbooking cases reported by hotels via the Extranet.

Feedback

Workflow Overview

This workflow is based on the process below.

You can also see the workflow in a diagram, see the [Workflow Overbooking Process diagram](#).



Prerequisites

Required Information

- Booking reference
- Channel
- Planning history link
- Integration and creation timestamps
- Partner room ID and rate ID
- Check-in and check-out dates

Tools Needed

- Gears (Get booking XML information)
- D-EDGE Platform: Reservations, Distribution, Planning History, Channel Manager and Configuration History
- PMS Planning Update Logs
- Channel Manager Planning Update Logs
- Kibana
- D-EDGE Incidents Platform

[Feedback](#)

Troubleshooting Process

Step 1: Compare creation time and integration time

Description: Identify timing discrepancies that may indicate delays.

Actions:

1. Open Gears (see [Gears tools](#)).
 2. Click **Get booking xml information > get Information**.
 3. In the **Reference** section, enter your booking number.
 4. Click **get information**.
 5. Check for difference between creation and integration time
- If a difference exists, go to [Step 7](#).

- If no difference, proceed to [Step 2](#).

Note: Write down the partner room ID and the partner rate ID for the investigation.

Expected outcome: Determine if the delay in integration caused overbooking.

Step 2: Check the original reservation

Description: Gather reservation details for investigation.

Actions:

1. Go to **Reservations > Bookings**.
2. Enter the booking reference in the **References/Name/E-mail address** section.
3. Click **search**.
4. The booking details appear, take note of the following information for a further investigation:
 - Check-in date
 - Check-out date
 - Basket details
 - Distribution partner
 - Rate

Expected outcome: Collect booking specifics to support further checks.

Step 3: Check the mapping

Description: Verify if the room and rate were properly mapped.

Actions:

1. Go to **Distribution > Rate plans**.
2. Click **View Connection** for the affected channel.
3. Verify room and rate mapping.

4. Go to **Distribution > Channel Manager > Configuration history**.
5. Click **View mapping history** for the channel.
6. In the **Mapping History** section, check date of last mapping modification.
In our example below, the booking was created on July 05th 2023 (see screenshot integration time in [Step 1](#)). If our rooms and rates are mapped, it means they were mapped when the booking was created since the last booking modification was done on May 20th 2023 at 13:54:45 UTC.

Expected outcome: Confirm mapping was in place at booking time.

Step 4: Check room remaining availability on planning history

Feedback

Description: Assess real-time availability during the booking.

Actions:

1. Open **planning history** (see how [To open the planning history for a hotel:](#)).
2. Set Timezone to Etc/UTC
3. Select data type: **Room Remaining Availability** see [Room Remaining Availability: Current availability values in the planning](#).
4. Check for overbooking (-1) on the date.

Example

On the screenshot below, we can see 3 bookings from different distributors (**Booking.com**, **Diadao** and **Expedia**) within less than 5 minutes.

- The booking **8A54NA** from **Booking.com** changed the stock from 1 to 0 (at 16:59:42 UTC).

- The booking **8A549I** from **Diadao** happened 2 seconds later (at 16:59:44 UTC) .
- The update was received from the PMS Hoteleasy 54 seconds later a 0 availability (at 17:00:38 UTC).
- The booking **8A54YD** from **Expedia** arrived 1 minute & 26 seconds later (at 17:02:04 UTC).
- The PMS presented a 0 availability update 11 seconds later (at 17:02:15 UTC).

Note: This can also happen with the Booking Engine: if 2 bookings are made at the same time, it can create an overbooking.

5. If seen, refer the hotel to overbooking declaration (see [Statement regarding over-bookings](#)).
6. If not seen, check room, rate, and channel pool activation.

Feedback

Room check

1. In the planning history, for the room activation, select in the **Data Type** section **Rooms / Extras Activation**.
2. Select the **Room**.
3. Select the **stay dates**.

In the example below, we can see the room was active during this time range.

Note: If there was a closure before the booking, go to [Step 6](#).

Rate check

1. In the planning history, for the rate activation, select in the **Data Type** section **Rates Activation**.
2. Select the **Room**.
3. Select the **Rate**.

4. Select the **stay dates**.

In the example below, we can see the rate was active during this time range.

Note: If there was a closure before the booking, go to [Step 6](#).

Channel check

In the planning history, for the channel activation, select in the **Data Type** section **Channel Pools Activation**.

In the example below we can see that there is no Channel Pool configured for the hotel.

Note: If there was a closure before the booking with the channel, go to [Step 6](#).

Example

The hotel asked us to investigate on the overbooking **IJ3YPR** from Hotelbeds.

In the planning history, we can see that **Medialog** sent 1 availability the 03/06/2023 at 13:53:34 UTC and that allowed the booking **IJ3YPR** from Hotelbeds to happen the 04/06/2023 at 09:20:58 UTC.

Since there were no closure of the room, rate or channel pool, check who added the availability 0 before the booking:

- If it is the PMS, send the update XML log.
- If it is a user, reply with a planning history screen shot.

See [Step 5](#).

7. Check for overbooking (-1) and stock 0 on the last update with more than 10 min between them.

8. If you see it go to **Reservations > Bookings**.
9. Search for your booking.
10. Click the reservation reference > **Availability history**.

In the example below, you can see 3 overbookings.

On the **23th June 2023**, we can see the overbooking happens more than **10 minutes later** after the 0 update.

11. Look for the 0 update XML log sent to the partner (Go to [Step 6](#)).

Expected outcome: Identify discrepancies in availability during the booking.

Step 5: Check who added the availability before the booking

Description: Identify the source of added availability.

Actions:

If a user added availability:

1. Send a planning history screenshot.
2. Inform hotel the stock was added on D-EDGE by user XXXXX.

If the PMS added availability:

1. Find XML log from PMS using PMS Planning Update Logs (see [PMS Planning update logs](#)).
2. Send log to hotel to check with PMS.

Expected outcome: Determine responsibility for the overbooking.

Step 6: Check logs to see if the update was sent to the channel

Description: Verify whether the 0 availability update reached the channel.

Actions:

CHECK CHANNEL MANAGER PLANNING UPDATE LOGS

See [Channel ManagerPlanning Update Logs Troubleshooting Guide](#).

- If the XML Log shows `<Success />`: Send log to hotel to check with partner.
- If the XML Log shows `<Error />`: Send log to partner.
- If log not found: Use Kibana to search using changeset ID.

Kibana Search Guide

1. Go to [Kibana](#).
2. Click **Discover**.
3. Click the drop-down menu **tracereport-***.
4. Select ***log*-***.
5. Click the filter **Last 15 minutes** and select **Absolute**.
6. Enter the date on which the log was prepared.
7. Click **Go**.

Feedback

Retrieve the Planning History XML file

1. Come back to planning history (see [Step 4](#)), click the date result > **View Content**.
2. The XML file appears, keep the last numbers that represents changesetID code (in this example: **edeed09a69de**).

See the result in Kibana

1. Go back to Kibana.
2. Enter the OTA ID in the search bar and press **Enter** (to find the OTA ID, see [IDS/OTA](#)).
3. Click **Add a filter**.
4. Type **CorrelationId**.
5. Select **IS**.

6. In the **Value** section, Enter the changesetID code **edeed09a69de**.

7. Click **Save**.

The results appear.

In our example, the logs have been prepared at 16:49:11.998.

1. Click the drop-down menu and click **View Single document**.
2. Copy the Single Document page URL link and add it to your Salesforce Case.

Note: If you do not find the update in Kibana with the changesetID or you see that it has been prepared with delay, go to [Step 7](#).

Expected outcome: Confirm if the update was sent and acknowledged.

Feedback

Step 7: Check the Incidents List

Description: Identify ongoing or past incidents that could explain the issue.

Actions:

1. Go to [D-EDGE Incidents Platform](#).
2. Check the first page for current incidents.
3. If not listed, click **Past Incidents**.
4. Search for the incident using **ID, Title/Description, Old reference** or **Products**.
5. If an incident matches, inform the hotel of the cause of the issue and include:
 - o The incident day and time
 - o The symptoms
 - o The partner involved

Note:

- Adapt your wording based on whether the origin is D-EDGE, a Partner, or Unknown.
- Ask your manager if unsure how to communicate the issue to the hotel.

Expected outcome: Attribute the issue to known incidents or escalate if not found.

Common Issues and Resolutions

Issue 1: Overbooking due to delayed integration

Description: The booking integration occurred after creation.

Cause: System or partner delay.

Resolution: Follow [Step 1](#) and [Step 7](#) to check incident and integration times.

Feedback

Issue 2: Room/rate not mapped correctly

Description: Booking was processed without proper mapping.

Cause: Incomplete or outdated mapping.

Resolution: Follow [Step 3](#) to check mapping and history.

Issue 3: Availability is added incorrectly

Description: Room availability allowed booking.

Cause: User or PMS sent stock update.

Resolution: Follow [Step 5](#) and [Step 6](#). Share an XML or screenshot.

Issue 4: Channel did not process 0 update

Description: Booking occurred despite a 0 stock update.

Cause: Partner error or delay.

Resolution: Follow [Step 6](#) to check the response and escalate if needed.

Feedback

Escalation

Escalate to Level 2 (L2) / Advanced Team

Escalate when no incident is found, logs are inconclusive, or partner response is required.

Escalation Details to Include

- Hotel ID / Hotel Name
- Channel Group ID
- Availpro and Partner reservation IDs
- Planning history link
- Mapping page link
- Logs URL
- Original reservation
- Full explanation with UTC dates, room ID, rate ID
- Steps completed from checklist

Additional Information

IMPORTANT

- For rate-level distributors (e.g., Hotelbeds), verify updates at rate level
- Always match room type and partner rate ID during checks
- If the hotel reports a price issue, validate Rate IDs in logs and mapping
- If unsure of response to hotel, consult manager

TRAPS TO AVOID

- For distributors working at the rate level (e.g. Hotelbeds or the Back Office), check the update on the correct rate.
- Some distributors do not filter by room type. Ensure you are checking the correct room type before reviewing message details.
- For reported price issues, check the partner ID in the mapping. Compare the Rate IDs available in the logs to confirm that the correct Rate ID was used on the partner side.

Feedback

Important: Please don't provide information in this article to any customer or partner.

Last update: 21 April 26