

Castellano	English
<u>Screen 1</u> 66% de las mujeres reciben un Diagnóstico Erróneo. <u>Screen 2</u> Como la investigación médica está basada en el hombre, el sistema no está diseñado para acomodar a la mujer. <u>Screen 3</u> Los signos varían entre el hombre y la mujer. Por eso, muchas mujeres no son detectadas. <u>Screen 4</u> 80% de mujeres autistas pasan su vida sin diagnosticar. <u>Screen 5</u> En vez, las diagnostican con: Ansiedad. Cansancio. Depresión. Anorexia. Bulimia. Fatiga Crónica. TOC. Bipolaridad. TDAH. Trastornos del sueño. Siempre es “otra cosa”. <u>Screen 6</u> O se descarta como: “Solo es estrés”. “Estás exagerando”. “Solo es tímida”. “Eres demasiado”. “Son las hormonas”. <u>Screen 7</u> La mujer es 3 veces MENOS probable de ser diagnosticada con autismo. El hombre es 10 veces MÁS probable a recibir una evaluación. <u>Screen 8</u> Toda persona con autismo está a mayor riesgo de: Epilepsia	“Too sensitive.”<u>Screen 1</u> 66% Of All Women Are Misdiagnosed. <u>Screen 2</u> Because The Research is Based On Men. Women don’t match what the medical system expects. <u>Screen 3</u> The Signs Look Different From Men Than Women. So women get missed. <u>Screen 4</u> 80% of Autistic women are never diagnosed <u>Screen 5</u> They Get Relabeled As Burnout. Anxiety. Depression. Eating disorders. Sensory overload. Chronic fatigue. OCD. Bipolar. ADHD. Sleep disorders. Psychosomatic symptoms. Always, “It’s something else” <u>Screen 6</u> Or It Gets Dismissed as “It’s Just Stress.” “You’re Overreacting.” “She’s shy.” “Too much.” “Too hormonal” <u>Screen 7</u>

Problemas Inmunológicos
Problemas Gastrointestinales
Obesidad
Diabetes
Parkinson

Screen 9

Son especialmente vulnerables a la violencia física, sexual, y digital
debido a dificultades para interpretar las malas intenciones de otros
O para establecer límites sociales.

Screen 10

Estos riesgos son reales.
Pero las mujeres enfrentan algo más.

Screen 11

Algunas mujeres nunca son diagnosticadas.
A otras se les reduce a un solo diagnóstico generalizado que pasa por alto el autismo.

Screen 12

Para muchas mujeres autistas que SI son diagnosticadas,
El autismo se convierte en lo ÚNICO que se ve.
Todo lo demás es ignorado

Screen 13

La Molestia.
Nuevos Síntomas.
Cambios hormonales.
Menopausia.
Enfermedades crónicas.

Todo lo demás se descarta;
"Es solo su autismo".

Screen 14

El autismo eclipsa todo lo demás.

Screen 15

En especial cuando ella no puede vocalizarlo.

Screen 16

Muchas mujeres autistas no pueden expresar lo que les pasa.
Así que nada se trata.

Screen 17

#EstudiadaComoHombre

Women are 3x LESS likely to be diagnosed with autism
Boys are 10x MORE likely to be referred for testing

Screen 8

All people with autism are at higher risk of..
Epilepsy
immunological issues
gastrointestinal problems
Obesity
Diabetes
Parkinson's disease

Screen 9

They are especially vulnerable to physical, sexual, and digital violence due to difficulties in interpreting the bad intentions of others or setting social boundaries

Screen 10

These risks are real.
But women face something else too.

Screen 11

Some women are never diagnosed.
Others are reduced to only one diagnosis.

Screen 12

For many autistic women who **ARE** diagnosed,
autism becomes the **ONLY** thing seen.
And Everything Else Gets **Ignored**.

Screen 13

Pain.
New Symptoms.
Hormonal Changes
Menopause.
Chronic illness

All **Dismissed**.

Always, "It's Just Her Autism."

Estudiada como hombre,
Incomprendida como resultado.

Pantalla 18

Si no se le estudia, no se le entiende, no se le
apoya.

La asociación Nuevo Horizonte trabaja para
cambiar esto.

Infórmate.

Ayuda a reconocerla en estudios médicos para que
no quede invisible y sin apoyo.

Screen 14

Autism Eclipses Everything else

Screen 15

Especially when she can't explain It.

Screen 16

Many autistic women can't say what's wrong
So Nothing Gets Treated.

Screen 17

#EstudiadaComoHombre

Studied like a man

Women misunderstood as a result.

Screen 18

If she's not understood, she's not supported.

Asociación Nuevo Horizonte works to change
that.

Learn more.

Support better care for autistic women.