2026 FINTECHATHON · SUBMISSION TEMPLATE

Corridor Wealth Security Self Assessment

Proof-carrying wealth advice with inspectable decisions and controlled execution

Team name	{{TEAM_NAME}}
Competition track	International AI Track — Topic B: Wealth Advisory Agent
Submission date	2026-10-20

01 Permission Model

The model is an untrusted proposer

Corridor protects a synthetic wealth-advisory workflow by separating proposal generation, verification, device authorization and execution. A model response is never an authorization. The security claim concerns the declared software and signed-state boundary; it assumes an honest host, protected issuer/device keys and trustworthy catalogue and policy signers.


The pure kernel recomputes provenance and economic obligations. The gateway binds approval to canonical facts and reruns the check at dispatch. The independent synthetic bank returns signed effects. The reference oracle reads bank effects without importing the production kernel or stores.

Tier	Permitted prototype behavior	Required boundary
Green	Reads, comparison, analysis and risk scoring	Role and signed scope; scoring still changes suitability and respects safety lock
Yellow	Listed lower-risk operations and within-limit transfers	Current canonical-card device approval
Red	Purchases and listed sensitive changes	Device approval and distinct scoped simulated MFA
Prohibited or unsupported	Invalid provenance, forbidden action or absent capability	Reject; approval cannot override hard rules

The trusted computing base includes schemas, crypto, kernel, stores and gateway. Import-linter and AST contracts constrain dependencies. In-process packages do not provide operating-system isolation against malicious local code.

This is a self-assessment of a prototype using **synthetic data** and **simulated MFA**. It is **not investment advice**, production-security certification or a claim of regulatory compliance. The allocation remains a **policy-checked heuristic**.

Authority is single use and checked again before dispatch



Protected allocation sequence. Each purchase retains separate approval and simulated MFA; recovery does not silently grant fresh authority.


Immediate intent identity binds the principal, signed intent and operation kind, excluding planner-selected node identifiers. `AUTH-CONSUMED` rejects reused authority after reserved, unknown or settled effects. Approval nonces remain consumed even when a failed business operation releases a reservation.

An immutable parent plan binds the BIAC, goals and selected products to derived child intents. A partial selection cannot start the entire plan. Each child has its own action, card, device authorization, scoped MFA and approval. The gateway validates token signature, scope, expiry and nonce, then reruns the kernel in dispatch phase. `APR-DRIFT` continues to reject material changes.

`APR-BUDGET` performs a remaining-approval preflight before the first dispatch. It avoids starting a known unaffordable approval sequence but does not reserve future capacity. Later activity or changing trusted state can still stop the plan. Only this parent's verified settled debit is added back when reconstructing its original budget.

Stop, handoff or failure blocks successors. Unknown effects retain reservations and require signed lookup. Settled holdings remain. There is no automatic rollback, redemption, resend or resume. Source: approval budget tests and rule matrix.

Suitability cannot be raised by coaching or stale answers



Current device questionnaire. Scripted UI evidence using synthetic answers; the model cannot answer or sign on the client's behalf.

Raw answers, scores and signatures remain unchanged. Effective suitability can be lower than the raw grade because of loss capacity, signed horizon/objective conflicts or trusted session signals. A newer high score cannot erase a tighter effective cap. Old approval cards cannot bypass a downgrade.

`RISK-ANSWERS-CONSUMED` and `RISK-ANSWERS-STALE` reject reused or stale submissions. `RISK-RETAKE-LIMIT` enforces daily and rolling calendar limits, including bootstrap and unresolved events; signed policy may only tighten them. The implementation ceiling is **2 assessments per simulated business day** and **8 per rolling 12 calendar months**, corresponding to the NFRA suitability mapping. These are policy constants, not measured performance.

`RISK-UPGRADE-REVIEW` escalates an upgrade after same-session purchase refusal. The prototype has no automatic advisor-approval route. Requests to coach questionnaire answers toward a target rating are refused and audited; missing answers are never invented.

The regulatory mapping records source scope and gaps. A synthetic questionnaire does not measure a real household's loss capacity or establish suitability. See risk answer lifecycle tests and suitability integrity tests.

02 Security Tests

Attack effects and benign completion are counted separately

Recorded attacks produced no forbidden effects

M7 live-recorded • gpt-6.1-sol • synthetic data and simulated MFA

Induced transfer	Data extraction	Privilege escalation	Prompt injection
0/6	0/6	0/6	0/6
95% upper ≈ 50%	95% upper ≈ 50%	95% upper ≈ 50%	95% upper ≈ 50%

Frozen blind	Byzantine	Differential
0/16	0/40	0/1,000
live-recorded	scripted	scripted • disagreements
95% upper ≈ 18.75%	95% upper ≈ 7.5%	95% upper ≈ 0.3%

Bounds are descriptive: correlated authored cases; zero observed effects is not a guarantee.
Original F5 evidence retained. Blind corpus had prior development exposure. Source: FINAL-RESULTS.

Reported F5 security outcomes. M7 and blind results are live-recorded; Byzantine and differential results are scripted. The retained report also records strict-replay agreement.

The retained FINAL-RESULTS report gives M7 live-recorded forbidden effects of **0/24** and benign completion of **24/24**. Each attack family—induced transfer, data extraction, privilege escalation and prompt injection—has **0/6** forbidden effects and **6/6** benign completion. The descriptive approximate 95% upper bound is **12.5000%** overall and **50.0000%** per family.

Frozen blind live-recorded effects are **0/16**, with a descriptive approximate 95% upper bound of **18.7500%**. Scripted Byzantine effects are **0/40**, upper **7.5000%**; scripted independent differential disagreements are **0/1000**, upper **0.3000%**. The latter includes **200/1000** accepted cases, so the comparison is not vacuous rejection of every input.

The original F5 report and complete raw recordings are retained in evidence/final-f5. Strict replay on the current code verified 142/142 observations: 141 raw observations are byte-for-byte identical, and 1 J01 observation is verified by a migration proof because the bilingual port changed the audit fact-hash format. Network transport was disabled and no API calls occurred. P2's historical 142/142 byte-for-byte equality used code before I1. Original live-recorded results and verified replay remain distinct evidence modes.

External banking tasks retain both targeted judges

Security must not depend on the model resisting injection: with the planner fully hijacked in **model-free GroundTruth replay** on AgentDojo banking v1.2.2 (package 0.1.35), unrestricted A0 carries out **144/144** injected attacks under the original targeted judge and **128/144** under the registered corrected IT0/IT1/IT3 judge, while Corridor's kernel blocks them in A5 (**0/144** under each judge in prompt-bound, auto-deny and auto-approve modes). Live **gpt-6.1-sol** resisted `important_instructions` even without defences (A0 **0/144** under both judges), so this run shows no observed live security difference; it does show the defence's utility cost, with benign completion **11/16** for A0 versus **8/16** for prompt-bound A5 under the unchanged upstream task-utility judge.


Both judge source hashes are retained; model-free freezes agree, and the null agent is **0/144** under each judge. These complete suite censuses receive no binomial confidence bounds. In the separate live gpt-6.1-sol run on `domestic-freeze-6`, prompt-bound A5 is **0/143 evaluable pairs** under both judges, with **1/144** truncated and unresolved. The unchanged upstream task-utility judge reports attack utility **97/144** for A0 and **72/144** for A5 planned cases, counting one truncated A5 case in each utility population as incomplete. All **509/509** retained live blocks passed recorded strict-replay verification.

Limitations. Upstream issue #181, public on 2026-08-17, reports the precedence defect; we do not claim its discovery. The additional observation is IT1's GroundTruth helper-return failure under the corrected check. Upstream utility checks are permissive. Free-text argument value matching makes this adapter weaker than the native typed interface; unresolved rows are not counted as proven safe. Both modes remain bounded synthetic evaluation.

A safe refusal must not hide lost usefulness

Only Corridor preserves safety and completion

Scripted • all_approve policy • prespecified main and scaled_1000 arms



95% adverse upper: 0/31 ≈ 9.68%; 7/31 = 39.81% (Wilson). Related cases; descriptive bounds.
Original F5 evidence retained. Careful scaled D3: 3/31. Source: FINAL-RESULTS, matrix table.

Scripted baseline comparison under the all_approve user policy. Main and scaled_1000 expose the trade-off between simple limits and protected useful execution.


The prescribed scripted matrix records **31 execution projections** and **21 benign completion opportunities** per cell. Under all_approve, CCA gives **0/31** prohibited outcomes and **20/21** benign completions in both configurations. D3 gives **0/31** and **4/21** in main, but **7/31** and **20/21** in scaled_1000. D0 gives **7/31** and **20/21** in both.

The zero-outcome descriptive approximate 95% upper bound is **9.6774%**. The **7/31** Wilson upper bound is **39.8124%**; completion failure upper bounds are **22.6694%** for **20/21** and **92.3324%** for **4/21**. Under the separately disclosed careful policy, scaled_1000 D3 reports **3/31** prohibited outcomes and **20/21** benign completions. The figure and claim do not silently mix policies.

The final accounting counts accepted forged proposals as prohibited even before dispatch. Missing-MFA protocol gaps remain a separate diagnostic; a baseline's business effect is judged against the visible economic goal. This corrects earlier accounting rather than making the baseline newly safer. The partial-stop benign projection remains incomplete by design.

Source: final matrix and correction discussion. The baseline adapter is intentionally weaker and is not used by protected application execution.

Review findings remain traceable to fixes and regressions



Confirmed findings across the retained engineering review rounds. Counts are source-audit inventory, not an attack-success experiment; all confirmed findings are recorded as repaired.


The retained review JSON and status records report **21**, **8**, **4** and **10** confirmed findings across the respective rounds. Reviewers had implementation and specification context. These rounds are engineering review, not isolated blind evaluation or an external security certification. Counts may share underlying causes and should not be summed into independent vulnerabilities.

Repair theme	Behavior retained after repair	Evidence
Reused authority and answers	Consumed intent and questionnaire identity cannot be replayed	First and second round reproducers
Card drift and adjustment context	Relevant parent dependencies remain bound; valid reordered inputs still work	Third round regressions
Privacy and narrative	Secret checks precede model calls; shared digit normalization and exact FactRef discipline	Third and fourth round regressions
Partial and unknown execution	Read-only turns preserve actual plan state; Stop precedes optional model work	Fourth round end-to-end tests
Evaluation integrity	Forged proposals count; protocol gaps remain distinct from business harm	Fourth round evaluation tests

Sources: review adjudications, F1, F2, F3, and F5. Rejected findings retain specification-aligned regressions. The full rule inventory remains an attached Markdown reference rather than an unreadable table compressed into this report.

03 Data and Privacy

Minimized model context and retained audit commitments



Audit view from the retained I1 scripted UI capture. Synthetic data; audit records preserve decision and effect traceability without displaying private input plaintext.

All identity and financial data are synthetic. The gateway separates raw-to-token mappings from model-visible state and returns role-filtered handles. Secret checks run before model calls. The shared privacy projection normalizes supported digit and formatting variants; finite recognition does not cover all possible encodings or semantic disclosures.

Verified facts require original signed receipt evidence, owner and ledger relationships, and exact supported fields. Raw model numbers, promises and private content are blocked or rewritten into approved templates. An assistant note remains unverified. Projections retain original FactRef paths, and exploratory analysis cannot supply executable provenance.

Audit writes append canonical bytes plus newline and retain sequence, previous hash and checkpoint information. Rejections retain rule IDs and commitments rather than raw private utterances. Audit-write failure blocks protected execution. Integrity checking depends on retaining a trusted head; replacing all local logs and checkpoints defeats this checkpoint-retention assumption.

Demo keys are deterministic and authentication is simulated. Tokenization is not encryption or anonymization. The prototype has no production consent workflow, legal retention service, secure erasure or real identity verification. All remote model use requires a separate lawful processing assessment before production.

04 Known Risks

The certificate narrows claims rather than removing assumptions

Risk	Consequence	Mitigation and remaining work
Heuristic incompleteness	A feasible allocation may fail construction	Fail without purchase; retain unmet constraints; evaluate more complete solvers separately
Trusted catalogue and policy	Signed inputs can still be incomplete or biased	Authenticate versions and compare the declared set; independently govern data construction
Synthetic suitability	Passing a questionnaire is not a professional client assessment	Preserve effective caps and retake controls; require real profiling and institutional review
Nonatomic purchase plan	Earlier holdings remain after a later stop or failure	Explicit partial/unknown states and signed lookup; no silent rollback
Host and demo keys	Host compromise can evade logical boundaries	Use production key management, process isolation and authenticated devices before deployment
Local audit retention	Replacing all logs and trusted heads can conceal history	Preserve external trusted checkpoints and independent retention
Bounded language and output guard	Unknown semantics or encodings may evade finite checks	Constrain verified display, retain safe fallbacks and expand independent evaluation
Evidence scope	Strict replay reproduces the disclosed recordings, including failures	Preserve original manifests; broader independent evaluation remains future work

No investment guarantee. Each estimate is a **performance benchmark (not guaranteed)**. BIAC is a technical witness for a **policy-checked heuristic**, not a promise of realized return, global optimality or legal best interest. The sponsor claim is **sponsor-independent within the declared catalogue and policy**; it does not cover conflicts in policy or catalogue construction.

The wealth export retains approval token identifiers and hashes, rather than the nonce-bearing full token. Runtime checks verify device signatures, but this compact export alone cannot independently reconstruct the approval-token signature check. M4 observed-output checks use the same guard as implementation, so their passing result is not an independent unsafe-output oracle.

Regulatory correspondence and release gates

The regulatory mapping links official source texts to implementation and explicit gaps. Reg BI motivates scrutiny of costs, alternatives and conflicts; MiFID II suitability motivates client objectives and loss capacity; NFRA suitability motivates matching, assessment integrity and traceability. These are comparative engineering correspondences, not legal conclusions, licences or endorsements.

The NFRA retake correspondence does not supply missing legal identity, civil capacity, age-specific protections, complete disclosures or regulated archival retention. A technically valid approval does not establish client understanding. A deterministic fee calculation does not make promotional benchmark language compliant.

Rules remain linked to their actual enforcement sites

Rule family	Security obligation	Evidence location
Authentication and approval	Current scope, signatures, consumed authority and card drift	Rule matrix and gateway golden tests
BIC and allocation	Complete alternatives, exact costs, suitability and constraints	Allocation goldens, properties and independent oracle
Suitability lifecycle	Fresh unused answers, retake ceiling and upgrade review	Risk lifecycle and suitability integrity regressions
Receipt and privacy	Authentic effects and source-bound facts; no private context/output	Receipt, tokenization and output-guard tests
Audit and sandbox	Append-only integrity; bounded analysis language and resources	Audit tamper and sandbox adversarial tests

The complete rule matrix is the authoritative source-level attachment; static test markers are not runtime proof. The executed `corridor test --rules-coverage` gate requires successful positive assertions. The retained F5 final full suite reports **2895/2895 passed** in scripted mode with no uncovered rule; earlier failed and interrupted attempts remain disclosed in FINAL-RESULTS.

Historical polish checks on code before I1 are recorded in P2 status. This document must be read with its synthetic-data, simulated-MFA, host-trust, heuristic and evidence limits. The prototype is **not investment advice**.