

BridgeU

Software Requirement Specification

Zhiyi Pan 652115558

Bachelor of Science

Software Engineering Program

Department College of Arts, Media, and

Technology

Chiang Mai University

December 2025

Project Advisor

Pattama Longani, Ph.D.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	1
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Chapter 1 Introduction

1.1 Purpose and Scope

The purpose of the software design development is to present a complete software design of the BridgeU project. This document contains the outline of the software architecture, functions used, and activity diagrams with the user interface for this project. BridgeU aims to eliminate language barriers through AI technology and establish a bilingual mutual assistance ecosystem connecting Chinese students, global students, and local Thai merchants.

1.2 User Characteristics

Users:

All people who can log in.

Description:

The target users of our software are international students studying in Thailand, merchants providing services to the international student community, they share the common goal of creating a supportive bilingual community that facilitates adaptation to life in Thailand and enables seamless information sharing and communication.

1.3 Acronyms and Definitions

SRS	Software Requirement Specification
URS	User Requirement Specification
UTC	Unit Test Case
STC	System Test Case
UC	Use Case
SRC	Software Requirements Specification
RSS	Really Simple Syndication
JWT	JSON Web Token
AI	Artificial Intelligence
LLM	Large Language Model

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	2
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Definition

Name	Definition
IEEE	Institute for Electrical and Electronics Engineers. Biggest global interest group for engineers of different branches and computer scientists.
Plan	A document series of tasks requires meeting an objective, typically including the associated schedule, budget, resources, organizational description and work breakdown structure.
Feature	Feature Transformation of input parameters to output parameters based on a specified algorithm. It describes the functionality of the product in the language of the product. Used for requirements analysis, design, coding, testing or maintenance.
Project Management	The application of knowledge, skills, tools, and techniques to project activities in order to meet or exceed stakeholder needs and expectations from a project.
Project Plan	A formal, approved document used to guide both project execution and project control. The primary uses of the project plan are to document planning assumptions and the decision, to facilitate communication among stakeholders, and to document approved scope, cost, and schedule baseline.
Risk	An uncertain event or condition that, if it occurs, has a positive or negative effect on a project's objectives. It is a function of the probability of occurrence of a given threat's occurrence.
Risk Management	The systematic application of management policies, procedures and practices to the tasks of identifying, analyzing, evaluating, treating and monitoring risk.
System Testing	Testing conducted on a complete and integrated system for evaluate the system's compliance with its specified requirements.
Unit Test	A test of individual programs or modules in order to remove a design or programming errors.
Use Case	A use case is a description of a specific interaction between a system and its users to accomplish a particular goal or task. It outlines the sequence of steps or actions that a user performs in the system and describes the system's responses to those actions. Use cases help to identify and define the functional requirements of a system from the perspective of its users.
Activity Diagram	Activity diagram is another important behavioral diagram in UML diagram to describe dynamic aspects of the system. Activity diagram is essentially an advanced version of flow chart that modeling the flow from one activity to another activity.


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	3
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Chapter 2 Specification Requirement

2.1 Feature 1

2.1.1 Use Case Diagram

This system is centered around the "Daily Briefing" function. Users can view the daily news briefings obtained by the system from Google News and generated by Qwen AI's summary on the page. By clicking on any item, they can view the more detailed news content and, when necessary, quickly jump to the original news link. At the same time, users can freely switch between the interface languages in Chinese and English. They can also use the date filtering function to view the briefings within a time range, or quickly locate the news they are interested in through keyword search, thereby efficiently browsing and managing daily news information within a unified interface.



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	4
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.1.2 User Requirement Specification

URS01 – Find Daily Briefings

User can open the Daily Briefing page and browse a paginated list of recent Daily Briefing items ordered from newest to oldest by publication time in their current interface language. User can use the sidebar to navigate to the Daily Briefing page in the application.

URS02 – View Daily Briefing news details

User can select a Daily Briefing item from the list and view a news detail page that shows the complete information (title, AI generated summary of News, publication time, View Original button, "Back" button) for that item in their current interface language (English/Chinese).

URS-03 – Switch Interface Language

User can click a language switch button at any time to change the interface language between Chinese and English and continue browsing Daily Briefing items in the newly selected language.

URS-04 – Jump to the original link

User can click an “Open original article” button on a Daily Briefing item and read the full original news article on the external official website in a new browser tab.

URS-05 – Filter Daily Briefings News by Date

The User can filter news based on specific criteria (start date and end date) while browsing.

URS06 – Search for Daily Briefing News

User can type Chinese or English keywords into a search box on the Daily Briefing page and view only Daily Briefing items that match the entered keywords.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	5
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.1.3 Use Case Description and Activity Diagram

2.1.3.1 UCD-01 Find Daily Briefings

URS01: User can open the Daily Briefing page and browse a paginated list of recent Daily Briefing items ordered from newest to oldest by publication time in their current interface language. User can use the sidebar to navigate to the Daily Briefing page in the application.

SRS-001: The system shall display the "Briefing" navigation item in the sidebar navigation menu on every page.

SRS-002: The system shall display the Daily Briefing page [UI01] when the "Briefing" navigation item is clicked, showing a paginated list(The list is displayed in sections by page, and users can switch between pages via the Next / Previous / Page number buttons) of Daily Briefing items.

SRS-003: The system shall order Daily Briefing items from newest to oldest based on publication time from the source website.

SRS-004: The system shall implement pagination to display Daily Briefing items, providing pagination controls (page number, previous/next buttons) for users to navigate through pages.

SRS-005: At 8:00 every morning, the system shall trigger scheduled job for Daily Briefing.

SRS-006: System shall send a request to Google News to fetch the latest news items (title, content, source, publish time, original link, etc.).

SRS-007: System shall parse the returned data and saves/updates the news items in the local database.

SRS-008: System shall send news titles and content to Qwen AI to generate or refine bilingual summaries and translations.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	6
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

SRS-09: System shall write Qwen AI’s summaries and translations into the corresponding fields in the database (e.g., Chinese title, English title, Chinese summary, English summary).

SRS-010: System shall retrieve the user’s current interface language preference (Chinese or English).

SRS-011: System shall query the first page of Daily Briefing items from the local database, ordered by publication time (newest first).

SRS-012: System selects the proper language version (Chinese or English) of title and summary for each item and assembles the display data (title, summary, source, time, “View Detail” button, “Read Original” button)

SRS-013: System displays the Daily Briefing page (UI01) with a paginated list of news cards.

SRS-014: System shall load the next page of news items from the database and updates the list on the page.

SRS-015: System shall navigate to the News Detail page and shows the full content with the stored AI-generated summary/translation.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	7
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC01			
Use Case Name	Find Daily Briefings			
Actors	User			
Description	This use case describes the process by which a user navigates to the Daily Briefing page and browses a paginated list of recent news items from Google News. The list displays news items ordered from Google News new to old by publication time, with all content displayed in the user's current interface language (Chinese or English).			
Trigger	User clicks on the "Briefing" navigation item in the sidebar menu.			
Preconditions	1. User is logged into the BridgeU platform. 2. User has an active internet connection. 3. The Daily Briefing system has successfully crawled news from approved sources (Google News).			
Use Case Input Specification				
Input	type	Constraint		Example
Current Interface Language	String	Must be "zh" (Chinese) or "en" (English)		"en"
Post conditions	User are in "Daily Briefing page" (UI-01: Daily Briefing page)			
Normal Flows	User	System	QwenAI	Google News

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	8
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

		1. At 8:00 every morning, the system's scheduled job for Daily Briefing is triggered. 2. System sends a request to Google News to fetch the latest news items (title, content, source, publish time, original link, etc.). 3. Google News returns a list of news items that match the request. 4. System parses the returned data and saves/updates the news items in the local database. 5. System sends news titles and content to Qwen AI to generate or refine bilingual summaries and translations. 6. Qwen AI returns summaries and translated titles in the required languages. 7. System writes Qwen AI's summaries and translations into the corresponding fields		
--	--	---	--	--

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	9
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	8. User clicks on the “Briefing” navigation item in the sidebar.	in the database (e.g., Chinese title, English title, Chinese summary, English summary). This completes the daily data preparation. 9. System retrieves the user’s current interface language preference (Chinese or English). 10. System queries the first page of Daily Briefing items from the local database, ordered by publication time (newest first). 11. System selects the proper language version (Chinese or English) of title and summary for each item and assembles the display data (title, summary, source, time, “View Detail” button, “Read Original” button). 12. System displays the Daily Briefing page (UI01) with a paginated list of news cards.		
--	--	---	--	--


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	10
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	13. User views the list of news items on the page. 14. User clicks pagination controls (e.g., “Next” button). 16. User clicks the “View Detail” button of a news item.	15. System loads the next page of news items from the database and updates the list on the page. 17. System navigates to the News Detail page and shows the full content with the stored AI-generated summary/translation.		
Alternative Flow				
Exception Flow				
Assumption	The user has an internet connection .			

AD-01: View Daily Briefings

Activity Diagram for View Daily Briefings, which explains the steps between a User and the System for browsing aggregated news.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	11
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	12
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.1.3.2 UCD-02 View Daily Briefing news details

URS02: User can select a Daily Briefing item from the list and view a news detail page that shows the complete information (title, summary, publication time, View Original button) for that item in their current interface language (English/Chinese).

SRS-016: System shall retrieve the news item ID from the clicked card.

SRS-017: System shall retrieve the user's current interface language preference (Chinese or English).

SRS-018: Frontend shall send HTTP request to backend API with news item ID and language parameter.

SRS-019: Backend shall receive request (authentication not required for this endpoint).

SRS-020: Backend shall query the database for the Daily Briefing item using the news item ID.

SRS-021: Backend shall retrieve the corresponding language version (Chinese or English) for the news item's title and summary.

SRS-022: Backend shall return response with success status and news detail data.

SRS-023: Frontend shall receive HTTP response from backend.

SRS-024: Frontend shall check if response.status is 200 and response.data.success is true.

SRS-025: System shall display the News Detail page (UI-02) with the complete information:

- News title (in current interface language)
- AI-generated summary (in current interface language)
- Source website name
- Publication time (formatted according to current interface language)

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	13
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

- "View Original" button (disabled if originalUrl is invalid or missing)
- "Back" button.

SRS-026: Frontend shall trigger a language change event and updates the current language preference.

SRS-027: System re-fetches the news detail data from the API with the new language parameter.

SRS-028: System shall update the News Detail page display with content in the new language (title, summary, formatted dates).

SRS-029: System shall trigger the browser to open the original URL in a new tab.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	14
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC02		
Use Case Name	View Daily Briefing news details		
Actors	User		
Description	User can select a Daily Briefing item from the list and view a news detail page that shows the complete information (title, AI generated summary of News, publication time,View Original button, "Back" button) for that item in their current interface language (English/Chinese).		
Trigger	User clicks the "View Detail" button on a Daily Briefing card in the Daily Briefing list page (UI-01)		
Preconditions	1. User has an active internet connection. 2. User is viewing the Daily Briefing list page (UI-01). 3. At least one Daily Briefing item exists in the list.		
Use Case Input Specification			
Input	type	Constraint	Example
Current Interface Language	String	Must be "zh" (Chinese) or "en" (English)	“en”
Post conditions	User is viewing the News Detail page (UI-02) displaying the complete information for the selected Daily Briefing item		
Normal Flows	User	System	
	1. User clicks the "View Detail" button on a Daily Briefing card in the list page	2. System retrieves the news item ID from the clicked card.	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	15
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

		3. System retrieves the user's current interface language preference (Chinese or English). 4. Frontend sends HTTP request to backend API with news item ID and language parameter. 5. Backend receives request (authentication not required for this endpoint). 6. Backend queries the database for the Daily Briefing item using the news item ID. 7.Backend retrieves the corresponding language version (Chinese or English) for the news item's title and summary. 8. Backend returns response with success status and news detail data 9. Frontend receives HTTP response from backend 10. Frontend checks if response.status is 200 and response.data.success is true 11. System displays the News Detail page (UI-02) with the complete information: - News title (in current interface language)
--	--	--

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	16
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	12. User views the news details 13. User switches the interface language (Chinese/English) using the language switcher (optional) 18. User clicks the "View Original" button (optional)	- AI-generated summary (in current interface language) - Source website name - Publication time (formatted according to current interface language) - "View Original" button (disabled if originalUrl is invalid or missing) - "Back" button 14. Frontend triggers a language change event and updates the current language preference. 15. System re-fetches the news detail data from the API with the new language parameter. 16. System updates the News Detail page display with content in the new language (title, summary, formatted dates). 17. Use case continues from Step 12 19. System triggers the browser to open the original URL in a new tab.
--	--	--


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	17
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	20. User clicks the "Back" button (optional)	21. System navigates the user back to the Daily Briefing page (UI-01)
Alternative Flow		
Exception Flow		
Assumption	The user has an internet connection .	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	18
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-02: View Daily Briefing news details

The Activity Diagram for View Daily Briefings shows how the User and the System interact when view the daily briefing list (UI-01)



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	19
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.1.3.3 UCD-03 Switch Interface Language

URS-03 :User can click a language switch button at any time to change the interface language between Chinese and English and continue browsing Daily Briefing items in the newly selected language.

SRS-030: System shall call setLanguage (newLang) function, which validates the language code ("zh" or "en").

SRS-031: System shall update the current language state and attempts to store the preference in localStorage with key 'userLanguage'.

SRS-032: Upon a language switch, the system shall notify all listening components via a languageChanged event, requiring them to refetch their content from the backend API using the new language parameter

SRS-034: System shall refresh the current page display with:

- All interface text, labels, and buttons in the new language (via i18n translation system, automatically updated when language changes)
- All content (titles, summaries, etc.) in the new language (from API response)

- Dates and times formatted as "DD-MM-YYYY HH:mm" .
- Current page context maintained (same page number, same selected item ID, same filter parameters if applicable)
- Element Plus UI components locale updated (zhcn or en)

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	20
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC03				
Use Case Name	Switch Interface Language				
Actors	User				
Description	User can click a language switch button at any time to change the interface language between Chinese and English and continue browsing Daily Briefing items in the newly selected language.				
Trigger	User clicks the language switch button on any page of the application				
Preconditions	1. User may or may not be logged into the BridgeU platform (language switching is available on both login page and authenticated pages). 2. User is viewing any page of the application. 3. The system has bilingual content available (Chinese and English versions) for the current page. 4. The browser supports local Storage (for storing language preference).				
Use Case Input Specification					
Input	type	Constraint			Example
Selected Language	String	Must be "zh" (Chinese) or "en" (English)			"en"
Post conditions	1.User's interface language preference is updated to the newly selected language 2.Current page content is refreshed and displayed in the newly selected language 3.User can continue browsing in the newly selected language without losing their current context				
Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	21
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Normal Flows	User	System
	1. User clicks the language switch button (e.g., "CN 中文" or "us EN" in sidebar, or "EN/中文" toggle on login page) on the current page	2. System calls setLanguage (newLang) function, which validates the language code ("zh" or "en") 3. System updates the current language state and attempts to store the preference in localStorage with key 'userLanguage' 4. Notify all listening components via a languageChanged event, requiring them to refetch their content from the backend API using the new language parameter 5. Components receive the content in the newly selected language from API responses 6. System refreshes the current page display with: All interface text, labels, and buttons in the new language (via i18n translation system, automatically updated when language changes)


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	22
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	7. User continues browsing in the newly selected language	• All content (titles, summaries, etc.) in the new language (from API response) • Dates and times formatted as "DD-MM-YYYY HH:mm" (consistent format for both languages) • Current page context maintained (same page number, same selected item ID, same filter parameters if applicable) • Element Plus UI components locale updated (zhcn or en)
Alternative Flow		
Exception Flow		
Assumption	The user has an internet connection .	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	23
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-03: Switch Interface Language

The Activity Diagram for Switch Interface Language illustrates the interaction between the User and the System when the user changes the interface language:



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	24
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.1.3.4 UCD-04 jump to original Link

URS04: The User can jump to the original text link to read the full report from the source website when viewing news details.

SRS-035: System shall check whether a "Read Original" action is available for the current news item.

SRS-036: System shall render the "Read Original" button in the current interface language.

SRS-037: System shall open original link in new browser tab(keeps current BridgeU page unchanged).

Use Case ID	UC04		
Use Case Name	Jump to Original Link		
Actors	User		
Description	User can click the "Read Original" button on the Daily Briefing list page or News Detail page to open the original news article from the source website in a new browser tab.		
Trigger	User clicks the "Read Original" button on a Daily Briefing card (list page) or on the News Detail page		
Preconditions	1. User is viewing the Daily Briefing list page (UI-01) or the News Detail page (UI-02). 2. The user has internet connectivity to access external websites.		
Use Case Input Specification			
Input	type	Constraint	Example


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	25
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Post conditions	The original news article from the source website is opened in a new browser tab		
Normal Flows	User	System	
	1. User views a Daily Briefing item on the list page or the News Detail page. 4. User click the “Read Original” button	2. System checks whether a "Read Original" action is available for the current news item. 3. System renders the "Read Original" button in the current interface language. 5. System opens original link in new browser tab(keeps current BridgeU page unchanged.	
Alternative Flow			
Exception Flow			
Assumption	The user has an internet connection .		

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	26
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-04: jump to original Link

This activity diagram show the jump to original link shows the interaction between the user and the system when the user selects the jump to original link



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	27
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.1.3.5 UCD-05 Filter Daily Briefings News by Date

URS-05: The User can filter news based on specific criteria (start date and end date) while browsing.

SRS-038: System shall display the filter panel with empty (optional) fields and shows the current news list (unfiltered), with pagination controls when multiple pages exist.

SRS-039: System shall update the filter model accordingly.

SRS-040: System shall clear Start Date and End Date and refreshes the list as unfiltered (page reset to 1).

SRS-041: System shall validate the filter inputs (if both dates are provided, Start Date $\leq$ End Date).

SRS-042: If validation passes, the system shall send a filter request to the backend API including any provided parameters (`startDate`, `endDate`) and the current UI language (`lang`).

SRS-043: Backend shall query the database for Daily Briefing items matching the provided conditions (date range on `publishDate`), orders results from newest to oldest by `publishDate`, and applies pagination.

SRS-044: Backend shall return the filtered news list (with pagination data) to the frontend.

SRS-045: System shall update the Daily Briefing list on UI-01 to show only filtered items (page reset to 1) and updates pagination controls accordingly.

SRS-046: System shall load and display the corresponding page of filtered results while preserving the current filter conditions.

SRS-047: System shall repeat the validation-and-query flow with the new conditions.

SRS-048: If No news match filter conditions, backend shall return an empty result set for the specified Filter (no records match date range conditions). System shall display an empty list on the Daily Briefing page and shows a message "No news data

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	28
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

available",Filter panel remains visible and retains the user's selected dates (if any) so that the user can easily adjust them.

SRS-049: If Invalid date range, system shall detect that Start Date is later than End Date during validation. System shall display an inline validation error message (e.g., "Start date cannot be later than end date") near the date fields. System shall do not send a request to the backend.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	29
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-05		
Use Case Name	Filter Daily Briefings News by Date		
Actors	User		
Description	User can filter Daily Briefing items by choosing an optional start date and an optional end date, and then browse only the items that meet these filter conditions.		
Trigger	User is on the Daily Briefing list page (UI-01) and interacts with the filter panel (selects dates, then clicks the "Filter" button).		
Preconditions	1. User is logged into the BridgeU platform. 2. User has an active internet connection. 3. The Daily Briefing system has successfully crawled news from approved sources and stored publication dates. 4. The filter panel (date pickers) is visible on the Daily Briefing list page (UI-01).		
Use Case Input Specification			
Input	type	Constraint	Example
Start Date	Date	Must be a valid calendar date; must not be later than End Date	01-01-2026
End Date	Date	Must be a valid calendar date; must not be earlier than Start Date	03-01-2026
Post conditions	The Daily Briefing list page (UI-01) displays only news items that match the provided date conditions (if any), ordered from newest to oldest by publication date, with pagination.		

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	30
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Normal Flows	User	System
	1. User opens the Daily Briefing list page (UI-01) and sees the filter panel with date pickers. 3. User sets filter criteria (“Start Date” and/or “End Date”). 5. (Optional) User clicks the "Reset" button. 7. User clicks the "Filter" button.	2. System displays the filter panel with empty (optional) fields and shows the current news list (unfiltered), with pagination controls when multiple pages exist. 4. System updates the filter model accordingly. 6. System clears Start Date and End Date and refreshes the list as unfiltered (page reset to 1). 8. System validates the filter inputs (if both dates are provided, $\text{Start Date} \leq \text{End Date}$). [E1: Invalid date range] 9. If validation passes, the system sends a filter request to the backend API including any provided parameters (`startDate`, `endDate`) and the current UI language (`lang`).

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	31
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

		10. Backend queries the database for Daily Briefing items matching the provided conditions (date range on `publishDate`), orders results from newest to oldest by `publishDate`, and applies pagination. 11. Backend returns the filtered news list (with pagination data) to the frontend. 12. System updates the Daily Briefing list on UI-01 to show only filtered items (page reset to 1) and updates pagination controls accordingly. [A1: No news match filter conditions] 13. User browses the filtered news list and can navigate between pages using pagination controls. 14. System loads and displays the corresponding page of filtered results while preserving the current filter conditions. 15. User may adjust filter criteria and click "Filter" again (or reset). 16. System repeats the validation-and-query flow with the new conditions.
Alternative Flow	A1: No news match filter conditions	


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	32
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	A1.1 Backend returns an empty result set for the specified Filter (no records match date range conditions). A1.2 System displays an empty list on the Daily Briefing page and shows a message "No news data available" A1.3 Filter panel remains visible and retains the user's selected dates (if any) so that the user can easily adjust them. A1.4 Use case ends or continues when the user modifies filter conditions and clicks "Filter" again.
Exception Flow	E1: Invalid date range E1.1 System detects that Start Date is later than End Date during validation. E1.2 System displays an inline validation error message (e.g., "Start date cannot be later than end date") near the date fields. E1.3 System does not send a request to the backend. E1.4 User can correct the dates and click "Filter" again (return to step 7).
Assumption	The user has an internet connection .

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	33
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-05: Filter Daily Briefings News by Date

The Activity Diagram for Filter Daily Briefings News by Date illustrates the interaction between the “User“ and the “System” when the user filters Daily Briefing items by date range.



2.1.3.6 UCD-06 Search for Daily Briefing News

URS06: User can type Chinese or English keywords into a search box on the Daily Briefing page and view only Daily Briefing items that match the entered keywords.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	34
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

SRS-050: System shall display the search box with placeholder text and shows the current news list (unfiltered), with pagination controls when multiple pages exist.

SRS-051: System shall update the search keyword model accordingly.

SRS-052: System shall reset the current page to page 1.

SRS-053: System shall send a search request to the backend API including the keyword parameter ('keyword'), any date filter parameters (if set), and the current UI language ('lang').

SRS-054: Backend shall search the database for Daily Briefing items where the keyword matches any of the searchable fields (title, originalContent , summary, and all translation fields). If date filters are provided, the search is limited to items within the date range. Results are ordered from newest to oldest by 'publishDate' and paginated.

SRS-055: Backend shall return the search results (with pagination data) to the frontend.

SRS-056: System shall update the Daily Briefing list on UI-01 to show only matching items (page reset to 1) and updates pagination controls accordingly.

SRS-057: System shall load and displays the corresponding page of search results while preserving the current search keyword and any date filter conditions.

SRS-058: System shall repeat the search flow with the new keyword.

SRS-059: System shall clear the search keyword, resets the current page to page 1, and sends a new request without the keyword parameter (showing all news or filtered by date range if date filters are active).

SRS-060: If no news match search keyword, backend shall return an empty result set for the specified search keyword (and any date filter conditions). System shall display an empty list on the Daily Briefing page and shows a message "No news data available". Search box remains visible and retains the user's entered keyword so that the user can easily modify it and retry.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	35
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-06		
Use Case Name	Search for Daily Briefing News		
Actors	User		
Description	User can type Chinese or English keywords into a search box on the Daily Briefing page and view only Daily Briefing items that match the entered keywords. The search can be combined with date filtering to narrow down results.		
Trigger	User is on the Daily Briefing list page (UI-01) and enters keywords into the search box, then clicks the search button or presses Enter.		
Preconditions	1. User is logged into the BridgeU platform. 2. User has an active internet connection. 3. The Daily Briefing system has successfully crawled news from approved sources and stored publication dates and content.		
Use Case Input Specification			
Input	type	Constraint	Example
Keyword	String	Can be Chinese or English characters; can contain spaces; will be trimmed of leading/trailing whitespace	" 泰 国 " or "Thailand" or "travel"
Post conditions	The Daily Briefing list page (UI-01) displays only news items that match the entered keyword (and any date filter conditions if set), ordered from newest to oldest by publication date, with pagination.		
Normal Flows	User	System	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	36
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	1. User opens the Daily Briefing list page (UI-01) and sees the search box. 3. User types keywords (Chinese or English) into the search box. 5. User clicks the "Search" button or presses "Enter".	2. System displays the search box with placeholder text and shows the current news list (unfiltered), with pagination controls when multiple pages exist. 4. System updates the search keyword model accordingly. 6. System resets the current page to page 1. 7. System sends a search request to the backend API including the keyword parameter ('keyword'), any date filter parameters (if set), and the current UI language ('lang'). 8. Backend searches the database for Daily Briefing items where the keyword matches any of the searchable fields (title, originalContent , summary, and all translation fields). If date filters are provided, the search is limited to items within the date range. Results are ordered from newest to oldest by 'publishDate' and paginated. 9. Backend returns the search results (with pagination data) to the frontend.
--	--	---

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	37
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	10. System updates the Daily Briefing list on UI-01 to show only matching items (page reset to 1) and updates pagination controls accordingly. [A1: No news match search keyword] 11. User browses the search results and can navigate between pages using pagination controls. 12. System loads and displays the corresponding page of search results while preserving the current search keyword and any date filter conditions. 13. User may modify the search keyword and click "Search" again (or clear the keyword). 14. System repeats the search flow with the new keyword. 15. (Optional) User clicks the “clear button” in the search box. 16. System clears the search keyword, resets the current page to page 1, and sends a new request without the keyword parameter (showing all news or filtered by date range if date filters are active).
Alternative Flow	[A1: No news match search keyword]


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	38
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	A1.1 Backend returns an empty result set for the specified search keyword (and any date filter conditions). A1.2 System displays an empty list on the Daily Briefing page and shows a message "No news data available" . A1.3 Search box remains visible and retains the user's entered keyword so that the user can easily modify it and retry. A1.4 Use case ends or continues when the user modifies the keyword and clicks "Search" again.
Exception Flow	
Assumption	The user has an internet connection .

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	39
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-06: Search for Daily Briefing News

The Activity Diagram for Search for Daily Briefing News illustrates the interaction between the User and the System when the user searches for Daily Briefing items by entering keywords:




Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	40
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2 Feature 2

2.2.1 Use Case Diagram

The Community Interaction Platform centers on a single actor (User): the user can browse public posts (UC-07) and optionally filter by tag (UC-10) or search by keyword (UC-14), then view post details (UC-11) where they may like (UC-09), post comments (UC-13), or report inappropriate content (UC-12); the system may invoke Qwen AI to support content processing during post creation/publishing (UC-08) and to generate an AI comment summary (UC-015), and users can also manage private messages(UC-16) with message status management (UC-17) as an extension of messaging.



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	41
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.2 User Requirement Specification

- **URS-07:** The User can browse the community feed with posts ordered from newest to oldest, showing title, preview, tags, like count, and comment count.
- **URS-08:** The User can create or edit posts in their preferred language (Chinese, English), upload images, select a tag from predefined categories (Study, Housing, Travel, Part-time Job, Life Services), and have the system automatically translate language between Chinese and English content using Qwen AI for later display.
- **URS-09 :** The User can like or unlike posts to express feedback, and the like count updates immediately in the interface.
- **URS-10:** The User can filter posts in the community feed by selecting tags from the predefined list (Study, Housing, Travel, Part-time Job, Life Services).
- **URS-11:** The User can view post details including full text, images, tags, engagement metrics (likes, comments), and author profile when clicking on a post, in their current interface language.
- **URS-12:** The User can report posts/comments with structured reasons (Spam, Fraud or Scam, Illegal Service Promotion, Abusive Language, Other) and provide explanatory text.
- **URS-13:** The User can post comments to interact with other users, which will be automatically translated by the system into Chinese and English; users can delete their own comments.
- **URS-14:** The User can search posts by keyword across bilingual content (titles and body texts in both Chinese and English).
- **URS-15 :** The User can view AI-generated summaries of all comments under a post in their chosen language.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	42
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

- **URS-16:** Users can send and receive private messages, view message history, and manage conversations under the following rules:
 - When the current user only follows another user one-way, they may start a conversation and send at most one initial private message (invite).
 - When the users mutually follow each other (Friends), they may exchange multiple private messages as an ongoing conversation without limit.
 - Users who do not follow the other user at all cannot start a private conversation.
- **URS-17:** Users can automatically mark messages as read by opening a session, and users can delete message records on their side as needed (effective only for the current user, not affecting the messages seen by the other party).

2.2.3 Use Case Description and Activity Diagram

2.2.3.1 UCD-07 Browse Daily Briefings

URS-07: The User can browse the community feed with posts ordered from newest to oldest, showing title, preview, tags, like count, and comment count.

SRS-061: System shall open UI-03 and requests latest posts (page 1).

SRS-062: Backend shall return post list (newest to oldest) with pagination meta data.

SRS-063: System shall load corresponding page and renders post cards.

SRS-064: If No posts data, backend shall return an empty list. System shall display an empty-state message on UI-03.

SRS-065: If Network timeout or connection error, system shall display a localized error message and provides a retry action.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	43
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025


Use Case ID	UC-07		
Use Case Name	Browse Daily Briefings		
Actors	User		
Description	User opens the community feed and browses posts ordered from newest to oldest.		
Trigger	User clicks "Community" entry in navigation.		
Preconditions	1.User is logged into the platform. 2. Network connection is available.		
Use Case Input Specification			
Input	type	Constraint	Example
Page Number	Integer	Optional, default: 0	0
Page size	Integer	Optional, default: 20	20
Language	String	Optional, "zh" or "en"	“en”
Post conditions	User is viewing UI-03 with a list of posts (or an empty-state message).		
Normal Flows	User	System	
	1. User clicks "Community" in navigation.	2. System opens UI-03 and requests latest posts (page 1). [E1: Network timeout or connection error]	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	44
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	4. User browses posts and changes page/scrolls.	3. Backend returns post list (newest to oldest) with pagination metadata. [A1: No posts data] 5. System loads corresponding page and renders post cards.
Alternative Flow	A1: No posts data A1.1 Backend returns an empty list. A1.2 System displays an empty-state message on UI-03. A1.3 Use case end.	
Exception Flow	E1: Network timeout or connection error E1.1 Request fails due to network issues. E1.2 System displays a localized error message and provides a retry action. E1.3 Use case end.	
Assumption	The user has an internet connection .	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	45
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-07: Browse Daily Briefings



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	46
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.2 UCD-08 Create Publish Post

URS-08: The User can create or edit posts in their preferred language (Chinese, English), upload images, select a tag from predefined categories (Study, Housing, Travel, Part-time Job, Life Services), and have the system automatically translate language between Chinese and English content using Qwen AI for later display.

SRS-066: System shall display editor with title/body/tag/image inputs.

SRS-067: System shall update editor model and shows previews.

SRS-068: System shall validate required fields and, if validation passes, frontend sends create-post request.

SRS-069: Backend shall save post and invokes Qwen AI translation to generate ZH/EN fields.

SRS-070: Backend shall return success with created post ID.

SRS-071: System shall navigate to feed or Post Detail and renders the post.


SRS-072: If validation failed, system shall validate required fields (e.g., title/body not empty).System shall show validation errors; user edits and resubmits.

Use Case ID	UC-08				
Use Case Name	Create Publish Post				
Actors	User				
Description	User creates a post with text,tags,images(optional) and publishes it to the community feed; the system stores bilingual content.				
Trigger	User clicks "Create Post".				
Preconditions	1. User is logged in. 2. Network connection is available.				
Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	47
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case Input Specification					
Input	type	Constraint			Example
Title	String	Required, not empty			"Looking for housing"
Body	String	Required, not empty			"I need a room near CMU"
Tag	String	Required, must be one of: Study, Housing, Travel, Part-time Job, Life Services			"Housing"
Image	File	Optional, image file (JPEG, PNG, GIF, WebP)			image.jpg
Post conditions	A new post is published and visible in the feed (and/or Post Detail page) in the selected language, with bilingual content stored on backend.				
Normal Flows	User		System		
	1. User opens UI-05. 3. User fills title/body, selects tag(s), uploads images. 5. User clicks "Publish".		2. System displays editor with title/body/tag/image inputs. 4. System updates editor model and shows previews. 6. System validates required fields and, if validation passes, frontend sends create-post request. [A1: Validation failed]		
Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	48
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	9. User views created post.	7. Backend saves post and invokes Qwen AI translation to generate ZH/EN fields. 8. Backend returns success with created post ID. 10. System navigates to feed or Post Detail and renders the post.
Alternative Flow	A1: Validation failed A1.1 System validates required fields (e.g., title/body not empty). A1.2 System shows validation errors; user edits and resubmits.	
Exception Flow		
Assumption	The user has an internet connection .	

AD-08: Create Publish Post



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	49
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.3 UCD-09 Like Post

URS-09: The User can like posts to express positive feedback, and the like count updates immediately.

SRS-073: System shall toggle like state and updates like count optimistically.

SRS-074: Frontend shall send like/unlike request to backend.

SRS-075: Backend shall record like/unlike and returns updated counts/state.


SRS-076: System shall reconcile UI with backend response.

SRS-077: When user clicks Like again on an already-liked post. System shall toggle to unlike state and sends unlike request. Backend shall remove like and returns updated counts.

Use Case ID	UC-09		
Use Case Name	Like Post		
Actors	User		
Description	User likes (or unlikes) a post and sees the like count update.		
Trigger	User clicks the like button on a post.		
Preconditions	1. User is logged in. 2. Post is visible in feed or post detail.		
Use Case Input Specification			
Input	type	Constraint	Example
-	-	-	-

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	50
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-09: Like Post



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	52
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.4 UCD-10 Filter by Tag

URS-10: The User can filter posts by selecting tags from the predefined list (Study, Housing, Travel, Part-time Job, Life Services).

SRS-078: System shall update selected tag filter state.

SRS-079: System shall reset page to 1 and requests filtered posts.

SRS-080: Backend shall return filtered post list ordered newest->oldest.

SRS-081: System shall render filtered feed and pagination.

SRS-082: If no posts match the tag filter, backend shall return an empty list. System shall show empty-state message and keeps tag filter visible.


Use Case ID	UC-10		
Use Case Name	Filter by Tag		
Actors	User		
Description	User filters the community feed by tag.		
Trigger	User selects one or more tags and applies filter.		
Preconditions	User is on UI-03.		
Use Case Input Specification			
Input	type	Constraint	Example
-	-	-	-
Post conditions	Feed displays only posts matching selected tag(s) (or an empty-state message)		

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	53
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Normal Flows	User	System
	1. User selects tag(s) in tag filter. 3. User applies filter. 6. User browses filtered results.	2. System updates selected tag filter state. 4. System resets page to 1 and requests filtered posts. 5. Backend returns filtered post list ordered newest->oldest. [A1: No posts match the tag filter] 7. System renders filtered feed and pagination.
Alternative Flow	A1: No posts match the tag filter A1.1 Backend returns an empty list. A1.2 System shows empty-state message and keeps tag filter visible. A1.3 Use case end.	
Exception Flow		
Assumption	The user has an internet connection .	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	54
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-10: Filter by Tag



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	55
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.5 UCD-11 View Post Details

URS-11: The User can view post details including full text, images, tags, engagement metrics (likes, comments), and author profile when clicking on a post, with content displayed in the current interface language using the stored bilingual fields

SRS-083: .System shall navigate to UI-04 and requests post details + comments.

SRS-084: Backend shall return post data (ZH/EN fields), images/tags/metrics, and comment list.


SRS-085: System shall render post body in selected language and displays comments/metrics.

SRS-086: If post has no comments, backend shall return empty comment list. System shall display "No comments yet" empty state in comments section.

Use Case ID	UC-11		
Use Case Name	View Post Details		
Actors	User		
Description	User opens a post detail page and reads the post and its comments in selected language.		
Trigger	User clicks a post card from feed/search results.		
Preconditions	1. User is logged in. 2. Post exists and is accessible.		
Use Case Input Specification			
Input	type	Constraint	Example

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	56
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-11: View Post Details



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	58
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.6 UCD-12 Report Post/Comment

URS-12: The User can report posts/comments with structured reasons (Spam, Fraud or Scam, Illegal Service Promotion, Abusive Language, Other) and provide explanatory text.

SRS-087: System shall open the report dialog with structured reasons (Spam, Fraud or Scam, Illegal Service Promotion, Abusive Language, Other) and an optional description field.

SRS-088: System shall validate inputs.

SRS-089: Frontend shall send report request to backend with reporter ID, target type, target ID, reason, description.

SRS-090: Backend shall store report record with reporter ID, target type, target ID, reason, description, and timestamp.

SRS-091: Backend shall send reported content and metadata to Qwen AI for analysis (e.g., content category, severity score).

SRS-092: Backend shall optionally stores AI analysis result together with the report record for later moderation use.

SRS-093: Backend shall return success to frontend.

SRS-094: System shall show “Report submitted” message and closes dialog.

SRS-095: If user closes the report dialog without submitting. System shall discard input and returns to previous view.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	59
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-12		
Use Case Name	Report content(Post/Comment)		
Actors	User		
Description	User reports about post/comment inappropriate content with a structured reason and optional description t.The System may use Qwen AI to automatically classify and prioritize reported content for moderation.		
Trigger	User clicks "Report" on a post or comment.		
Preconditions	1. User is logged in. 2. Target post/comment is visible.		
Use Case Input Specification			
Input	type	Constraint	Example
Reason	String	Must be one of predefined reasons	“Spam”
Description (optional)	String	Max length (200)	"Repeated ads"
Post conditions	A report record is created, and user sees confirmation feedback.		
Normal Flows	User	System	Qwen AI
	1. User clicks "Report" on a post/comment.	2. System opens the report dialog with structured reasons (Spam, Fraud or Scam, Illegal Service Promotion, Abusive	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	60
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025


	3. User selects a reason and enters optional description. 5. User submits report.	Language, Other) and an optional description field. [A1: User cancels reporting] 4.System validates inputs. 6.Frontend sends report request to backend with reporter ID, target type, target ID, reason, description. 7.Backend stores report record with reporter ID, target type, target ID, reason, description, and timestamp. 8.Backend sends reported content and metadata to Qwen AI for analysis (e.g., content category, severity score). 10.Backend optionally stores AI analysis result together	9.Qwen AI analyzes the reported content and returns structured analysis (category, severity / risk score).
--	---	--	---

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	61
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

		with the report record for later moderation use. 11.Backend returns success to frontend. 12.System shows “Report submitted” message and closes dialog. 13.User sees confirmation.	
Alternative Flow	A1: User cancels reporting A1.1 User closes the report dialog without submitting. A1.2 System discards input and returns to previous view. A1.3 Use case end.		
Exception Flow			
Assumption	The user has an internet connection .		

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	62
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-12: Report Post/Comment



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	63
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.7 UCD-13: Post Comment

URS-13: The User can post comments to interact with other users, which will be automatically translated by the system into Chinese and English; users can delete their own comments.

SRS-096: System shall update comment input model.

SRS-097: System shall validate the comment and, if valid, frontend sends create-comment request.

SRS-098: Backend shall stores comment.

SRS-099: Backend shall return success with new comment.

SRS-100: System shall append comment to list and updates comment count.


Use Case ID	UC-13		
Use Case Name	Post Comment		
Actors	User		
Description	User posts a comment under a post; the system translates and displays it.		
Trigger	User submits comment on Post Detail page.		
Preconditions	1. User is logged in. 2. Post Detail page is loaded.		
Use Case Input Specification			
Input	type	Constraint	Example
Comment Text	String	Required, not empty after trimming	"Great post!"

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	64
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Post conditions	A new comment is displayed under the post in current interface language, and backend stores bilingual comment content.		
Normal Flows	User	System	Qwen AI
	1. User enters comment text. 3. User clicks "Submit". 8. User views the new comment.	2. System updates comment input model. 4. System validates the comment and, if valid, frontend sends create-comment request. 5. Backend stores comment 7. Backend returns success with new comment. 9. System appends comment to list and updates comment count.	6.translation to generate ZH/EN fields.
Alternative Flow			
Exception Flow			
Assumption	The user has an internet connection .		

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	65
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-13: Post Comment



2.2.3.8 UCD-14 Search Posts

URS-14: The User can search posts by keyword across bilingual content (titles and body texts in both Chinese and English), and view posts ordered from newest to oldest.

SRS-101: System shall trim keyword, resets page to 1, and requests search results (keyword + tag filter).

SRS-102: Backend shall perform keyword-based matching using on bilingual titles/bodies and returns results ordered by from newest to oldest.

SRS-103: System shall render results list and pagination; keyword remains in search box.

SRS-104: No results, backend shall return empty list. System shall show empty-state message and keeps search box visible.

SRS-105: If network timeout or connection error, system shall search request fails due to network issues. System shall show error and retry action; keyword remains.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	66
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025


Use Case ID	UC-14		
Use Case Name	Search Posts		
Actors	User		
Description	User searches posts by keyword across bilingual content.		
Trigger	User submits keyword in search box.		
Preconditions	User is on UI-03.		
Use Case Input Specification			
Input	type	Constraint	Example
Keyword	String	Not empty after trimming	"housing"
Post conditions	Feed shows search result posts ordered by relevance score (highest match score first, or empty-state)		
Normal Flows	User	System	
	1. User enters keyword and triggers search (Enter/Search).	2. System trims keyword, resets page to 1, and requests search results (keyword + tag filter). [E1: Network timeout or connection error] 3. Backend performs keyword-based matching using on bilingual titles/bodies and returns results ordered by from newest to oldest.	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	67
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	4. User browses results.	[A1: No results] 5. System renders results list and pagination; keyword remains in search box.
Alternative Flow	A1: No results A1.1 Backend returns empty list. A1.2 System shows empty-state message and keeps search box visible. A1.3 Use case end.	
Exception Flow	E1: Network timeout or connection error E1.1 Search request fails due to network issues. E1.2 System shows error and retry action; keyword remains. E1.3 Use case end.	
Assumption	The user has an internet connection .	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	68
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-14: Search Posts



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	69
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.11 UCD-15 AI Summary Comment

URS-15: The User can view AI-generated summaries of all comments under a post in their chosen language.

SRS-106: System shall show the comment list and a "Summarize Comments" action.

SRS-107: Frontend shall send HTTP request to backend comment summary API with Post ID and `lang`

SRS-108: Backend shall collect comments of the post and invokes Qwen AI summarization.

SRS-109: Backend shall return summary text.

SRS-110: Frontend shall render the summary in the UI and marks it as AI-generated.

SRS-111: If no comments to summarize, system shall detect comment count is 0. System shall disable the "Summarize Comments" action or shows message "No comments to summarize"

SRS-112: If network timeout or connection error, system shall request times out or fails due to network issues. Frontend shall display a localized error message and provides a retry action.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	70
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-15		
Use Case Name	AI Summary Comment		
Actors	User		
Description	User requests an AI-generated summary of all comments under a post and views the summary in their current interface language.		
Trigger	User clicks the "Summarize Comments" action on the Post Detail page.		
Preconditions	1. User is viewing a Post Detail page. 2. Post data is loaded successfully. 3. There is at least one comment under the post 4. User has an active internet connection		
Use Case Input Specification			
Input	type	Constraint	Example
-	-	-	-
Post conditions	A comment summary is displayed on the Post Detail page in the user's selected language.		
Normal Flows	User	System	
	1. User opens the Post Detail page and scrolls to the comments section.	2. System shows the comment list and a "Summarize Comments" action.	


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	71
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	3. User clicks "Summarize Comments". 8. User views the summary.	4. Frontend sends HTTP request to backend comment summary API with Post ID and `lang` [E1: Network timeout or connection error] 5. Backend collects comments of the post and invokes Qwen AI summarization. 7. Backend returns summary text. 9. Frontend renders the summary in the UI and marks it as AI-generated.	6. summarize all the reviews
Alternative Flow	A1: No comments to summarize A1.1 System detects comment count is 0. A1.2 System disables the "Summarize Comments" action or shows message "No comments to summarize" A1.3 Use case end.		
Exception Flow	E1: Network timeout or connection error E1.1 Request times out or fails due to network issues.		

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	72
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	E1.2 Frontend displays a localized error message and provides a retry action. E1.3 Use case end.
Assumption	The user has an internet connection .

AD-15: AI Summary Comment



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	73
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.3.3.1 UCD-16: Manage private messages with other users

URS-16: Users can search other users by username (or partial username) to quickly start a private conversation with them. Users can send and receive private messages, view message history, and manage conversations under the following rules:

- When the current user only follows another user one-way, they may start a conversation and send at most one initial private message.
- When the users mutually follow each other (Friends), they may exchange multiple private messages as an ongoing conversation without limit.
- Users who do not follow the other user at all cannot start a private conversation.

SRS-113: System shall display the private messages page, including a search box “Search users by username...”.

SRS-114: Frontend shall send a search request (GET/api/users/search?username=...) to the backend.

SRS-115: Backend shall search users whose username matches the query and returns a list of candidate users (e.g., username, display name, avatar, online status).

SRS-116: Frontend shall take the selected user’s userId and proceeds with the “Open chat & load history” flow.

SRS-117: Frontend shall send a request to create or get a conversation (POST /api/messages/conversations with userId).

SRS-118: Backend shall check the follow relationship between current user and target user:

- a. If the current user does not follow the target user, reject the request
- b. If the current user follows the target user (one-way or mutual), find or create a Conversation and return its conversationId and isMutualFollow flag.

SRS-119: Frontend shall request message history for this conversation (GET /api/messages/conversations/{conversationId}).

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	74
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

SRS-120: Backend shall return ordered message history together with flags isMutualFollow and canSendMore

SRS-121: System shall render the chat UI, including message list, target user info, and current sending status based on isMutualFollow / canSendMore.

SRS-122: Frontend shall validate that message content is not empty after trimming, and checks that local canSendMore is true. If valid, it sends POST /api/messages/conversations/{conversationId}/messages with content.

SRS-123: Backend shall process the send request:

- a. If the users are not mutual follows and the current user has already sent one message in this conversation, reject the request
- b. Otherwise, persist the message and update conversation state.

SRS-124: System shall append the new message to the conversation and returns success with updated canSendMore, and the frontend updates send button availability and helper text accordingly.

SRS-125: If No message history, Backend returns empty history for a new conversation. System displays an empty chat state ("No messages yet").

SRS-126: If not following, backend shall detect current user does not follow the target user when creating/opening conversation. Backend shall reject the request and returns an error such as "You must follow this user to start a conversation".

E1.3 System shows a user-friendly message and does not open the chat.

SRS-127: If Single-message limit reached, backend shall detect users are not mutual follows and the current user has already sent one message in this conversation. Backend shall reject the send request and returns an error such as "You can only send one message until the other user follows you back" (code: SINGLE_MESSAGE_LIMIT). System shall show a user-friendly message and disables further sending until mutual follow is established.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	75
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-16		
Use Case Name	Manage private messages with other users		
Actors	User		
Description	Mutually-following users start a chat, view history, and send messages.		
Trigger	User opens a chat with another user.		
Preconditions	1. Users are mutually following. 2. User is logged in.		
Use Case Input Specification			
Input	type	Constraint	Example
Message Content	String	Not empty after trimming	“Hi!”
Post conditions	User can view message history and newly sent messages appear in the conversation.		
Normal Flows	User	System	
	1. User opens the Private Messages screen. 2. User enters a (partial) username in the search box.	2. System displays the private messages page, including a search box “Search users by username...”. 4. Frontend sends a search request (GET/api/users/search?username=...) to the backend.	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	76
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	5. User reviews the returned list of matching users. 7. User clicks a target user in the search result list to start a chat. 9. User opens a chat with another user (either from an existing conversation list item or from the search result in step 7).	6. Backend searches users whose username matches the query and returns a list of candidate users (e.g., username, display name, avatar, online status). 8. Frontend takes the selected user's userId and proceeds with the "Open chat & load history" flow. 10. Frontend sends a request to create or get a conversation (POST /api/messages/conversations with userId). 11. Backend checks the follow relationship between current user and target user: a. If the current user does not follow the target user, reject the request [E1: Not following] b. If the current user follows the target user (one-way or mutual), find or create a Conversation and return its conversationId and isMutualFollow flag. 12. Frontend requests message history for this conversation (GET
--	--	---

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	77
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

		/api/messages/conversations/{conversationId}). 13. Backend returns ordered message history together with flags isMutualFollow and canSendMessage [A1: No message history may apply] 14. User sees the conversation view with historical messages (or an empty state if no history). 16. User types a message in the input box. 17. User clicks “Send Message”. 19. User sees the new message appear in the chat window.
		15. System renders the chat UI, including message list, target user info, and current sending status based on isMutualFollow / canSendMessage. 18. Frontend validates that message content is not empty after trimming, and checks that local canSendMessage is true. If valid, it sends POST /api/messages/conversations/{conversationId}/messages with content. 20. Backend processes the send request: a. If the users are not mutual follows and the current user has already sent


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	78
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

		one message in this conversation, reject the request [E2: Single-message limit reached] b. Otherwise, persist the message and update conversation state. 21. System appends the new message to the conversation and returns success with updated canSendMore, and the frontend updates send button availability and helper text accordingly.
Alternative Flow	A1: No message history A1.1 Backend returns empty history for a new conversation. A1.2 System displays an empty chat state (“No messages yet”). A1.3 Use case continues; the user can still send the first message, subject to follow and single-message rules.	
Exception Flow	E1: Not following E1.1 Backend detects current user does not follow the target user when creating/opening conversation. E1.2 Backend rejects the request and returns an error such as "You must follow this user to start a conversation". E1.3 System shows a user-friendly message and does not open the chat. E2: Single-message limit reached E2.1 Backend detects users are not mutual follows and the current user has already sent one message in this conversation.	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	79
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	E2.2 Backend rejects the send request and returns an error such as "You can only send one message until the other user follows you back" (code: SINGLE_MESSAGE_LIMIT). E2.3 System shows a user-friendly message and disables further sending until mutual follow is established.
Assumption	The user has an internet connection .

AD-16: Manage private messages with other users



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	80
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.3.3.2 UCD-17:Manage Message Status

URS-17: Users can automatically mark messages as read by opening a session, and users can delete message records on their side as needed (effective only for the current user, not affecting the messages seen by the other party)

SRS-128: System shall mark incoming messages as read and updates unread indicators.

SRS-129: System shall ask for confirmation (optional) and, if confirmed, sends delete request.

SRS-130: Backend shall soft-deletes the message for the user and returns success.

SRS-131: System shall remove deleted message from view and refreshes status badges.

SRS-132:If User don't delete a Message, System shall keep the message visible and does not send request.

SRS-133: If network/server error , system shall delete/status update request fails due to network issues or backend returns 5xx(Server Error).System shall show error message and keeps UI unchanged.

Use Case ID	UC-17
Use Case Name	Manage Message Status
Actors	User
Description	User marks messages as read and deletes messages for themselves.
Trigger	User opens a conversation or uses delete action on a message.
Preconditions	1. User is logged in.


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	81
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	2. Conversation exists.		
Use Case Input Specification			
Input	type	Constraint	Example
-	-	-	-
Post conditions	Messages are marked read when appropriate; deleted messages are removed from the user's view; unread indicators update accordingly.		
Normal Flows	User	System	
	1. User opens a conversation. 3. User clicks delete on a message. 6. User continues chatting.	2. System marks incoming messages as read and updates unread indicators. 4. System asks for confirmation (optional) and, if confirmed, sends delete request. [A1: User don't delete a Message] 5. Backend soft-deletes the message for the user and returns success. [E1: Network/server error] 7. System removes deleted message from view and refreshes status badges.	
Alternative Flow	A1: User don't delete a Message A1.1 User cancels delete confirmation. A1.2 System keeps the message visible and does not send request.		

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	82
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	A1.3 Use case end.
Exception Flow	E1: Network/server error E1.1 Delete/status update request fails due to network issues or backend returns 5xx(Server Error). E1.2 System shows error message and keeps UI unchanged. E1.3 Use case end.
Assumption	The user has an internet connection .

AD-17: Manage Message Status




Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	83
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.3 Feature 3

2.3.1 Use Case Diagram

This use case diagram covers user account and personal-center functions. The primary actor is the User, who can register an account (UC-19), with two alternative registration paths: register with phone number (UC-19.1) which relies on an external SMS service for verification, and register with email (UC-19.2) which relies on an external Email service. After registration, the user can log in (UC-20) and log out (UC-21), edit their profile (UC-22), view their friends/followers list (UC-18), view their own community posts (UC-23), and view their submitted reports (UC-24). Additionally, the user can use the Forgot password (UC-25) function, which extends the Log In (UC-20) use case. This recovery process branches into two specific methods: SMS-based Password Reset (UC-25.1), which interacts with the external SMS service, and Email-based Password Reset (UC-25.2), which interacts with the external Email service.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	84
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	85
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.3.2 User Requirement Specification

URS-18 - View the Friends/Followers list: The User can view lists of mutual Friends and Followers, and navigate to their profiles. The User can view a Friends list that shows only users who have a mutual follow relationship with the User (both sides follow each other), and a Followers list that shows users who follow the User. From either list, the User can click a user's avatar to open that user's profile page.

URS-19 - Register Account: The User can register a new account using email or phone number with verification codes.

URS-20 – Log In: The User can log in using username/email/phone number and password, receiving a JWT token for authentication.

URS-21 – Log Out: The User can log out to end the current session and clear authentication tokens.

URS-22 – Edit Profile: The User can view and update their profile information including display name, avatar, and preferred language.

URS-23 – View My Community Posts : The User can view all their own community posts with moderation status (pending, approved, rejected).The User can delete his post

URS-24 – View My Report: The User can view all reports they have submitted from their profile page, including report status (PENDING, REVIEWED, RESOLVED, DISMISSED), target type (POST or COMMENT), reasons, description, review notes from administrators, AI-derived review information (such as confidence score and violation snippets), and timestamps.

URS-25-Forget Password: Users can securely reset their account password if they forget it, using either their registered email address or bound mobile phone number.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	86
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.3.3 Use Case Description and Activity Diagram

2.3.3.1 UCD-18 View the Friends/Followers list

URS-18: The User can view lists of mutual Friends and Followers, and navigate to their profiles. The User can view a Friends list that shows only users who have a mutual follow relationship with the User (both sides follow each other), and a Followers list that shows users who follow the User. From either list, the User can click a user's avatar to open that user's profile page.

SRS-134: System shall display profile information and action buttons including "Followers" and "Friends".

SRS-135: System shall open the corresponding list modal and sends request to the appropriate endpoint

SRS-136: Backend shall return the corresponding user list.

SRS-137: System shall close the modal and navigates to the selected user's profile page.

SRS-138: If no users in list, backend shall return an empty list. System shall display an empty state message: "No users".

Use Case ID	UC-18				
Use Case Name	View Followers/Friends List				
Actors	User				
Description	The User can view lists of mutual Friends and Followers, and navigate to their profiles. The User can view a Friends list that shows only users who have a mutual follow relationship with the User (both sides follow each other), and a				

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	87
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025


	Followers list that shows users who follow the User. From either list, the User can click a user’s avatar to open that user’s profile page.		
Trigger	User clicks the Followers count or Friends (mutual follows) count on a profile page.		
Preconditions	User is logged in.		
Use Case Input Specification			
Input	type	Constraint	Example
Post conditions	The selected list (Followers or Friends) is displayed When the user selects a listed user, the system navigates to that user's profile page.		
Normal Flows	User	System	
	1.User opens profile page (own or another user's). 3. User clicks Followers count or Friends (mutual follows) count.	2. System displays profile information and action buttons including " Followers" and "Friends". 4. System opens the corresponding list modal and sends request to the appropriate endpoint 5. Backend returns the corresponding user list.	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	88
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	6. User clicks a listed user's avatar.	[A1: No users in list] 7.System closes the modal and navigates to the selected user's profile page.
Alternative Flow	A1: No users in list A1.1 Backend returns an empty list. A1.2 System displays an empty state message: "No users". A1.3 Use case end.	
Exception Flow		
Assumption	The user has an internet connection .	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	89
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-18 View the Friends/Followers list



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	90
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.3.3.2UCD-19: Register Account

URS-19: The User can register a new account using email or phone number with verification codes.

SRS-139: System shall display registration form with phone-related fields.

SRS-140: System shall validate phone format and calls Firebase (SMS service) from frontend to send a 6-digit SMS verification code to the phone.

SRS-141: System shall display success message: "Verification code sent".

SRS-142: System shall validate the code format (6 digits).

SRS-143: System shall use Firebase (client-side) to verify the SMS code with the SMS service; on success, Firebase marks the SMS session as verified.

SRS-144: System shall display success message: "Verification successful" and enables the registration form fields.

SRS-145: System shall validate form fields.

SRS-146: System shall send registration request to backend via `POST /api/auth/register/phone` with phone, username, password, and preferred language (without the SMS code).

SRS-147: Backend shall check for duplicate phone/username, creates user account with hashed password based on the phone number, and returns success (assuming SMS verification has been handled on the client side, or at least the code was sent).

SRS-148: System shall display registration form with email-related fields.

SRS-149: System shall validate email format

SRS-150: System shall check if email is already registered.

SRS-151: System shall call POST /api/auth/send-verification-code.

SRS-152: System shall send /api/auth/verify-code to backend and validates code.

SRS-153: System shall validate form fields (Pwd, Username).

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	91
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

SRS-154: System shall sends POST /api/auth/register to backend.

SRS-155: System shall backend checks for duplicate username.

SRS-156: If invalid code,firebase (SMS service) returns an error: code is invalid, expired, or already used. System shall display error message: "Invalid verification code",User can request a new code and retry. Registration cannot proceed until verification is successful.

SRS-157: If validation failed, system shall validate form fields and detects errors (e.g., password doesn't contain uppercase/lowercase, username already taken on frontend check).System shall display validation errors next to relevant fields.

SRS-158: If invalid phone format, system shall detect invalid phone number format.System shall display error message: "Invalid phone format".

SRS-159: If duplicate username/phone, backend shall detect that username, phone number already exists.Backend shall return error with specific field information. System shall display error message: "Username/Phone already registered".

SRS-160: If incorrect password format, backend shall detect that password format is incorrect.

SRS-161: If Invalid email format, System shall detect invalid email format.System displays error message: "Invalid email format".

SRS-162: If Duplicate email found, system shall detect that the email address already exists in the database.System shall display error message: "Already registered"

SRS-163: If duplicate username found, backend shall detect that the chosen username already exists. System shall display error message: "Already registered"

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	92
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-19.1		
Use Case Name	Register with Phone number		
Actors	User		
Description	User registers a new account using a phone number. Phone registration uses SMS verification via Firebase (as SMS service). The UI requires that the SMS verification code must be verified before allowing registration		
Trigger	User clicks "Register" or navigates to the registration page.		
Preconditions	1. User is not logged in. 2. User has access to their phone number for verification code. 3. Network connection is available.		
Use Case Input Specification			
Input	type	Constraint	Example
Phone	number	Valid phone number	123456
Verification Code	String	6-digit numeric code required (Firebase SMS)	“123456”
Username	String	Unique, alphanumeric, not empty	"john_doe"
Password	String	Must contain both uppercase and lowercase letters	"Password123"
Post conditions	A new user account is created in the system. User is logged in automatically (or redirected to login page).		
Normal Flows	User	System	SMS service

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	93
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	1. User opens registration page and selects “phone” as registration method. 3. User enters phone number and clicks "Send Verification Code". 7. User receives SMS code and enters it in the form. 9. User clicks "Verify Code".	2. System displays registration form with phone-related fields. 4. System validates phone format and calls Firebase (SMS service) from frontend to send a 6-digit SMS verification code to the phone. [E1: Invalid phone format] 6. System displays success message: "Verification code sent". 8. System validates the code format (6 digits). 10. System uses Firebase (client-side) to verify the SMS code with the SMS service; on success, Firebase marks the SMS session as verified. [A1: Invalid code]	5. SMS service sends SMS with 6-digit verification code to the user's phone.
--	---	--	---

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	94
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	13. User fills in username, password, display name, and selects preferred language. 15. User clicks "Register".	12. System displays success message: "Verification successful" and enables the registration form fields. 14. System validates form fields. [A2: Validation failed] 16. System sends registration request to backend via `POST /api/auth/register/phone` with phone, username, password, and preferred language (without the SMS code). 17. Backend checks for duplicate phone/username, creates user account with hashed password based on the phone number, and returns success (assuming SMS verification has been handled on the client side, or at least the code was sent). [E2: Duplicate phone] 18. System automatically logs in.	11. SMS service responds with verification success/failure.
--	---	---	--

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	95
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Alternative Flow	A1: Invalid code A1.1 Firebase (SMS service) returns an error: code is invalid, expired, or already used. A1.2 System displays error message: "Invalid verification code" A1.3 User can request a new code and retry. Registration cannot proceed until verification is successful. A2: Validation failed A2.1 System validates form fields and detects errors (e.g., password doesn't contain uppercase/lowercase, username already taken on frontend check). A2.2 System displays validation errors next to relevant fields. A2.3 User corrects errors and resubmits.				
Exception Flow	E1: Invalid phone format E1.1 System detects invalid phone number format. E1.2 System displays error message: "Invalid phone format". E1.3 User corrects phone and retries. E2: Duplicate username/phone E2.1 Backend detects that username, phone number already exists. E2.2 Backend returns error with specific field information. E2.3 System displays error message: "Username/Phone already registered". E2.4 User chooses a different username/phone and retries. E3: Incorrect password format E3.1:Backend detects that password format is incorrect				
Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	96
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	E3.2: User fills details again
Assumption	The user has an internet connection .

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	97
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-19.2		
Use Case Name	Register with Email		
Actors	User		
Description	User registers a new account using email with verification code validation.		
Trigger	User clicks "Register" or navigates to the registration page.		
Preconditions	1. User is not logged in. 2. User has access to their email for verification code. 3. Network connection is available.		
Use Case Input Specification			
Input	type	Constraint	Example
Email/Phone	String	Valid email format or phone number	"user@example.com"
Verification Code	String	6-digit numeric code	“123456”
Username	String	Unique, alphanumeric, not empty	"john_doe"
Password	String	Must contain both uppercase and lowercase letters	"Password123"
Post conditions	A new user account is created in the system. User is logged in automatically (or redirected to login page).		
Normal Flows	User	System	Email service
	1. User opens registration page		

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	98
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	and selects “email” as registration method. 3. User enters email and clicks "Send Verification Code". 8. Receives email & enters 6-digit code. Clicks 'Verify Code'. 10. Fills details (Username, Pwd, Name, Lang) & clicks 'Register'.	2. System displays registration form with email-related fields. 4. System validates email format [E1: Invalid format] 5. Checks if email is already registered. [E2: Duplicate email found] 6. Calls POST /api/auth/send-verification-code. 7. Delivers verification email with 6-digit code. 9. Sends /api/auth/verify-code to backend and validates code. [A1: Invalid code]	
--	---	--	--

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	99
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025


		11. Validates form fields (Pwd, Username). [A2: Validation failed] 12. Sends POST /api/auth/register to backend. 13. Backend checks for duplicate username. [E3: Duplicate username found] 14. Creates account & returns success. 15. Auto login.	
Alternative Flow	A1: Invalid code A1.1 Backend returns error: code is invalid or expired. A1.2 System displays error message: "Invalid code". A1.3 User re-enters the code or requests a new one. A2: Validation failed A2.1 System validates form fields and detects errors (The password must contain both uppercase and lowercase letters, and it must be at least 6 characters long,username format). A2.2 System displays validation errors next to the relevant fields. A2.3 User corrects the errors and resubmits.		
Exception Flow	E1: Invalid email format E1.1 System detects invalid email format. E1.2 System displays error message: "Invalid email format".		

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	100
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	E1.3 User corrects the email address and retries. E2: Duplicate email found E2.1 System detects that the email address already exists in the database. E2.2 System displays error message: "Already registered" E2.3 User chooses a different email or proceeds to login. E3: Duplicate username found E3.1 Backend detects that the chosen username already exists. E3.2 System displays error message: "Already registered" E3.3 User chooses a different username and retries.
Assumption	The user has an internet connection .


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	101
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-19: Register Account (by phone number)



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	102
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-20: Register Account(by Email)



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	103
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.3 UCD-20: Log In

URS-20: The User can log in using username/email/phone number and password, receiving a JWT token for authentication.

SRS-164: System shall display login form with login identifier (username / email / phone number) and password fields, and a "Forgot Password" link.

SRS-165: System shall validate form fields (not empty).

SRS-166: System shall send login request to backend with credentials

SRS-167: Backend shall authenticate credentials and generates JWT token.

SRS-168: Backend shall return 200 OK with JWT token and user information.

SRS-169: System shall store JWT token, updates user state, and redirects to main application.

SRS-170: If validation failed, system detects empty login identifier (username / email / phone number) or password fields. System shall display validation error: " Please fill in all required fields "

SRS-172: When user clicks "Forgot Password", system shall navigate to the password reset page (UI-11) and starts the password reset use case (UC-25). After the password reset succeeds, the system shall redirects the user back to the login page.

SRS-173: If password validation failed, system shall detect password does not meet requirements (must contain uppercase and lowercase) or passwords do not match.

System shall display validation error: " Incorrect username or password".

SRS-174: If network timeout or connection error, system shall display a localized error message and allows retry.

SRS-175: If invalid credentials, backend shall return 401 Unauthorized: username / email / phone number or password is incorrect. System shall display error message: " Incorrect username email, phone number or password".

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	104
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-20				
Use Case Name	Log In				
Actors	User				
Description	User logs in using username/email/phone number and password, receiving a JWT token for authenticated access.				
Trigger	User clicks "Log In" or navigates to the login page.				
Preconditions	Network connection is available.				
Use Case Input Specification					
Input	type	Constraint			Example
Username/Email/phone number	String	Valid username or email address or phone number.			"john" or <u>user@example.com</u> or +660951747068
Password	String	The password must contain both uppercase and lowercase letters, and it must be at least 6 characters long.			"Password123"
Post conditions	User is authenticated and receives a JWT token. User is redirected to the main application. JWT token is stored for subsequent API requests.				
Normal Flows	User		System		
	1. User opens login page.				


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	105
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	3. User enters login identifier (username / email / phone number) and password. 5. User clicks "Log In". 9. User views main application.	2. System displays login form with login identifier (username / email / phone number) and password fields, and a "Forgot Password" link. 4. System validates form fields (not empty). [A1: Validation failed] [A2: User clicks "Forgot Password"] 6. System sends login request to backend with credentials. [E1: Network timeout or connection error] 7. Backend authenticates credentials and generates JWT token. [E2: Invalid credentials] 8. Backend returns 200 OK with JWT token and user information. 10. System stores JWT token, updates user state, and redirects to main application .			
Alternative Flow	A1: Validation failed A1.1 System detects empty login identifier (username / email / phone number) or password fields. A1.2 System displays validation error: " Please fill in all required fields "				
Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	106
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	A1.3 User fills in missing fields and retries. A2: User clicks "Forgot Password" A2.1 User clicks "Forgot Password" link on the login page. A2.2 System navigates to the password reset page (UI-11) and starts the password reset use case (UC-25). A2.3 After the password reset succeeds, the system redirects the user back to the login page. A3: Password validation failed A3.1 System detects password does not meet requirements (must contain uppercase and lowercase) or passwords do not match. A3.2 System displays validation error: " Incorrect username or password“. A3.3 User corrects password and resubmits the password reset form.
Exception Flow	E1: Network timeout or connection error E1.1 Login request fails due to network issues. E1.2 System displays a localized error message and allows retry. E1.3 Use case end. E2: Invalid credentials E2.1 Backend returns 401 Unauthorized: username / email / phone number or password is incorrect. E2.2 System displays error message: " Incorrect username email, phone number or password”. E2.3 User can retry with correct credentials or use "Forgot Password" link.
Assumption	The user has an internet connection .

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	107
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-21: Log In



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	108
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.4 UCD-21: Log Out

URS-21: The User can log out to end the current session and clear authentication tokens.

SRS-176: System shall immediately proceed with logout.

SRS-177: System shall clear JWT token from localStorage/sessionStorage.

SRS-178: System shall clear user state and session data.


SRS-179: System shall end session locally without backend request (stateless JWT).

SRS-180: System shall redirect user to login page.

Use Case ID	UC-21				
Use Case Name	Log Out				
Actors	User				
Description	User logs out to end the current session and clear authentication tokens.				
Trigger	User clicks "Log Out" button or menu item.				
Preconditions	1. User is logged in (has valid JWT token). 2. User is viewing the application.				
Use Case Input Specification					
Input	type	Constraint			Example
None	-	-			-
Post conditions	User session is ended. JWT token is cleared from client storage.				

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	109
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-22: Log Out



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	111
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.5 UCD-22: View/Edit Profile

URS-22: The User can view and update their profile information including display name, avatar, and preferred language.

SRS-181: System shall send request to `GET /api/users/me` with JWT token.

SRS-182: Backend shall return user profile information.

SRS-183: System shall display profile: username, display name, avatar, email, preferred language, account creation date, and user-related statistics

SRS-184: System shall display edit form with current values pre-filled.

SRS-185: System shall validate inputs (display name format, image file type/size, language value).

SRS-186: If avatar image is selected, system shall upload image via `POST /api/users/me/avatar` and receives avatar URL.

SRS-187: System shall send update request via `PUT /api/users/me` with updated fields.

SRS-188: Backend shall update user profile and returns updated user information.

SRS-189: System shall refresh profile display, updates user state, and if preferred language changed, updates interface language immediately.

SRS-190: If system detects invalid input (e.g., image file too large, invalid file type, display name contains invalid characters).System shall display validation errors next to relevant fields.

SRS-191:while processing PUT /api/users/me, the backend detects that the new display name (used as username) already exists for another user.The backend rejects the update and returns an appropriate error code.The system shall display a localized error message (“Username already taken”) and keeps the user on the edit form.

SRS-192: When backend successfully updates the profile and username based on the new display name.System shall refresh the profile data in memory and local storage.System shall detect that the display name (used as username) has changed compared to the previous value.System clears current authentication data (e.g., JWT

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	112
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

token, stored user information, session flags).System shall display a localized message indicating that the username has been updated and the user must log in again.System shall redirect or reloads to the login page, ending the current session.

SRS-193: When avatar upload request fails ,system shall display error message: "Avatar upload failed".

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	113
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-22		
Use Case Name	Edit Profile		
Actors	User		
Description	The User can view and update their profile information including display name, avatar, and preferred language.		
Trigger	User opens profile page, clicks "Edit Profile".		
Preconditions	User is logged in.		
Use Case Input Specification			
Input	type	Constraint	Example
Username	String	Optional, allows English characters	"John Doe"
Avatar Image	File	Optional, image file (JPEG, PNG, GIF, WebP), max size limit	image.jpg
Post conditions	Profile information is updated in the system. Updated profile is displayed to the user. User state is updated throughout the application. Interface language is updated if preferred language changed.		
Normal Flows	User	System	
	1. User opens profile page.	2. System sends request to `GET /api/users/me` with JWT token.	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	114
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	4. User views profile information. 6. User clicks "Edit Profile". 8. User updates display name, selects new avatar image (optional), or changes preferred language. 10. User clicks "Save".	3. Backend returns user profile information. 5. System displays profile: username, display name, avatar, email, preferred language, account creation date, and user-related statistics 7. System displays edit form with current values pre-filled. 9. System validates inputs (display name format, image file type/size, language value). [A1: Validation failed] 11. If avatar image is selected, system uploads image via `POST /api/users/me/avatar` and receives avatar URL. [E1: Avatar upload failed] 12. System sends update request via `PUT /api/users/me` with updated fields. [A2: Username conflict]
--	---	---

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	115
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025


	14. User views updated profile.	13. Backend updates user profile and returns updated user information. [A3: Display name changed and update successful (forced re-login)] 15. System refreshes profile display, updates user state, and if preferred language changed, updates interface language immediately.
Alternative Flow	A1: Validation failed A1.1 System detects invalid input (e.g., image file too large, invalid file type, display name contains invalid characters). A1.2 System displays validation errors next to relevant fields. A1.3 User corrects errors and resubmits. A2: Username conflict A2.1 While processing PUT /api/users/me, the backend detects that the new display name (used as username) already exists for another user. A2.2 The backend rejects the update and returns an appropriate error code. A2.3 The system displays a localized error message (“Username already taken”) and keeps the user on the edit form. A2.4 The user chooses a different display name and retries, returning to step 10 of the normal flow. A3: Display name changed and update successful (forced re-login)	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	116
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	A3.1 Backend successfully updates the profile and username based on the new display name. A3.2 System refreshes the profile data in memory and local storage.A3.3 System detects that the display name (used as username) has changed compared to the previous value. A3.4 System clears current authentication data (e.g., JWT token, stored user information, session flags). A3.5 System displays a localized message indicating that the username has been updated and the user must log in again. A3.6 System redirects or reloads to the login page, ending the current session.
Exception Flow	E1: Avatar upload failed E3.1 Avatar upload request fails (network error, file too large, invalid format). E3.2 System displays error message: "Avatar upload failed". E3.3 User can retry upload or skip avatar update.
Assumption	The user has an internet connection .

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	117
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-23: View/Edit Profile



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	118
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.6 UCD-23: View My Community Posts

URS-23: The User can view all their own community posts with moderation status (pending, approved, rejected).The User can delete his post

SRS-194: System shall display profile information and action buttons including "View My Community Posts".

SRS-195: Frontend shall navigate to the UI-08 page and, using the authenticated session, sends a request `GET/api/users/me/posts?lang={zh|en}` to load the current user's community posts.

SRS-196: Backend shall based on the currently logged-in user, retrieves all posts created by that user (including all statuses:PENDING_REVIEW, APPROVED, REJECTED) and returns the list ordered by creation time (newest first).

SRS-197: System shall display posts ordered by creation time (newest first), showing:

- Title and body preview
- Creation timestamp
- Status badge (PENDING_REVIEW, APPROVED, REJECTED)
- Review note (if rejected)
- Additional fields such as like count and comment count may also be displayed.

SRS-198: If the user clicks "Delete", the system shall show a confirmation dialog ("Are you sure you want to delete this post?").

SRS-199: System shall send a request to delete the selected post and, if successful, removes the post from the list and shows a success message.

SRS-200: If no posts created, system shall detect that the user has not created any posts.System shall display a localized empty state message indicating that the user has no posts.

SRS-201: If request to fetch posts fails due to network issues.System shall display a localized error message and provides a retry action.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	119
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

SRS-202: If backend fails to delete the post. System shall show an error message and keeps the post in the list.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	120
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-23				
Use Case Name	View My Community Posts				
Actors	User				
Description	The User can view all their own community posts with moderation status (pending, approved, rejected).The User can delete his post				
Trigger	User clicks "View My Community Posts" on the profile page.				
Preconditions	User is logged in.				
Use Case Input Specification					
Input	type	Constraint			Example
Language	String	Optional, "zh" or "en" for content language			“en”
Post conditions	User views a list of all their submitted posts with complete details including moderation status and review notes.				
Normal Flows	User		System		
	1. User opens their profile page. 3. User clicks "View My Community Posts".		2. System displays profile information and action buttons including "View My Community Posts". 4. Frontend navigates to the UI-08 page and, using the authenticated session, sends a request GET /api/users/me/posts?lang={zh en} to		
Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	121
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025


		load the current user's community posts. [E1: Network timeout or connection error] 5. Backend, based on the currently logged-in user, retrieves all posts created by that user (including all statuses:PENDING_REVIEW, APPROVED, REJECTED) and returns the list ordered by creation time (newest first). 7. System displays posts ordered by creation time (newest first), showing: - Title and body preview - Creation timestamp - Status badge (PENDING_REVIEW, APPROVED, REJECTED) - Review note (if rejected) -Additional fields such as like count and comment count may also be displayed. [A1: No posts created]
	6. User views the posts list. 8. User can click on a post to view details or scroll through the list or click the "Delete" button on one of their posts.	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	122
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	10. User confirms deletion. 11. System sends a request to delete the selected post and, if successful, removes the post from the list and shows a success message. [E2: Delete failed]	9. If the user clicks "Delete", the system shows a confirmation dialog ("Are you sure you want to delete this post?").
Alternative Flow	A1: No posts created A1.1 System detects that the user has not created any posts. A1.2 System displays a localized empty state message indicating that the user has no posts. A1.3 Use case end.	
Exception Flow	E1: Network timeout or connection error E1.1 Request to fetch posts fails due to network issues. E1.2 System displays a localized error message and provides a retry action. E1.3 Use case end. E2: Delete failed E3.1 Backend fails to delete the post (e.g., server error or permission issue). E3.2 System shows an error message and keeps the post in the list. E3.3 Use case continues with the posts list displayed.	
Assumption	The user has an internet connection .	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	123
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-24: View My Community Posts



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	124
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.7 UCD-24: View My Reports

URS-24: The User can view all reports they have submitted from their profile page, including report status (PENDING, REVIEWED, RESOLVED, DISMISSED), target type (POST or COMMENT), reasons, description, review notes from administrators, AI-derived review information (such as confidence score and violation snippets), and timestamps.

SRS-203: System displays profile information and action buttons including "View My Reports".

SRS-204: System navigates to UI-09 page and sends request to backend to retrieve current user's reports.

SRS-205: Backend shall retrieve all reports submitted by the current user and returns report list.

SRS-206: System shall display reports ordered by creation time (newest first), showing for each report:

- Target type (POST/COMMENT) badge
- Target ID - Status badge (PENDING, REVIEWED, RESOLVED, DISMISSED)
- Reasons (list of selected reasons)
- Description (if provided)
- Creation timestamp
- Review timestamp (if reviewed)
- Review notes (if available)
- AI information (if available), including AI confidence score and violation snippet.

SRS-207: System shall continue to display report cards with all available information.

SRS-208: If system detects that the user has not submitted any reports. System shall display an empty state message: "No reports".

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	125
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

SRS-209: If request to fetch reports fails due to network issues. System shall display a localized error message and provides a retry action.

Use Case ID	UC-24		
Use Case Name	View My Reports		
Actors	User		
Description	User views all reports they have submitted, including status, target type, reasons, description, review notes, and timestamps.		
Trigger	User clicks "View My Reports" on the profile page.		
Preconditions	1. User is logged in. 2. User is viewing their profile page.		
Use Case Input Specification			
Input	type	Constraint	Example
None	-	-	-
Post conditions	User views a list of all their submitted reports with complete details including status and review information.		
Normal Flows	User	System	
	1. User opens their profile page.		

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	126
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025


	3. User clicks "View My Reports". 6. User views the reports list.	2. System displays profile information and action buttons including "View My Reports". 4. System navigates to UI-09 page and sends request to backend to retrieve current user's reports. [E1: Network timeout or connection error] 5. Backend retrieves all reports submitted by the current user and returns report list 7. System displays reports ordered by creation time (newest first), showing for each report: - Target type (POST/COMMENT) badge - Target ID - Status badge (PENDING, REVIEWED, RESOLVED, DISMISSED) - Reasons (list of selected reasons) - Description (if provided) - Creation timestamp - Review timestamp (if reviewed) - Review notes (if available)
--	---	--

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	127
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	8. User can scroll through the list and view details of each report.	- AI information (if available), including AI confidence score and violation snippet. [A1: No reports submitted] 9. System continues to display report cards with all available information.
Alternative Flow	A1: No reports submitted A1.1 System detects that the user has not submitted any reports. A1.2 System displays an empty state message: "No reports". A1.3 Use case end.	
Exception Flow	E1: Network timeout or connection error E1.1 Request to fetch reports fails due to network issues. E1.2 System displays a localized error message and provides a retry action. E1.3 Use case end.	
Assumption	The user has an internet connection .	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	128
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

AD-25: View My Reports



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	129
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

2.2.3.8 UCD-25: Forget Password

URS-25: Users can securely reset their account password if they forget it, using either their registered email address or bound mobile phone number.

SRS-210: System shall display the single-page password reset form with method selector, phone input, SMS code input and new password fields.

SRS-211: System shall check ``lastPasswordResetCodeSentAt`` in memory and ``localStorage``.

SRS-212: System shall validate that the phone number starts with ``"+`` (contains country code); if not, it shows a localized error (e.g. "Please enter phone with country code, e.g. +66...") and does not contact Firebase.

SRS-213: If validation and cooldown pass, system shall call ``sendSmsCode(phone)`` to invoke Firebase Phone Authentication and stores the returned confirmation object (``forgotPasswordPhoneConfirmation``).

SRS-214: System shall clean the code (trim spaces and keep digits only) and uses the stored Firebase confirmation object to call ``confirmation.confirm(cleanCode)``.

SRS-215: If confirmation succeeds, system shall set the code status as verified in the UI (e.g. shows "Verified").

SRS-216: System shall validate the new password on the frontend according to the password policy (must contain at least one lowercase and one uppercase letter, length ≥ 6 , and match confirmation). If validation fails it shows localized errors and does not call backend.

SRS-217: If validation passes and the SMS code has been verified, system shall call ``POST /api/auth/forgot-password/reset/phone`` with ``phone=<phone number>``, ``newPassword=<new password>``. Backend locates the user by phone and updates the password.

SRS-218: System shall show "Password reset successfully" and navigates the user back to the login form.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	130
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

SRS-219: When user clicks "Send SMS Code" again within 60 seconds since ``lastPasswordResetCodeSentAt``, system shall detect the time difference is less than 60 seconds. System shows localized message "Too many requests. Please try again in 1 minute." and “does not” invoke Firebase.

SRS-220: When ``sendSmsCode(phone)`` throws an error or Firebase fails to send the SMS due to network, quota, or configuration issues. System shall display a localized error message and allows user to retry sending the SMS code.

SRS-221: When the Firebase confirmation object is missing (no active SMS session) or ``confirmation.confirm(cleanCode)`` fails (invalid/expired code, too many attempts, network error, etc.). System shall display a localized error (e.g. from Firebase error message) and keeps the code status as unverified; password reset is not allowed until verification succeeds.

SRS-222: When backend fails to reset password due to user not found, server error or other validation failures. System shall display a localized error message such as "Failed to reset password" and allows user to retry after correcting issues (for example, by re-verifying the code or re-entering data)

SRS-223: If cooldown has elapsed, system shall send ``POST /api/auth/forgot-password/send-code`` with ``identifier=email``, ``type="email"`` and sets a new ``lastPasswordResetCodeSentAt`` timestamp (also saved in ``localStorage``).

SRS-224: When the code is 6 digits, system calls ``POST /api/auth/verify-code`` with ``identifier=email``, ``code=<clean 6-digit code>``, ``type="email"``, ``purpose="RESET_PASSWORD"``. Backend verifies and returns success or failure.

SRS-225: If validation passes, system cleans the stored verification code again and calls ``POST /api/auth/forgot-password/reset`` with ``identifier=email``, ``code=<clean 6-digit code>``, ``newPassword=<new password>``, ``type="email"``. Backend verifies the code again with purpose ``"RESET_PASSWORD"``, locates the user by email and updates the password.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	131
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-25.1				
Use Case Name	SMS-based Password Reset				
Actors	User				
Description	User resets password using an SMS verification code sent and verified via Firebase Phone Authentication, and then returns to the login page.				
Trigger	User clicks "Forgot Password" on the login page and selects the Phone method.				
Preconditions	1. User has (or believes they have) a registered account with a phone number. 2. Network connection is available. 3. Firebase Phone Authentication is correctly configured on the frontend.				
Use Case Input Specification					
Input	type	Constraint			Example
Phone number	String	Must include country code (e.g. starts with `+`)			`+66912345678`
SMS verification code	String	Code returned by SMS and verified via Firebase			`123456`
New password	String	Must meet password policy			`Password123456`
Post conditions	- User’s password associated with the phone number is updated successfully. - User is redirected back to the login page and can log in with the new password.				
Normal Flows	User	System			SMS Service
	1. User clicks "Forgot				
Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	132
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	Password" on the login page and selects the Phone method. 3. User enters phone number and clicks "Send SMS Code".	2. System displays the single-page password reset form with method selector, phone input, SMS code input and new password fields. 4. System checks `lastPasswordResetCodeSentAt` in memory and `localStorage`. [A1: Cooldown not elapsed] 5. System validates that the phone number starts with `"+ "` (contains country code); if not, it shows a localized error (e.g. "Please enter phone with country code, e.g. +66...") and does not contact Firebase. 6. If validation and cooldown pass, system calls `sendSmsCode(phone)` to invoke Firebase Phone Authentication and stores the returned confirmation object (`forgotPasswordPhoneConfirmation`).	
--	---	--	--

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	133
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	8. User receives the SMS, enters the SMS verification code into the form and clicks "Verify". 12. After SMS verification succeeds, user enters “New Password” and “Confirm New Password”, then	[E1: Firebase send failed] 9. System cleans the code (trim spaces and keep digits only) and uses the stored Firebase confirmation object to call <code>`confirmation.confirm(cleanCode)`</code>. [E2: Firebase verify failed or missing confirmation] 10. If confirmation succeeds, system sets the code status as verified in the UI (e.g. shows "Verified").	7. SMS Service (Firebase) sends an SMS verification code to the provided phone number. 11. SMS Service (Firebase) verifies the code and returns success or failure.
--	--	--	---

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	134
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	clicks"Reset Password".	13. System validates the new password on the frontend according to the password policy (must contain at least one lowercase and one uppercase letter, length ≥ 6, and match confirmation). If validation fails it shows localized errors and does not call backend. 14. If validation passes and the SMS code has been verified, system calls `POST /api/auth/forgot-password/reset/phone` with `phone=<phone number>`, `newPassword=<new password>`. Backend locates the user by phone and updates the password. [E3: Reset password failed] 16. System shows Password reset successfully" and navigates the user back to the login form.	
	15. User sees the success result.		


Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	135
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Alternative Flow	A1: Cooldown not elapsed A1.1 When user clicks "Send SMS Code" again within 60 seconds since `lastPasswordResetCodeSentAt`, system detects the time difference is less than 60 seconds. A1.2 System shows localized message "Too many requests. Please try again in 1 minute." and “does not” invoke Firebase. A1.3 User can wait until 60 seconds have passed and click "Send SMS Code" again.
Exception Flow	E1: Firebase send failed E1.1 `sendSmsCode(phone)` throws an error or Firebase fails to send the SMS due to network, quota, or configuration issues. E1.2 System displays a localized error message and allows user to retry sending the SMS code. E2: Firebase verify failed or missing confirmation E2.1 The Firebase confirmation object is missing (no active SMS session) or `confirmation.confirm(cleanCode)` fails (invalid/expired code, too many attempts, network error, etc.). E1.2 System displays a localized error (e.g. from Firebase error message) and keeps the code status as unverified; password reset is not allowed until verification succeeds. E1.3 User can request a new SMS code and retry verification. E3: Reset password failed E3.1 Backend fails to reset password due to user not found, server error or other validation failures.

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	136
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	E3.2 System displays a localized error message such as "Failed to reset password" and allows user to retry after correcting issues (for example, by re-verifying the code or re-entering data).
Assumption	The user has an internet connection .

AD-26: SMS-based Password Reset



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	137
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Use Case ID	UC-25.2				
Use Case Name	Email-based Password Reset				
Actors	User				
Description	User resets password using an email verification code and then returns to the login page.				
Trigger	User clicks "Forgot Password" on the login page and selects the Email method.				
Preconditions	1. User has (or believes they have) a registered account with an email. 2. Network connection is available.				
Use Case Input Specification					
Input	type	Constraint			Example
Email	String	Email address used for the account			user@example.com
Verification code	String	6-digit numeric code			‘123456’
New password	String	Must meet password policy			‘Password123’
Post conditions	User’s password associated with the email address is updated successfully. User is redirected back to the login page and can log in with the new password.				
Normal Flows	User		System		Email Service
	1. User clicks "Forgot Password" on the login page and selects the “Email” method.				
Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	138
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	3. User enters their email address and clicks "Send Code". 7. User receives the email, enters the 6-digit verification code into the form, and clicks "Verify".	2. System displays the single-page password reset form with method selector, email input, verification code input and new password fields. 4. System checks <code>`lastPasswordResetCodeSentAt`</code> in memory and <code>`localStorage`</code>. [A1: Cooldown not elapsed] 5. If cooldown has elapsed, system sends <code>`POST /api/auth/forgot-password/send-code`</code> with <code>`identifier=email`</code>, <code>`type="email"`</code> and sets a new <code>`lastPasswordResetCodeSentAt`</code> timestamp (also saved in <code>`localStorage`</code>). [E1: Send code failed] 8. System cleans the code (trim spaces and keep digits only); if the	6. Email Service sends a password reset verification email with a 6-digit code to the user.
--	---	--	--

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	139
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

		cleaned code is not 6 digits, it shows a localized validation error and does not call backend. 9. When the code is 6 digits, system calls `POST /api/auth/verify-code` with `identifier=email`, `code=<clean 6-digit code>`, `type="email"`, `purpose="RESET_PASSWORD"`. Backend verifies and returns success or failure. [E2: Invalid/expired code]	
	10. After the code is verified successfully (UI shows "Verified"), user enters New Password and Confirm New Password, then clicks "Reset Password".	11. System validates the new password on the frontend according to the password policy (must contain at least one lowercase and one uppercase letter, length ≥ 6, and match confirmation). If validation fails it shows localized errors and does not call backend.	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	140
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025


	12. If validation passes, system cleans the stored verification code again and calls `POST /api/auth/forgot-password/reset` with `identifier=email`, `code=<clean 6-digit code>`, `newPassword=<new password>`, `type="email"`. Backend verifies the code again with purpose `"RESET_PASSWORD"`, locates the user by email and updates the password. [E3: Reset password failed] 13. User sees the success result. 14. System shows "Password reset successfully" and navigates the user back to the login form, where they can log in with the new password.	
Alternative Flow	A1: Cooldown not elapsed A1.1 When user clicks "Send Code" again within 60 seconds since `lastPasswordResetCodeSentAt`, system detects the time difference is less than 60 seconds. A1.2 System shows localized message "Too many requests. Please try again in 1 minute." and does not call backend or Email Service.	

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	141
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

	A1.3 User can wait until 60 seconds have passed and click "Send Code" again.
Exception Flow	E1: Send code failed E1.1 Backend returns an error while handling `POST /api/auth/forgot-password/send-code` (e.g., internal server error or email sending failure). E1.2 System displays a localized error such as "Failed to send verification code, please try again" and allows user to retry. E2: Invalid/expired code E2.1 Backend indicates that the verification code is incorrect, expired, already used, or invalid for purpose `"RESET_PASSWORD"`. E2.2 System displays a localized error message such as "Incorrect verification code, please try again" and keeps the code status as unverified. E2.3 User can re-enter the code or click "Re-send Code" and repeat the verification. E3: Reset password failed E3.1 Backend fails to reset password due to user not found, server error or other validation failures. E3.2 System displays a localized error message such as "Failed to reset password" and allows user to retry after correcting issues (for example, by re-verifying the code or re-entering data).
Assumption	The user has an internet connection .

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	142
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025


AD-27: Email-based Password Reset




Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	143
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Chapter 3 User Interface Design

UI-01 Daily Briefing Page




UI-01-01 Invalid date filtering




Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	144
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-01-02 Select the page number




UI-02: Daily Briefing Page




Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	145
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-03:Community Page



UI-03-01:Search post



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	146
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-03-02:Filter post by tag

Community Feed

All

#Study

#Housing

#Travel

#Part-time Job

#Life Services

Semantic search, e.g. food, rent, visa

Search

pzyll

#Study

Seeking CMU Master of Software Engineering (MSE) interview experience

Just received the interview notification for this year’s Master’s in Software Engineering at Chiang Mai University. I’d like to ask seniors who’ve gone through the program before: what kinds of technical questions do professors usually ask? Do I need to specifically prepare an English self-introduction and details about my undergraduate thesis project?

1h ago

0

0

pzyll

#Study

Looking for teammates for the Kaggle "Spaceship Titanic" competition!

I'm currently working on the Spaceship Titanic dataset on Kaggle and am looking for 1-2 teammates to compete together. Ideally, you're familiar with Python and basic machine learning models (e.g., Random Forest, XGBoost). If you're interested, feel free to reach out—let's learn and collaborate together!

1h ago

0

0

UI-04:Post detail page

← Back

lgh

@lgh

Looking for a part-time front-end developer (React/Vue)

Helping a friend's startup post a recruitment: We need an experienced student developer to assist in building a web landing page. Paid per project, with flexible timing. Interested students, please contact me with your GitHub link or portfolio.

1

1

1h ago

Report

Add a comment

Write your comment...

Submit

Comments (1)

Summarize Comments

lgh


Just now

Everyone, sign up enthusiastically!


Delete

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	147
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-04—01:Other user’s profile page




UI-05: Create Pubilc Post Page




Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	148
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-05-01:Creat Pubilc Post




UI-06: Private Message Page




Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	149
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-06-01: One-way following




UI-06-02: Mutual Following




Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	150
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-06-03:Search users by username




UI-07:Profile page




Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	151
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-07-01:Edit Profile page




UI-07-02:Followers List Page




Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	152
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-07-03:Fridens List Page



UI-08:My Community Posts Page



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	153
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-09:My Reports Page

← common.back

My Reports

Post

Dismissed

2026-03-14 22:17

Target ID:

42871f5d-492e-4477-a22b-c362f7de8e03

Reasons:

Spam

Review Notes

Review Date: 2026-03-14 22:17

No Violation

AI Confidence: 9500.0%

UI-10:Login Page

中文

BridgeU

Connecting Students & Local Life

USERNAME / EMAIL / PHONE NUMBER

USERNAME / EMAIL / PHONE NUMBEF

PASSWORD

PASSWORD

LOGIN

Create an account

Forgot Password?

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	154
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-11:Forgot Password Page

BridgeU

Connecting Students & Local Life

Reset Password

Email OR PHONE

Email

Enter your email address

Send Verification Code

NEW PASSWORD

New Password

Password must contain both uppercase and lowercase letters and be at least 6 characters

CONFIRM NEW PASSWORD

Confirm New Password

Reset Password

Back to Login

UI-12: Registration page

BridgeU

Connecting Students & Local Life

Complete Registration

Email OR PHONE

Email

Enter your email address

Send Verification Code

USERNAME

USERNAME

Username must be English characters only

PASSWORD

PASSWORD

Password must contain both uppercase and lowercase letters and be at least 6 characters

CONFIRM PASSWORD

CONFIRM PASSWORD

PREFERRED LANGUAGE


English

REGISTER

Back to Login

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	155
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

UI-13: Sidebar UI



Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	156
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

Chapter 4 Chinese and English comparison

table

1. Universal button

18n Key	English	中文
common.loading	Loading...	加载中...
common.error	Error	错误
common.success	Success	成功
common.cancel	Cancel	取消
common.confirm	Confirm	确认
common.save	Save	保存
common.delete	Delete	删除
common.edit	Edit	编辑
common.close	Close	关闭
common.retry	retry	重试
common.back	back	返回

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	157
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

common.saving	Saving...	保存中...
---------------	-----------	--------

2. Login / Registration page

i18n Key	English	中文
login.username	USERNAME	用户名
login.email	EMAIL	电子邮箱
login.phone	PHONE NUMBER	手机号码
login.password	PASSWORD	密码
login.confirmPassword	CONFIRM PASSWORD	确认密码
login.login	LOGIN	登录
login.register	REGISTER	注册
login.create	Create an account	创建新账户
login.hasAccount	Have an account? Login	已有账户? 登录
login.forgotPassword	Forgot Password?	忘记密码?
login.backToLogin	Back to Login	返回登录

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	158
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

login.pleaseWait	Please wait...	请稍候...
login.preferredLanguage	Preferred Language	语言偏好
login.selectMethod	Select Registration Method	选择注册方式
login.emailOrPhone	Email or Phone	邮箱或手机
login.sendCode	Send Verification Code	发送验证码
login.resendCode	Resend Code	重新发送
login.verificationCode	Verification Code	验证码
login.verify	Verify	验证
login.completeRegistration	Complete Registration	完成注册
login.resetPassword	Reset Password	重置密码

3. Sidebar navigation

i18n Key	English	中文
sidebar.platform	PLATFORM	平台
sidebar.briefing	Briefing	每日简报

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	159
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

sidebar.communityFeed	Community	社区
sidebar.newPost	New Post	发布帖子
sidebar.messages	Messages	私信
sidebar.profile	Profile	个人资料
sidebar.logout	Logout	退出登录

4. Post list / search

i18n Key	English	中文
postList.search	Search	搜索
search.search	Search	搜索
search.searching	Searching...	搜索中...
search.noMatches	No matches	无匹配结果

5. button on the post details page

i18n Key	English	中文
postDetail.back	Back	返回

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	160
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

postDetail.follow	Follow	关注
postDetail.following	Following	已关注
postDetail.addComment	Add a comment	添加评论
postDetail.submitComment	Submit	提交
postDetail.summarizeComments	Summarize Comments	总结评论
postDetail.summarizing	Summarizing...	总结中...
postDetail.report	Report	举报
postDetail.reportPost	Report Post	举报帖子
postDetail.reportComment	Report Comment	举报评论
postDetail.submitReport	Submit Report	提交举报
postDetail.myReports	My Reports	我的举报
postDetail.viewMyReports	View My Reports	查看我的举报
postDetail.delete	Delete	删除
postDetail.deleting	Deleting...	删除中...

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	161
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

postDetail.confirmDeleteComment	Are you sure you want to delete this comment?	确定要删除这条评论吗?
postDetail.commentDeleted	Comment deleted successfully	评论删除成功

6. Message

i18n Key	English	中文
messages.title	Private Messages	私信
messages.newConversation	New Conversation	新建会话
messages.sendMessage	Send Message	发送消息
messages.sending	Sending...	发送中...
messages.deleteConversation	Delete Conversation	删除会话
messages.confirmDelete	Are you sure you want to delete this conversation?	确定要删除此会话吗?
messages.deleted	Conversation deleted	会话已删除
messages.deleteFailed	Failed to delete conversation	删除会话失败

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	162
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

messages.markAsRead	Mark as Read	标记为已读
---------------------	--------------	-------

7. myProfile, myPosts.

I8n Key	English	中文
myProfile.editProfile	Edit Profile	编辑资料
myProfile.changeAvatar	Change Avatar	更换头像
myProfile.updateSuccess	Profile updated successfully	个人资料更新成功
myProfile.updateFailed	Failed to update profile	更新个人资料失败
myProfile.saving	Saving...	保存中...
myPosts.title	My Community Posts	我的社区帖子

8. newPost.

i18n Key	English	中文
newPost.title	New Post	发布新帖
newPost.autoTranslation	Auto Translation:	自动翻译:
newPost.selectTag	Select Tag (Mandatory)	选择标签 (必填)

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	163
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

newPost.community	Community	社区
newPost.authorId	Author ID	作者 ID
newPost.postTitle	Title	标题
newPost.content	Content	内容
newPost.uploadImage	Upload Image (Optional)	上传图片（可选）
newPost.publish	Publish Now	立即发布
newPost.publishing	Publishing...	发布中...

9. dailyBriefing, dailyBriefingDetail.

i18n Key	English	中文
briefing.readOriginal	Read Original →	阅读原文 →
briefing.previous	Previous	上一页
briefing.next	Next	下一页
dailyBriefing.filter	Filter	筛选
dailyBriefing.reset	Reset	重置

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	164
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025

dailyBriefing.resetFilters	Reset Filters	重置筛选
dailyBriefing.viewDetail	View Detail	查看详情
dailyBriefing.readOriginal	Read Original	阅读原文
dailyBriefingDetail.back	Back to List	返回列表
dailyBriefingDetail.readOriginal	Read Original	阅读原文

Document Name	BridgeUSRS V.3.0	Owner	ZHIYI PAN	Page	165
Document Type	Software Requirement Specification	Release Date	12/2/2025	Print date	12/2/2025