Table: pco_attendance

Field	Type	Column Constraint	Notes
att_event_key	INTEGER	FK (pco_events)	
att_group_key	INTEGER	FK (pco_groups)	
att_user_key	INTEGER	FK (pco_users)	
att_user_role	VARCHAR(20)	NOT NULL	● “member” ● “visitor” ● “leader” ● “applicant”
att_status	VARCHAR(20)	NOT NULL	Indicates whether the user joined the event or not. “0” *(Didn’t attend)* **OR** “1” *(Attended)*
att_job_date	VARCHAR(50)	-	Date that the data was pulled from PCO.

Table: pco_api_json

Field	Type	Column Constraint	Notes
pj_no	INTEGER	PK	
pj_datetime	TIMESTAMP	NOT NULL	
pj_json	JSONB	NOT NULL	
pj_curl_link	VARCHAR(1000)	-	
pj_job_id	INTEGER	-	
pj_run_key	INTEGER	FK (run_config)	

pj_part	INTEGER	-	
pj_hash_status	VARCHAR(10)	-	● [null] ● “INSERTED”

Table: pco_checkin_attendance

Field	**Type**	**Column Constraint**	**Notes**
ca_id	INTEGER	PK	
ca_checked_out_at	TIMESTAMP	-	
ca_confirmed_at	TIMESTAMP	-	[null]
ca_first_name	VARCHAR(200)	NOT NULL	
ca_last_name	VARCHAR(200)	NOT NULL	
ca_kind	VARCHAR(50)	NOT NULL	● “Guest” ● “Regular” ● “Volunteer”
ca_number	INTEGER	NOT NULL	
ca_user_key	INTEGER	FK (pco_users)	
ca_eventperiod_key	INTEGER	NOT NULL	
ca_ce_key	INTEGER	FK (pco_checkin_events)	
ca_checked_in_by_user_key	INTEGER	-	
ca_checked_out_by_user_key	INTEGER	-	
ca_created_at	TIMESTAMPTZ	NOT NULL	

Table: pco_checkin_events

Field	Type	Column Constraint	Notes
ce_id	INTEGER	PK	
ce_name	VARCHAR(1000)	NOT NULL	
ce_frequency	VARCHAR(50)	NOT NULL	● “Daily” ● “Weekly” ● “None”
ce_archived_at	VARCHAR(200)	-	

Table: pco_checkin_event_time

Field	Type	Column Constraint	Notes
cet_id	INTEGER	PK	
cet_day_of_week	INTEGER	NOT NULL	● 0 *(Sunday)* ● 1 *(Monday)* ● 2 *(Tuesday)* ● 3 *(Wednesday)* ● 5 *(Friday)* ● 6 *(Saturday)*
cet_guest_count	INTEGER	NOT NULL	
cet_hour	INTEGER	NOT NULL	The hour of day that event starts (in 24H format).
cet_minute	INTEGER	NOT NULL	The minute of the hour that event starts at.
cet_shows_at	TIMESTAMP	NOT NULL	The time the check-in event shows up in PCO.
cet_start_at	TIMESTAMPTZ	NOT NULL	The time the check-in event starts.

cet_total_count	INTEGER	NOT NULL	
cet_ce_event_key	INTEGER	FK (pco_checkin_events)	
cet_eventperiod_key	INTEGER	NOT NULL	

Table: pco_discipleship_completion

Field	**Type**	**Column Constraint**	**Notes**
dc_id	INTEGER	PK	
dc_user_key	INTEGER	FK (pco_users)	
dc_user_name	VARCHAR(255)	NOT NULL	
dc_started_at	DATE	NOT NULL	Date the participant was originally added to the workflow.
dc_workflow_completion	VARCHAR(50)	NOT NULL	Current status of the participant. "In progress" **OR** "Completed"
dc_completed_at	DATE	-	Date the participant's card was marked as completed, else marked as [null].

Table: pco_events

Field	**Type**	**Column Constraint**	**Notes**
event_id	INTEGER	PK	
event_name	VARCHAR(200)	NOT NULL	
event_group_key	INTEGER	FK (pco_groups)	

event_location_key	INTEGER	-	
event_startdatetime	VARCHAR(30)	NOT NULL	
event_canceled	VARCHAR(20)	NOT NULL	Indicates whether the event was cancelled or not. “0” *(Not cancelled)* **OR** “1” *(Cancelled)*
event_canceled_at	VARCHAR(100)	-	
event_enddatetime	VARCHAR(100)	NOT NULL	
event_reminders_sent	VARCHAR(20)	NOT NULL	Indicates whether any event reminders were sent. “0” *(None sent)* **OR** “1” *(Sent)*
event_reminders_sent_at	VARCHAR(20)	-	
event_description	VARCHAR(4000)	-	
event_att_committed_at	VARCHAR(30)	-	The date and time that the event attendance was submitted.
event_job_key	INTEGER	-	[null]
event_location_type_preference	VARCHAR(20)	-	[null]

Table: pco_groups

Field	**Type**	**Column Constraint**	**Notes**
grp_id	INTEGER	PK	
grp_name	VARCHAR(100)	NOT NULL	

grp_type_key	INTEGER	NOT NULL	• **137505** *(Cell Groups)* • **162273** *(Leaders)* • **147987** *(Training)* • **424122** *(Others)* • **221572** *(Initiative)* • **327760** *(Archived)* • **151990** *(PCO Group Training)* • **150510** *(Ministry)*
grp_link	VARCHAR(500)	NOT NULL	
grp_location	INTEGER	-	
grp_contact_email	VARCHAR(100)	-	
grp_leader_user_key	INTEGER	FK (pco_users)	User ID of group leader.
grp_tag_zone	VARCHAR(100)	NOT NULL	E.g. “EN PJS1”, “CN NXG”, etc.
grp_tag_congregation	VARCHAR(100)	-	• “ “ • “FP - Filipino” • “EN - English” • “NP - Nepali” • “MM - Myanmar” • “TM - Tamil” • “BM - Bahasa” • “CN - Chinese”
grp_tag_age_group	VARCHAR(100)	-	• “ “ • “12 and below” • “13 - 17” • “18 - 23” • “24 - 35” • “36 - 50” • “66 and above”
grp_tag_freq	VARCHAR(100)	-	• “ “

			• “Weekly” • “Monthly” • “Twice Monthly” • “Varied”
grp_tag_ministry	VARCHAR(100)	-	E.g. “CN Facility”, “EQ Level 2”, etc.
grp_size	INTEGER	NOT NULL	
grp_status	VARCHAR(20)	-	• [null] • “NEW” • “ARCHIEVED”
grp_zone_leader	VARCHAR(200)	-	E.g. “EN MD - ZL: Pr Gilbert”, etc.
grp_tag_district	VARCHAR(100)	-	E.g. “BM - District 1”, etc.
grp_tag_subzone	VARCHAR(100)	NOT NULL	E.g. “CN ZL: Pr Samuel Tan”, etc.
grp_location_type_preference	VARCHAR(20)	-	[null]

Table: pco_group_membership

Field	**Type**	**Column Constraint**	**Notes**
member_id	INTEGER	PK	
member_joined_date	TIMESTAMPTZ	NOT NULL	
member_role	VARCHAR(20)	NOT NULL	• “member” • “leader”
member_grp_key	INTEGER	FK (pco_groups)	
member_user_key	INTEGER	FK (pco_users)	
member_user_link	VARCHAR(500)	NOT NULL	

member_grp_link	VARCHAR(500)	NOT NULL	

Table: pco_new_decisions

Field	Type	Column Constraint	Notes
nd_id	INTEGER	PK	
nd_user_key	INTEGER	FK (pco_users)	
nd_user_name	VARCHAR(255)	NOT NULL	
nd_form_submitted	INTEGER	NOT NULL	Unique PCO identifier for the form itself. "EN - Decision Form" (112029) **OR** "EN - Decision Form (Online)" (117917)
nd_form_title	VARCHAR(255)	NOT NULL	
nd_submitted_at	DATE	NOT NULL	
nd_reason	VARCHAR(1000)	NOT NULL	The answers provided on the form, concatenated into a single string.

Table: pco_rooms

Field	Type	Column Constraint	Notes
r_id	INTEGER	PK	
r_name	VARCHAR(100)	NOT NULL	
r_path_name	VARCHAR(500)	NOT NULL	

Table: pco_room_booking

Field	Type	Column Constraint	Notes
rb_no	INTEGER	PK	
rb_event_key	INTEGER	NOT NULL	
rb_start_datetime	TIMESTAMPTZ	NOT NULL	
rb_end_datetime	TIMESTAMPTZ	NOT NULL	
rb_room_id	INTEGER	FK (pco_rooms)	

Table: run_log

Field	Type	Column Constraint	Notes
rlog_id	INTEGER	PK	
rlog_timestamp	TIMESTAMP	NOT NULL	
rlog_run_key	INTEGER	FK (run_config)	
rlog_run_status	VARCHAR(10)	NOT NULL	• “RUNNING” • “DONE”

Table: run_config

Field	Type	Column Constraint	Notes
run_id	INTEGER	PK	
run_name	VARCHAR(100)	NOT NULL	
run_curl	VARCHAR(2048)	NOT NULL	
run_procedure	INTEGER	NOT NULL	
run_sequence	INTEGER	NOT NULL	

run_frequency	VARCHAR(10)	NOT NULL	● “DAILY” ● “WEEKLY”
run_status	BOOLEAN	NOT NULL	
run_at	VARCHAR(20)	NOT NULL	
run_insert_sql	VARCHAR(4000)	NOT NULL	
run_table	VARCHAR(4000)	NOT NULL	
run_need_staging	BOOLEAN	NOT NULL	
run_load_method	INTEGER	NOT NULL	
run_load_datefield	VARCHAR(150)	-	

Table: pco_serving_attendance

Field	**Type**	**Column Constraint**	**Notes**
sa_id	INTEGER	PK	
sa_plan	INTEGER	NOT NULL	Unique PCO identifier for the specific event or plan.
sa_user_key	INTEGER	FK (pco_users)	
sa_team_key	INTEGER	FK (pco_serving_teams)	
sa_user_name	VARCHAR(255)	NOT NULL	
sa_team_name	VARCHAR(255)	NOT NULL	
sa_service_type	VARCHAR(255)	NOT NULL	
sa_position	VARCHAR(255)	NOT NULL	The specific role the team member played. (e.g. "Drums")
sa_service_date	DATE	NOT NULL	The date the event occurred.

Table: pco_serving_teams

Field	Type	Column Constraint	Notes
st_team_id	INTEGER	PK	Unique PCO identifier for the serving team.
st_team_name	VARCHAR(255)	NOT NULL	The specific name for the team. (e.g. "Worship Team - Musicians")
st_service_type	VARCHAR(255)	NOT NULL	The parent ministry (service type) the team belongs to. (e.g. "DUMC EN NextGen")

Table: pco_serving_teams_membership

Field	Type	Column Constraint	Notes
stm_id	INTEGER	PK	
stm_user_key	INTEGER	FK (pco_users)	Unique PCO identifier for the user.
stm_team_key	INTEGER	FK (pco_serving_teams)	Unique PCO identifier for the serving team.
stm_user_name	VARCHAR(255)	NOT NULL	

Table: pco_users

Field	Type	Column Constraint	Notes
user_id	INTEGER	PK	
user_anniversary	VARCHAR(100)	-	
user_birthdate	VARCHAR(100)	-	

user_child	VARCHAR(100)	NOT NULL	Indicates whether this user was registered in PCO as a child. “ “ **OR** “1”
user_first_name	VARCHAR(100)	NOT NULL	
user_last_name	VARCHAR(100)	NOT NULL	
user_gender	VARCHAR(7)	-	[null] **OR** “Male” **OR** “Female”
user_given_name	VARCHAR(50)	-	
user_medical_notes	VARCHAR(1000)	-	
user_membership	VARCHAR(100)	-	● [null] ● “For Testing Purposes” ● “Affiliates” ● “Equipping Attender” ● “Event Attender” ● “Cell Member” ● “(Archived) Church Member” ● “Church Member” ● “Non-Attender” ● “Participant” ● “Visitor”
user_name	VARCHAR(50)	NOT NULL	
user_nickname	VARCHAR(50)	-	
user_status	VARCHAR(100)	NOT NULL	Indicates whether the user's profile is active. “active” **OR** “inactive”
user_link	VARCHAR(200)	NOT NULL	

user_created_at	VARCHAR(50)	NOT NULL	
user_role	VARCHAR(50)	-	● [null] ● “Zone Pastor” ● “Zone Leader | Pastor” ● “Zone Leader | Elder” ● “Pastor” ● “Cell Group Leader” ● “Elder” ● “Pastor | Elder” ● “Assistant Cell Group Leader” ● “Zone Leader”
user_work_title	VARCHAR(500)	-	
user_industry	VARCHAR(50)	-	
user_baptized	VARCHAR(10)	-	● [null] ● “27/8/23” ● “Yes” ● “Baptized” ● “Baptised” ● “HTBB”
user_baptism_date	VARCHAR(20)	-	

Database Schema