
sex F
age
Prevalence
Abundance
Streptococcus_thermophilus
Bacteroides_caccae
Mediterraneibacter_[Ruminococcus] lactaris
Collinsella_aerofaciens
Faecalibacterium_duncaniae
Faecalibacterium_sp. IP−3−29
Faecalibacterium_sp. I4−3−84
Faecalibacterium_sp. I2−3−92
Mediterraneibacter_gnavus
Blautia_wexlerae
Faecalibacterium_sp. I3−3−89
Faecalibacterium_prausnitzii
Faecalibacterium_sp. i25−0019−C1
Anaerostipes_caccae
Faecalibacterium_sp. i21−0019−B1
Parabacteroides_sp. CT06
Phocaeicola_coprophilus
Bacteroides_intestinalis
Phocaeicola_dorei
Bacteroides_salyersiae
Bacteroides_cellulosilyticus
Ruminococcus_bicirculans (ex Wegman et al. 2014)
Alistipes_communis
Parabacteroides_merdae
Bacteroides_sp. CACC 737
Feature
−5
0
5
10
β coefficient
**
*
bmi
tempo T1
tempo T12
Null hypothesis
Abundance
Prevalence
Association
Abundance
Prevalence
Abundance P$_{FDR}$
1
0.1
1e−20
Prevalence P$_{FDR}$
1
0.1
1e−20
Beta coefficient
(−Inf,−1.5]
(−1.5,−0.75]
(−0.75,0]
(0,0.75]
(0.75,1.5]
(1.5,Inf)
NA
Covariates P$_{FDR}$
* < 0.1
** < 0.01