UPC — Umrah Package Calculator

MASTER SPECIFICATION • APPROVED REQUIREMENTS CONSOLIDATION • 10 October 2026

Purpose: source-of-truth implementation brief for Claude/Notion, Flutter development, Supabase backend, admin dashboard, and GitHub Actions APK testing. This is a specification, NOT an assertion that the application has been built or tested.

Priority: (1) latest explicit approved functional decisions in this document, (2) approved reference images for visual appearance, (3) implementation choices that do not alter approved behavior. Earlier Hasib/Buy-Sell material is obsolete.

1. Product boundary and navigation

• UPC calculates Umrah package costs; it does not buy, sell, broker, or book hotel rooms. Never add Buy, Sell, Combined, Profit, Buying Cost, Selling Price or a booking checkout.

• Bottom navigation: Calculator | Hotels | Archive | Settings. Open Calculator after login; no separate Home tab.

• Calculator top switch: GROUP | INDIVIDUAL. The chosen mode applies to both city sections.

• Madinah and Makkah city sections are independently configurable; additional services are a third section. Show city subtotals and combined Package Total.

• Reference images are visual design targets, not permission to restore obsolete calculation features.

2. GROUP calculator

• Each city: include/exclude city, hotel from private list or manual name, check-in/check-out, automatically computed nights (checkout excluded), editable city-specific Total Pax, full room rate plan, room count, nightly room price and hotel subtotal.

• Rate plans: Room Only, BB, HB, FB. Each is a COMPLETE per-room nightly price including its defined meal package; never charge meals again as separate per-person Catering.

• When one nightly price applies: City Hotel Total = Room Price × Number of Rooms × Nights. For multiple price periods: sum each applicable nightly room rate × room count.

• Madinah Total Pax and Makkah Total Pax may differ. Never force them to match.

• Validate check-out later than check-in, room count nonnegative, rates nonnegative and numeric.

3. INDIVIDUAL calculator

• Each city: hotel, check-in/out, nights, and independently editable room lines. Room types ONLY DBL (2 beds), TRPL (3 beds), QUAD (4 beds).

• Each line has room type, room quantity, rate plan and room price. Permit multiple lines of same room type with different plans.

• Individual Actual Guests is AUTOMATIC and READ-ONLY: DBL rooms × 2 + TRPL rooms × 3 + QUAD rooms × 4. Compute separately for each city. Do not provide editable Package Pax.

• Night-by-night plans and prices may differ even within the same room line. Total = sum over each room line and each stay night of (rooms quantity × selected per-room nightly price).

• Changing meal plan or price never changes Actual Guests. Services Per Person quantity is independently editable and must not overwrite Actual Guests.

4. Private Hotels & Prices database

• Each user maintains a PRIVATE hotel list. Add Hotel: Hotel Name and City (Madinah/Makkah). Edit name/city; deletion requires confirmation and removes price periods but not saved Archive snapshots.

• Each hotel supports multiple inclusive date-based price periods with FROM and TO, GROUP Room Only/BB/HB/FB rates, and INDIVIDUAL DBL/TRPL/QUAD each with Room Only/BB/HB/FB rates.

• Overlapping periods for the same hotel are rejected with: “Price period overlap. Enter new date & price.” Do not silently overwrite or auto-split stored periods.

• Calculator hotel selection filters by matching city. Automatically find each night’s matching period and split pricing across period boundaries.

• If a night lacks a stored price, highlight exact missing dates and request a manual rate. Never assume old rates remain valid.

• Calculator overrides affect only current calculation/draft/snapshot; do not alter the hotel database. Manual hotel name is allowed; saving it to the database is optional.

• Saved Archive prices remain unchanged even when hotel database prices are later edited.

5. Transfer & Additional Services

• Every service row: name, calculation type, editable Pax/Qty where relevant, unit price, Add (+) or Deduct (−), computed signed total, and delete control.

• Fixed: one entered amount, no quantity needed. Per Person: independently editable Pax × Unit Price. Quantity: Qty × Unit Price.

• Signed service total = calculated amount × (+1 for Add, −1 for Deduct). Services Net Total = sum signed service totals.

• Quantity +/- buttons adjust quantity only; Add/Deduct is a separate control. Support discounts and refunds as deductions.

• Package Total (SAR) = Madinah Total + Makkah Total + Services Net Total. Clearly show each component and final amount.

6. Currency and exchange rate

• Primary calculation currency is SAR. Display USD equivalent prominently with a visible $ symbol.

• Fetch a current exchange rate when internet is available, from a documented FX source. Permit Manual Override that persists until explicit Reset to Auto; never silently revert.

• Store the exact FX rate used in a saved snapshot. Define and label direction clearly: USD Total = SAR Total / (SAR per 1 USD).

• If offline and no valid cached rate exists, show unavailable conversion rather than inventing a rate.

7. Draft, Save and Archive

• Maintain ONE current editable Draft per user; autosave edits. On return show a compact ~20–25% screen dialog: “Unsaved calculation” with Continue | Start New.

• Start New with nonempty draft requires confirmation; Save clears the current draft.

• Save creates an immutable, non-editable calculation snapshot with save timestamp, all inputs, night-by-night rates, services, totals, and FX rate. Do not show calculate timestamp.

• Archive filters: All | Group | Individual. Show calculation name, cities, relevant pax, package SAR/USD totals, saved timestamp. Search and sorting are useful.

• Archive detail is read-only. Actions ONLY: Duplicate | Share | Delete. Delete requires confirmation.

• Duplicate copies original snapshot values into a NEW editable draft, without repricing against today’s hotel database; a later Save creates a new independent snapshot.

8. Share policy

• Regular users: Share as Image ONLY. No PDF sharing.

• Backend-authorized OWNER may choose Share as Image or Share as Text. Never infer owner privileges from a hardcoded client email.

• Shared image shows calculation formulas, hotel night breakdown, city totals, signed services and final SAR/USD totals.

• Share timestamp (top-left, subtle) is generated at actual share time; subsequent shares get new timestamps.

• Footer: “UPC — Umrah Package Calculator · [configured UPC link]”. Do not invent a live URL.

9. Account and identity

• First screen: Welcome to UPC / Umrah Package Calculator. Account required; no Guest/Skip.

• Continue with Google; Continue with Apple on iPhone; Continue with Email. Email signup fields: Full Name, Email, Password, Confirm Password. Forgot Password.

• Optional profile fields later: phone, country, profile photo, company/agency name/logo, WhatsApp/contact number.

• Supabase Auth identity anchors cloud data, trial, entitlements, and quotas. Do not fake login or show nonfunctional social sign-in buttons as working.

10. Trial, Free quota and Premium

• First successful signup starts account-based 7-day FULL Premium Trial without payment card. Reinstall/new device must not restart trial.

• After trial: Free lifetime allowance = ONE GROUP usage and ONE INDIVIDUAL usage, with no reset.

• Opening, editing or recalculating does not consume quota. First Save OR Share of a calculation consumes exactly one quota in that mode; repeated Save/Share of the same calculation must not double-charge.

• If quota exhausted, show Premium paywall and preserve draft. Quota and entitlements must be enforced server-side with transactional idempotency.

• Premium grants unlimited Group, Individual, Save and Share. Initial intended prices: 1 month 5 SAR, 6 months 25 SAR (Most Popular), 1 year 50 SAR, Unlimited 100 USD.

• Period plans are intended as NON-auto-renewing one-time purchases: 30 days, six months, one year, permanent. Store checkout prices/eligibility must be configured in compliance with actual Apple/Google store products and displayed localized price.

• OWNER may grant 1m/6m/1y/Unlimited Premium separately from paid purchases; grants never count as revenue and must be audited.

• Expiry notifications: 7 days before, 1 day before, and on expiry. Trial ending: 2 days before.

11. Languages, settings and notifications

• 21 languages: Indonesian, Urdu, Hindi, Arabic, Turkish, Bengali, Malay, English, French, German, Spanish, Italian, Portuguese, Somali, Uzbek, Russian, Kyrgyz, Kazakh, Tajik, Turkmen, Chechen.

• Detect device language at first launch; fallback English; allow manual selection and persist it. Arabic must have true RTL layout. Selector alone is NOT full localization.

• Settings sections: Profile Information; Language; Currency & Exchange Rate; Appearance; Notifications; Backup & Sync; Privacy & Security; Premium; Help & Support; Feedback & Contact; About UPC; Log Out.

• Notifications: trial ending, Premium expiry/expired, new-device/security alert, owner announcements, and separately optional Haramain Stay promotional offers. No push for Save/Share/Duplicate.

• Feedback & Contact: suggestion, report a problem, contact owner-configured email/phone. Never hardcode fictitious support contacts.

• Privacy & Security: password change, active devices, sign out other devices, new-login alert, delete account, privacy information.

12. Haramain Stay promotional integration

• Haramain Stay is a separate partner platform. UPC does NOT book hotels or exchange customer data with the partner.

• Partner offers arrive automatically via an authorized integration; UPC Owner selects eligible audience and displays compact, nonintrusive promotional banners.

• No exchange of user profiles, email, phone, private hotel rates, calculations, or archives.

• Premium users should not see intrusive in-app promotions and may turn off promotional notifications. Security notices remain separate.

13. Supabase architecture, offline, security

• Use Supabase Auth, Postgres and RLS. Private per-user hotels, price periods, draft, archive, preferences and entitlements. Implement local offline calculator and sync pending changes when online.

• Protect role, account status, entitlements and trial/quota fields from client-side updates; only trusted server operations may mutate privileged values.

• Use server-side atomic Save/Share usage accounting and store-receipt verification. Avoid secrets or service-role keys in the APK.

• Persist immutable Archive snapshots with authorized deletion and duplication; preserve data integrity across devices.

• Enforce nonoverlapping hotel price periods in backend, not just UI. Audit admin actions, Premium grants, account suspension and security events.

• Implement device/session management, rate limiting, backups, account deletion, and clear conflict-resolution behavior for offline sync.

• No admin access to users' private calculation contents without narrowly defined, auditable support/security authorization.

14. Separate OWNER / ADMIN web dashboard

• Desktop/tablet web dashboard with same backend; do not confuse this with a mobile user tab.

• Roles: OWNER (full), ADMIN (operations), SUPPORT (limited), ANALYST (read-only). Enforce privileges on server.

• Dashboard: users, active users, Free/Premium, trial, Group/Individual usage, verified paid revenue, grants, security metrics and trends.

• Users: searchable account/status/plan, suspend/block, sign out sessions; never use fake live statistics.

• Premium: paid purchases and admin grants separate; configure plans, audit changes.

• App Management: announcements, support contacts, configurable settings and offer audience.

• Security/Reports: suspicious login activity, audit logs, analytics, controlled support. No central admin Hotels & Prices catalogue.

• Admin reference mockups contain obsolete menu items (e.g. central Hotels & Prices and private calculation browsing) and fake illustrative metrics. Preserve visual style, but implement ONLY approved role-appropriate functions.

15. UI fidelity and accessibility

• Eight attached images are APPROVED visual inspiration/targets. Preserve premium compact density, navy header, distinct Madinah green, Makkah blue/gold where shown, transfer gold, prominent total and clear 4-tab bottom navigation.

• Screens must avoid huge empty spaces, oversized controls, clipped fields, grey rendering artifacts, horizontal overflow, and excessively long cards.

• Respect platform safe areas, keyboard, scroll position, responsive text scaling and accessible tap targets.

• Older image labels such as Catering, Home, Open/Edit, PDF Share, manual Individual Pax, Combined and old admin menu are NOT approved features; replace only those elements according to the latest rules, preserving surrounding visual treatment.

• Where references disagree on colors/layout, treat most recent specific approval as authoritative; flag irreconcilable differences for owner confirmation rather than improvising.

16. Engineering deliverables and verification

• Deliver a complete Flutter project including standard Android Gradle wrapper/config, pubspec, Dart code, tests, Supabase migrations/policies/functions, assets, README, and GitHub Actions workflow.

• GitHub Actions must run flutter pub get, flutter analyze, flutter test, flutter build apk --release (or explicitly documented test/debug alternative), and upload resulting APK as artifact.

• Never claim APK success without a green CI build and downloadable artifact. Clearly report incomplete integrations (social sign-in, stores, FX, notifications, partner API) rather than silently stubbing them.

• Acceptance tests: GROUP formula, INDIVIDUAL pax formula, differing room plans/nightly rates, missing/overlapping hotel periods, manual overrides, services add/deduct, SAR/USD, draft persistence, immutable archive, duplicate, share timestamp, account-bound trial, quota idempotency and RLS isolation.

• Before release: verify on real Android screen sizes; inspect screenshots side-by-side against references; verify sign-in, Supabase sync, notifications, store rules and account deletion.

17. Decisions requiring implementation configuration

• Actual UPC public URL, support contact information, Supabase project credentials, FX provider, OAuth IDs, Apple/Google store product IDs, Haramain partner API and approved production imagery are not supplied. They MUST be configured, not invented.

• This document consolidates known approved decisions; it is not a pixel-perfect Figma specification or a guarantee that all historical messages are represented. The attached images preserve the actual visual references.

• No APK or source-code build has been performed as part of generating this specification.

APPENDIX — Eight approved visual references

Images reproduced as supplied. They may contain older functionality; the written latest functional requirements take precedence over obsolete labels and mock data.

Reference 1 of 8 — photo_2026-10-07_23-32-08(1).jpg




Visual reference only; see functional conflict precedence in sections 1 and 15.

Reference 2 of 8 — photo_2026-10-07_23-32-10(1).jpg




Visual reference only; see functional conflict precedence in sections 1 and 15.


Reference 3 of 8 — photo_2026-10-07_23-32-11(1).jpg




1. Home – Group Mode




2. Home – Individual Mode




3. Archive – List




4. Archive – Detail




5. Hotels & Prices – List (Madinah)



6. Hotel Price Detail




7. Settings – Main List



8. Settings – Feedback & Contact


Visual reference only; see functional conflict precedence in sections 1 and 15.

Reference 4 of 8 — photo_2026-10-07_23-32-12 (2)(1).jpg




Visual reference only; see functional conflict precedence in sections 1 and 15.

Reference 5 of 8 — photo_2026-10-07_23-32-12(1).jpg




Visual reference only; see functional conflict precedence in sections 1 and 15.

Reference 6 of 8 — photo_2026-10-07_23-32-13(1).jpg




Visual reference only; see functional conflict precedence in sections 1 and 15.

Reference 7 of 8 — photo_2026-10-07_23-32-14(1).jpg



Visual reference only; see functional conflict precedence in sections 1 and 15.

Reference 8 of 8 — photo_2026-10-07_23-32-15(1).jpg



Visual reference only; see functional conflict precedence in sections 1 and 15.