

Table of Contents

About CCLM	3
AddClients - Corporate Client Management	6
AddClients - Individual Client Management	8
AiScreeningMatch Tests	10
AddClients - Joint Client Management	11
AddClients Tests	13
AI Screening butterfly screening processor	14
Authentication - User Login	16
Client Authorized Person Management	18
Client Policy Management	20
Client Tax Residency Management	22
Individual Client Alternative Names	24
Individual Client Questionnaire	26
AddDeleteClientInternalNotes - Corporate Internal Notes	27
ClientPaymentMethods - Corporate Client Payment Method Management	29
ClientFATCA - FATCA Setup and Client Assignment	31
ClientCapacity - Authorized Person Management	32
ClientCases - Corporate Case Management	34
Individual Client Actions (Tasks)	36
ClientAddresses - Corporate Client Address Management	38
ClientApplications - Corporate Application Management	40
Individual Client Bank Accounts	42
Individual Client Cards	44
ClientChecklist - Corporate Client Checklist Management	46
Individual Client Documents	48
ClientEvaluation - Corporate Evaluation Process	50
AddClients - Corporate Client Management	52
Add_Edit_Delete_Client_Investment_Account_test	54
Add_Edit_Delete_Client_MID_Accounts_test	56
AddClients - Corporate Client Management	58
AddClients - Corporate Client Management	61
Client Trades (Individual)	63
Client Transactions - Corporate	65
Client Wallets - Individual	67
Self-Declaration UBO	69
Shareholders/Partners	71
Tax Residency - Individual	73
Ultimate Beneficial Owner - Corporate	75
Additional External References - Corporate	77
Adhoc Evaluations - Corporate	79
AML Segment Details - Corporate	80
System Logs - Corporate	81
CorporateClientFunctionality Tests	82
Certificates - Corporate	87
Individual Client Dashboard	88
Client Profile - Corporate	89
Electronic Identification - Corporate	90

Evaluation Status History - Corporate 91

Fraud Risk Analysis - Corporate 92

Internal Screening - Individual 93

Screening History - Corporate 95


Screening - Corporate 96

Workflow Task History - Corporate 97

About CCLM

Add new topics

You can create empty topics, or choose a template for different types of content that contains some boilerplate structure to help you get started:



Create new topic options

Write content


Writerside supports two types of markup: Markdown and XML. When you create a new help article, you can choose between two topic types, but this doesn't mean you have to stick to a single format. You can author content in Markdown and extend it with semantic attributes or inject entire XML elements.

Inject XML

For example, this is how you inject a procedure:

Inject a procedure

1. Start typing and select a procedure type from the completion suggestions:



completion suggestions for procedure

2. Press **Tab** or **Enter** to insert the markup.

Add interactive elements

Tabs

To add switchable content, you can make use of tabs (inject them by starting to type **tab** on a new line):

Markdown

```
![Alt Text](new_topic_options.png){ width=450 }
```

Semantic markup

```

```

Collapsible blocks


Apart from injecting entire XML elements, you can use attributes to configure the behavior of certain elements. For example, you can collapse a chapter that contains non-essential information:

Supplementary info

Content under a collapsible header will be collapsed by default, but you can modify the behavior by adding the following attribute: `default-state="expanded"`

Convert selection to XML

If you need to extend an element with more functions, you can convert selected content from Markdown to semantic markup. For example, if you want to merge cells in a table, it's much easier to convert it to XML than do this in Markdown. Position the caret anywhere in the table and press `Alt + Enter`:



Convert table to XML

Feedback and support

Please report any issues, usability improvements, or feature requests to our YouTrack project (<https://youtrack.jetbrains.com/newIssue?project=WRS>) (you will need to register).

You are welcome to join our public Slack workspace (https://jb.gg/WRS_Slack). Before you do, please read our Code of conduct (<https://plugins.jetbrains.com/plugin/20158-writerside/docs/writerside-code-of-conduct.html>). We assume that you've read and acknowledged it before joining.

You can also always email us at writerside@jetbrains.com (<mailto:writerside@jetbrains.com>).

See also

Writerside documentation

Markup reference (<https://plugins.jetbrains.com/plugin/20158-writerside/docs/markup-reference.html>)

Reorder topics in the TOC (<https://plugins.jetbrains.com/plugin/20158-writerside/docs/manage-table-of-contents.html>)

Build and publish (<https://plugins.jetbrains.com/plugin/20158-writerside/docs/local-build.html>)

Configure Search (<https://plugins.jetbrains.com/plugin/20158-writerside/docs/configure-search.html>)

AddClients - Corporate Client Management

Overview

File: AddClients/Add_ClientCorporate_test.cy.ts

Folder: AddClients

Description: This test verifies the functionality of adding a corporate client by filling out a form with company details, including registered name, registration number, regulation group, client status, contact information, and capital amounts, then confirming successful submission with a success message.

Priority: High

Owner: QA Team

Tags: regression, smoke, corporate-clients, client-management

Dependencies: user-authentication, faker-js

Test Suites

Add Client Corporate

Test Scenarios

Add Client Corporate

Scenario: Complete Corporate Client Creation

Successfully adds a corporate client with all required and optional fields populated

Priority: High

Test Data: Dynamic faker data for company details, contact info, and financial data

1. Navigate to Know Your Clients section
2. Click Add Corporate Client button
3. Fill in registered all required fields
4. Submit the form by clicking save button
5. Verify success message appears
6. Save company name to fixtures file for future test reference

Expected Results

- Corporate client is successfully created and added to the system
- Success message "The Client Corporate has been added." is displayed
- Client data is saved to fixtures file for reuse

Execution

Run Individual Test

```
npx cypress run --spec "AddClients/Add_ClientCorporate_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "AddClients/Add_ClientCorporate_test.cy.ts"
```

Source Code

File Path: `AddClients/Add_ClientCorporate_test.cy.ts`

AddClients - Individual Client Management

Overview

File: AddClients/Add_ClientIndividual_test.cy.ts

Folder: AddClients

Description: Comprehensive test suite for adding individual clients to the system

Priority: High

Owner: QA Team

Tags: regression, smoke, individual-clients, client-management

Dependencies: user-authentication, faker-js

Test Suites

Add Client Individual

Test Scenarios

Add Client Individual

Scenario: Complete Individual Client Creation

Successfully adds an individual client with all required and optional fields

Priority: High

Test Data: Dynamic faker data for personal details and contact information

1. Navigate to Know Your Clients section
2. Click Add Individual Client button
3. Fill in all required fields
4. Submit the form by clicking save button
5. Verify success message appears
6. Save client name and ID to fixtures file for reuse in future tests

Expected Results

- Individual client is successfully created
- Success message "Client individual has been added" is displayed
- Client name and ID are saved to cypress/fixtures/client_individual.json

Execution

Run Individual Test

```
npx cypress run --spec "AddClients/Add_ClientIndividual_test.cy.ts"
```


Run in Interactive Mode

```
npx cypress open --spec "AddClients/Add_ClientIndividual_test.cy.ts"
```

Source Code

File Path: `AddClients/Add_ClientIndividual_test.cy.ts`

AiScreeningMatch Tests

Overview

Test files in the `OtherTests/AiScreeningMatch` directory.

Total Files: 1

Test Files

AI Screening butterfly screening processor

File: `Screening_Match_test.cy.ts`

Performs person screening for individual client and triggers the Butterfly Screening scheduled job via Hangfire dashboard.

View Test Details ([AI Screening butterfly screening processor](#))

AddClients - Joint Client Management

Overview

File: AddClients/Add_ClientJoint_test.cy.ts

Folder: AddClients

Description: Test suite for adding joint clients to the system

Priority: Low

Owner: QA Team

Tags: regression, joint-clients, client-management

Dependencies: user-authentication, faker-js

Test Scenarios

Start add client joint...

Scenario: Complete Joint Client Creation

Adds a joint client by selecting existing clients and filling required form fields

Priority: Medium

Test Data: Faker-generated joint client name, reference number, phone and notes

1. Navigate to Know Your Clients section
2. Click Add Joint button
3. Select a regulation group
4. Choose at least two clients to form a joint client
5. Fill in all required fields including status, evaluation, phone and notes
6. Submit the form

Expected Results

- Joint client is successfully added

Execution

Run Individual Test

```
npx cypress run --spec "AddClients/Add_ClientJoint_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "AddClients/Add_ClientJoint_test.cy.ts"
```

Source Code

File Path: AddClients/Add_ClientJoint_test.cy.ts

AddClients Tests

Overview

Test files in the `AddClients` directory.

Total Files: 3

Test Files

AddClients - Corporate Client Management

File: `Add_ClientCorporate_test.cy.ts`

This test verifies the functionality of adding a corporate client by filling out a form with company details, including registered name, registration number, regulation group, client status, contact information, and capital amounts, then confirming successful submission with a success message.

View Test Details ([AddClients - Corporate Client Management](#))

AddClients - Individual Client Management

File: `Add_ClientIndividual_test.cy.ts`

Comprehensive test suite for adding individual clients to the system

View Test Details ([AddClients - Individual Client Management](#))

AddClients - Joint Client Management

File: `Add_ClientJoint_test.cy.ts`

Test suite for adding joint clients to the system

View Test Details ([AddClients - Joint Client Management](#))

AI Screening butterfly screening processor

Overview

File: OtherTests/AiScreeningMatch/Screening_Match_test.cy.ts

Folder: OtherTests/AiScreeningMatch

Description: Performs person screening for individual client and triggers the Butterfly Screening scheduled job via Hangfire dashboard.

Priority: Medium

Owner: QA Team

Tags: regression, screening, acuris, hangfire, scheduled-jobs

Dependencies: client_individual.json, user-authentication, API access to /hangfire

Test Suites

Screening and Triggering butterfly screening processor Scheduled Job

Test Scenarios

Performs Person Screening

Scenario: Perform Person Screening

Navigates to individual client's screening section and performs a person search through active provider

Priority: Medium

Test Data: Reads individualClientName from cypress/fixtures/client_individual.json and uses 'William Ruto' for search

1. Read client name from fixture
2. Navigate to client's Screening tab
3. Trigger screening process
4. Conditionally interact with popups or forms if present

Expected Results

- Person screening search is performed and confirmation message is shown

should trigger Butterfly Screening Processor job

Scenario: Perform Person Screening

Navigates to individual client's screening section and performs a person search through active provider

Priority: Medium

Test Data: Reads individualClientName from cypress/fixtures/client_individual.json and uses 'William Ruto' for search

1. Read client name from fixture
2. Navigate to client's Screening tab
3. Trigger screening process

4. Conditionally interact with popups or forms if present

Expected Results

- Person screening search is performed and confirmation message is shown

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/AiScreeningMatch/Screening_Match_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/AiScreeningMatch/Screening_Match_test.cy.ts"
```

Source Code

File Path: OtherTests/AiScreeningMatch/Screening_Match_test.cy.ts

Authentication – User Login

Overview

File: OtherTests/Auth/User_Login_test.cy.ts

Folder: OtherTests/Auth

Description: Validates login functionality with correct and incorrect credentials

Priority: High

Owner: QA Team

Tags: regression, login, authentication, user-management

Dependencies: login_details.json, custom cy.login() command

Test Scenarios

successfully logs in a user

Scenario: Valid Login

Authenticates a user using valid credentials from fixture

Priority: High

Test Data: Valid login credentials from fixture file

1. Read login details from fixture
2. Call cy.login() with valid credentials

Expected Results

- User is logged in and dashboard is loaded

denies authentication with incorrect user details

Scenario: Valid Login

Authenticates a user using valid credentials from fixture

Priority: High

Test Data: Valid login credentials from fixture file

1. Read login details from fixture
2. Call cy.login() with valid credentials

Expected Results

- User is logged in and dashboard is loaded

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/Auth/User_Login_test.cy.ts"
```


Run in Interactive Mode

```
npx cypress open --spec "OtherTests/Auth/User_Login_test.cy.ts"
```

Source Code

File Path: OtherTests/Auth/User_Login_test.cy.ts

Client Authorized Person Management

Overview

File: OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Authorized_Persons_test.cy.ts

Folder: OtherTests/ClientCommonComponents

Description: Tests for adding, editing, and deleting client authorized persons with both existing and new profiles

Priority: High

Owner: QA Team

Tags: regression, smoke, authorized-persons, client-management

Dependencies: faker-js, dynamic client selector

Test Scenarios

Add Client Authorized Person existing profile

Scenario: Add Authorized Person (Existing Profile)

Adds an authorized person using an existing profile from client list

Priority: High

1. Execute test case
2. Verify expected results

Edit Authorized Person (Existing profile)

Scenario: Add Authorized Person (Existing Profile)

Adds an authorized person using an existing profile from client list

Priority: High

1. Execute test case
2. Verify expected results

Delete Authorized Person (Existing profile)

Scenario: Add Authorized Person (Existing Profile)

Adds an authorized person using an existing profile from client list

Priority: High

1. Execute test case
2. Verify expected results

Add Client Authorized Person as new profile

Scenario: Add Authorized Person (Existing Profile)

Adds an authorized person using an existing profile from client list

Priority: High

1. Execute test case
2. Verify expected results

Edit Authorized Person (New profile)

Scenario: Add Authorized Person (Existing Profile)

Adds an authorized person using an existing profile from client list

Priority: High

1. Execute test case
2. Verify expected results

Delete Authorized Person (New profile)

Scenario: Add Authorized Person (Existing Profile)

Adds an authorized person using an existing profile from client list

Priority: High

1. Execute test case
2. Verify expected results

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Authorized_Persons_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Authorized_Persons_test.cy.ts"
```

Source Code

File Path: OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Authorized_Persons_test.cy.ts

Client Policy Management

Overview

File: OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Policy_test.cy.ts

Folder: OtherTests/ClientCommonComponents

Description: Test suite for managing client policies including adding, editing, and deleting policies

Priority: High

Owner: QA Team

Tags: regression, smoke, policies, client-management

Dependencies: faker-js

Test Scenarios

Add Client Policy

Scenario: Add Client Policy

Adds a new policy for an existing client including random financial and date data

Priority: High

Test Data: Random faker-generated policy number, values, and dates

1. Navigate to Know Your Clients
2. Select a client and open the Policies section
3. Click Add Policy and fill in all required fields
4. Submit and save the policy

Expected Results

- A new client policy is saved and displayed in the table

Edit client Policy

Scenario: Add Client Policy

Adds a new policy for an existing client including random financial and date data

Priority: High

Test Data: Random faker-generated policy number, values, and dates

1. Navigate to Know Your Clients
2. Select a client and open the Policies section
3. Click Add Policy and fill in all required fields
4. Submit and save the policy

Expected Results

- A new client policy is saved and displayed in the table

Delete client policy

Scenario: Add Client Policy

Adds a new policy for an existing client including random financial and date data

Priority: High

Test Data: Random faker-generated policy number, values, and dates

1. Navigate to Know Your Clients
2. Select a client and open the Policies section
3. Click Add Policy and fill in all required fields
4. Submit and save the policy

Expected Results

- A new client policy is saved and displayed in the table

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Policy_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Policy_test.cy.ts"
```

Source Code

File Path: OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Policy_test.cy.ts

Client Tax Residency Management

Overview

File: OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Tax_Residency_test.cy.ts

Folder: OtherTests/ClientCommonComponents

Description: Full suite to validate adding, editing, and deleting client tax residency records

Priority: Medium

Owner: QA Team

Tags: regression, smoke, client-tax, residency

Dependencies: faker-js, navigateToClientMenu

Test Suites

Add, Edit, Delete Client Tax Residency

Test Scenarios

Add Client Tax Residency

Scenario: Add Client Tax Residency

Adds a tax residency entry to a corporate client with random TIN and notes

Priority: High

Test Data: Random country, TIN, notes, and explanation

1. Navigate to corporate client dashboard
2. Click "Tax Residency"
3. Fill in the form and submit

Expected Results

- Tax residency record is saved and visible in grid

Edit client tax residency

Scenario: Add Client Tax Residency

Adds a tax residency entry to a corporate client with random TIN and notes

Priority: High

Test Data: Random country, TIN, notes, and explanation

1. Navigate to corporate client dashboard
2. Click "Tax Residency"
3. Fill in the form and submit

Expected Results

- Tax residency record is saved and visible in grid

Delete client tax residency

Scenario: Add Client Tax Residency

Adds a tax residency entry to a corporate client with random TIN and notes

Priority: High

Test Data: Random country, TIN, notes, and explanation

1. Navigate to corporate client dashboard
2. Click "Tax Residency"
3. Fill in the form and submit

Expected Results

- Tax residency record is saved and visible in grid

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Tax_Residency_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Tax_Residency_test.cy.ts"
```

Source Code

File Path: `OtherTests/ClientCommonComponents/Add_Edit_Delete_Client_Tax_Residency_test.cy.ts`

Individual Client Alternative Names

Overview

File: OtherTests/IndividualClientFunctionality/Add_Delete_Alternative_Names_test.cy.ts

Folder: OtherTests/IndividualClientFunctionality

Description: Validates adding and deleting of alternative names for an individual client

Priority: Medium

Owner: QA Team

Tags: regression, smoke, client-aliases, individual

Dependencies: faker-js, navigateToNewestClientMenu

Test Suites

Add and Delete Alternative Names

Test Scenarios

Adds Alternative Name

Scenario: Add Alternative Name

Adds a new alias to the individual client using a faker-generated first name

Priority: Medium

Test Data: Faker-generated firstName (duplicated to form "First First")

1. Load individual client from fixture and navigate to their profile
2. Navigate to Alternative Names section
3. Click Add, fill in name, click Save

Expected Results

- The alternative name is saved and confirmation message is shown

Deletes Alternative Names

Scenario: Add Alternative Name

Adds a new alias to the individual client using a faker-generated first name

Priority: Medium

Test Data: Faker-generated firstName (duplicated to form "First First")

1. Load individual client from fixture and navigate to their profile
2. Navigate to Alternative Names section
3. Click Add, fill in name, click Save

Expected Results

- The alternative name is saved and confirmation message is shown

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/IndividualClientFunctionality/Add_Delete_Alternative_Names_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/IndividualClientFunctionality/Add_Delete_Alternative_Names_test.cy.ts"
```

Source Code

File Path: `OtherTests/IndividualClientFunctionality/Add_Delete_Alternative_Names_test.cy.ts`

Individual Client Questionnaire

Overview

File: OtherTests/IndividualClientFunctionality/Add_Client_Questionnaire_test.cy.ts

Folder: OtherTests/IndividualClientFunctionality

Description: Creates a questionnaire type and category, bulk-adds questions, then runs the client Questionnaire wizard (Individual)

Priority: High

Owner: QA Team

Tags: regression, questionnaire, individual, settings-setup

Dependencies: faker-js, navigateToNewestClientMenu, Cypress custom commands

Test Suites

Add a client questionnaire - Individual

Test Scenarios

Adds questionnaire type, creates question categories, creates a question then adds a questionnaire

Creates N questions under Settings → Questions, including default answers

1. Visit Settings → Questions
2. Click Add, fill metadata (name, regulation group, category, client type, setup type, etc.)
3. Save question, then add a default answer

Expected Results

- Question and its answer are created successfully

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/IndividualClientFunctionality/Add_Client_Questionnaire_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/IndividualClientFunctionality/Add_Client_Questionnaire_test.cy.ts"
```

Source Code

File Path: OtherTests/IndividualClientFunctionality/Add_Client_Questionnaire_test.cy.ts

AddDeleteClientInternalNotes - Corporate Internal Notes

Overview

File: OtherTests/CorporateClientFunctionality/Add_Delete_Client_Internal_Notes_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Tests for adding and deleting internal notes for a corporate client

Priority: Medium

Owner: QA Team

Tags: regression, internal-notes, corporate

Dependencies: client-navigation, faker-js

Test Suites

Add, Delete Client Internal Notes - Corporate

Test Scenarios

Add Client Internal Notes

Scenario: Add Internal Note

Adds an internal note to a corporate client from the Internal Notes menu

Test Data: Random sentence generated via faker

1. Read corporate client name from fixture
2. Navigate to client profile
3. Click on 'Internal Notes' tab
4. Type internal note and click save

Expected Results

- Note is successfully added and visible in the UI

Delete client Internal Notes

Scenario: Add Internal Note

Adds an internal note to a corporate client from the Internal Notes menu

Test Data: Random sentence generated via faker

1. Read corporate client name from fixture
2. Navigate to client profile
3. Click on 'Internal Notes' tab
4. Type internal note and click save

Expected Results

- Note is successfully added and visible in the UI

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Delete_Client_Internal_Notes_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Delete_Client_Internal_Notes_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Delete_Client_Internal_Notes_test.cy.ts

ClientPaymentMethods - Corporate Client Payment Method Management

Overview

File: OtherTests/CorporateClientFunctionality/Add_Delete_Payment_Method_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Suite for testing add and delete operations on payment methods linked to corporate clients

Priority: Medium

Owner: QA Team

Tags: regression, client-payment, corporate, settings

Dependencies: payment-method-settings, faker-js, navigation-utils

Test Suites

Payment Method

Test Scenarios

Adds a new Payment Method

Creates a "PayPal Test" method under settings for use in later client-level tests

1. Visit settings/payment-methods
2. Click Add, enter name, mapping reference, history type, and time frame

Expected Results

- Payment method is saved and available in client dropdowns

Deletes Payment Method

Creates a "PayPal Test" method under settings for use in later client-level tests

1. Visit settings/payment-methods
2. Click Add, enter name, mapping reference, history type, and time frame

Expected Results

- Payment method is saved and available in client dropdowns

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Delete_Payment_Method_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Delete_Payment_Method_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Delete_Payment_Method_test.cy.ts

ClientFATCA - FATCA Setup and Client Assignment

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Client_FATCA_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: End-to-end test suite for setting up FATCA metadata and assigning FATCA fields to a corporate client

Priority: Medium

Owner: QA Team

Tags: compliance, fatca, corporate-clients

Dependencies: FATCA-settings, client-navigation, faker-js

Test Suites

Add, Edit Client FATCA - Corporate

Test Scenarios

Add Client FATCA

Adds FATCA Status, Entity Categorization, Document, and CRS Categorization

1. Navigate to each relevant FATCA settings tab
2. Add entries using dynamically generated values

Expected Results

- All setup entities are created successfully and selectable at client level

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Client_FATCA_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Client_FATCA_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Client_FATCA_test.cy.ts

ClientCapacity - Authorized Person Management

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Capacity_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Test suite for adding, editing, and deleting authorized persons for corporate clients

Priority: Medium

Owner: QA Team

Tags: corporate, capacity, regression

Dependencies: faker-js, client-corporate

Test Suites

Capacity - Corporate

Test Scenarios

Adds Authorized Person

Scenario: Add Authorized Person

Adds an authorized person to a corporate client using a new profile

Test Data: Dynamically generated first name, middle name, and contact info

1. Read client name from fixture and navigate to dashboard
2. Fill in authorized person form fields
3. Select controlling person type and check capacities

Expected Results

- Authorized person is successfully created and visible in the grid

Edits Authorized Person

Scenario: Add Authorized Person

Adds an authorized person to a corporate client using a new profile

Test Data: Dynamically generated first name, middle name, and contact info

1. Read client name from fixture and navigate to dashboard
2. Fill in authorized person form fields
3. Select controlling person type and check capacities

Expected Results

- Authorized person is successfully created and visible in the grid

Deletes Authorized Person

Scenario: Add Authorized Person

Adds an authorized person to a corporate client using a new profile

Test Data: Dynamically generated first name, middle name, and contact info

1. Read client name from fixture and navigate to dashboard
2. Fill in authorized person form fields
3. Select controlling person type and check capacities

Expected Results

- Authorized person is successfully created and visible in the grid

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Capacity_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Capacity_test.cy.ts"
```

Source Code

File Path: `OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Capacity_test.cy.ts`

ClientCases - Corporate Case Management

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Case_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Handles end-to-end testing for managing client cases under corporate clients

Priority: High

Owner: QA Team

Tags: corporate, cases, regression, rules

Dependencies: faker-js, client-corporate

Test Suites

Cases - Corporate

Test Scenarios

Adds A Case

Scenario: Ensure Rule for Case Exists and Activate

Checks if the rule "3A - Document Expiration Notice" exists, if not imports and activates it

1. Filter rules grid and check for the required rule
2. If missing, import rules and activate the specific rule

Expected Results

- Rule is present and set to Active with Manual Case Creation enabled

Edit A Case

Scenario: Ensure Rule for Case Exists and Activate

Checks if the rule "3A - Document Expiration Notice" exists, if not imports and activates it

1. Filter rules grid and check for the required rule
2. If missing, import rules and activate the specific rule

Expected Results

- Rule is present and set to Active with Manual Case Creation enabled

Delete A Case

Scenario: Ensure Rule for Case Exists and Activate

Checks if the rule "3A - Document Expiration Notice" exists, if not imports and activates it

1. Filter rules grid and check for the required rule
2. If missing, import rules and activate the specific rule

Expected Results

- Rule is present and set to Active with Manual Case Creation enabled

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Case_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Case_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Case_test.cy.ts

Individual Client Actions (Tasks)

Overview

File: OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Action_test.cy.ts

Folder: OtherTests/IndividualClientFunctionality

Description: Validates end-to-end CRUD for client Actions, including creating required Settings (Action Category, Action Status), then Add, Edit, and Delete on an individual client

Priority: High

Owner: QA Team

Tags: regression, actions, tasks, individual

Dependencies: faker-js, navigateToNewestClientMenu

Test Suites

Add, Edit, Delete Client Action (Task)

Test Scenarios

Add Client Action

Ensures an Action Category and an Action Status exist so they can be selected during client action creation

1. Open Settings → Actions Setup
2. Add Action Category “Action Category Test” with random mapping ref and save
3. Navigate to Action Statuses and add “Action Status Test” with random mapping ref and save

Expected Results

- Action Category and Action Status records are available in dropdowns on the client Actions form

Edit Action

Ensures an Action Category and an Action Status exist so they can be selected during client action creation

1. Open Settings → Actions Setup
2. Add Action Category “Action Category Test” with random mapping ref and save
3. Navigate to Action Statuses and add “Action Status Test” with random mapping ref and save

Expected Results

- Action Category and Action Status records are available in dropdowns on the client Actions form

Delete Action

Ensures an Action Category and an Action Status exist so they can be selected during client action creation

1. Open Settings → Actions Setup

2. Add Action Category “Action Category Test” with random mapping ref and save
3. Navigate to Action Statuses and add “Action Status Test” with random mapping ref and save

Expected Results

- Action Category and Action Status records are available in dropdowns on the client Actions form

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Action_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Action_test.cy.ts"
```

Source Code

File Path: OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Action_test.cy.ts

ClientAddresses - Corporate Client Address Management

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Address_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Validates the complete lifecycle of client address management: add, edit, and delete

Priority: High

Owner: QA Team

Tags: corporate, address, client-profile

Dependencies: faker-js, client-corporate.json

Test Suites

Add, Edit, Delete Client Address

Test Scenarios

Add Client Address

Scenario: Add Corporate Client Address

Adds a new address for an existing corporate client using valid location details

Test Data: faker-generated street address, city, postal code, phone

1. Navigate to corporate client, open Addresses tab
2. Click Add Address, fill the form, and submit

Expected Results

- Address is saved successfully and success message is shown

Edit client address

Scenario: Add Corporate Client Address

Adds a new address for an existing corporate client using valid location details

Test Data: faker-generated street address, city, postal code, phone

1. Navigate to corporate client, open Addresses tab
2. Click Add Address, fill the form, and submit

Expected Results

- Address is saved successfully and success message is shown

Delete client address

Scenario: Add Corporate Client Address

Adds a new address for an existing corporate client using valid location details

Test Data: faker-generated street address, city, postal code, phone

1. Navigate to corporate client, open Addresses tab
2. Click Add Address, fill the form, and submit

Expected Results

- Address is saved successfully and success message is shown

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Address_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Address_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Address_test.cy.ts

ClientApplications - Corporate Application Management

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Application_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Covers adding, editing, and deleting applications for corporate clients

Priority: High

Owner: QA Team

Tags: corporate, applications, client-profile

Dependencies: faker-js, application-approval-setup

Test Suites

Add, Edit, Delete Client Applications

Test Scenarios

Add Client Applications

Scenario: Add Client Application

Adds a client application linked to a purpose of transaction and assignee

Test Data: faker-generated reference, email, and comment

1. Open Applications tab under corporate client
2. Click Add, fill fields, submit

Expected Results

- Application is created and saved successfully

Edit client application

Scenario: Add Client Application

Adds a client application linked to a purpose of transaction and assignee

Test Data: faker-generated reference, email, and comment

1. Open Applications tab under corporate client
2. Click Add, fill fields, submit

Expected Results

- Application is created and saved successfully

Delete client applications

Scenario: Add Client Application

Adds a client application linked to a purpose of transaction and assignee

Test Data: faker-generated reference, email, and comment

1. Open Applications tab under corporate client
2. Click Add, fill fields, submit

Expected Results

- Application is created and saved successfully

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Application_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Application_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Application_test.cy.ts

Individual Client Bank Accounts

Overview

File: OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Bank_Account_test.cy.ts

Folder: OtherTests/IndividualClientFunctionality

Description: Validates adding and editing of client bank accounts for an individual client (banks are pre-seeded in a precondition)

Priority: Medium

Owner: QA Team

Tags: regression, smoke, bank-accounts

Dependencies: faker-js, navigateToNewestClientMenu

Test Suites

Add, Edit, Delete Client Bank Account

Test Scenarios

Add Client Bank Account

Navigates to an individual client and creates a new bank account with faker data

1. Load individual client fixture and open newest client menu
2. Navigate to Bank Accounts page and click Add
3. Fill SWIFT, IBAN, Account Number, Bank, Country, Date, Comment, Currency
4. Save the bank account

Expected Results

- Bank account is created and appears in the grid

Edit client Bank Account

Navigates to an individual client and creates a new bank account with faker data

1. Load individual client fixture and open newest client menu
2. Navigate to Bank Accounts page and click Add
3. Fill SWIFT, IBAN, Account Number, Bank, Country, Date, Comment, Currency
4. Save the bank account

Expected Results

- Bank account is created and appears in the grid

Delete client Bank Account

Navigates to an individual client and creates a new bank account with faker data

1. Load individual client fixture and open newest client menu
2. Navigate to Bank Accounts page and click Add
3. Fill SWIFT, IBAN, Account Number, Bank, Country, Date, Comment, Currency
4. Save the bank account

Expected Results

- Bank account is created and appears in the grid

Execution

Run Individual Test

```
npm run cypress:run -- --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Bank_Account_test.cy.ts"
```

Run in Interactive Mode

```
npm run cypress:open -- --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Bank_Account_test.cy.ts"
```

Source Code

File Path: OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Bank_Account_test.cy.ts

Individual Client Cards

Overview

File: OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Card_test.cy.ts

Folder: OtherTests/IndividualClientFunctionality

Description: Validates add, edit, and delete operations for client payment cards on an individual client profile

Priority: Medium

Owner: QA Team

Tags: regression, smoke, cards

Dependencies: faker-js, navigateToNewestClientMenu

Test Suites

Add, Edit, Delete Client Cards

Test Scenarios

Add Client Cards

Scenario: Add Client Card

Creates a new card for an individual client with faker data

Priority: Medium

Test Data: Faker card number (visa), full name, MMYX expiry, external reference

1. Load individual client from fixture and navigate to newest client
2. Open Cards page, click Add, fill form (cardNumber, cardholder, expiry, externalReference, account)
3. Save the card

Expected Results

- Card is saved successfully and appears in the grid

Edit client Cards

Scenario: Add Client Card

Creates a new card for an individual client with faker data

Priority: Medium

Test Data: Faker card number (visa), full name, MMYX expiry, external reference

1. Load individual client from fixture and navigate to newest client
2. Open Cards page, click Add, fill form (cardNumber, cardholder, expiry, externalReference, account)
3. Save the card

Expected Results

- Card is saved successfully and appears in the grid

Delete client Cards

Scenario: Add Client Card

Creates a new card for an individual client with faker data

Priority: Medium

Test Data: Faker card number (visa), full name, MMYX expiry, external reference

1. Load individual client from fixture and navigate to newest client
2. Open Cards page, click Add, fill form (cardNumber, cardholder, expiry, externalReference, account)
3. Save the card

Expected Results

- Card is saved successfully and appears in the grid

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Card_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Card_test.cy.ts"
```

Source Code

File Path: `OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Card_test.cy.ts`

ClientChecklist – Corporate Client Checklist Management

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Checklist_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Test suite for adding, updating, and deleting client checklists for corporate clients

Priority: Medium

Owner: QA Team

Tags: client-profile, checklists, configuration

Dependencies: client-corporate-fixture, faker-js, checklist-setup

Test Suites

Add, Edit, Delete Client Checklist

Test Scenarios

Add Client Checklist

Scenario: Add Client Checklist

Adds a checklist to a corporate client from available checklist templates

1. Execute test case
2. Verify expected results

Expected Results

- Checklist is added and visible in the client's checklist section

Edit client checklist

Scenario: Add Client Checklist

Adds a checklist to a corporate client from available checklist templates

1. Execute test case
2. Verify expected results

Expected Results

- Checklist is added and visible in the client's checklist section

Delete client checklist

Scenario: Add Client Checklist

Adds a checklist to a corporate client from available checklist templates

1. Execute test case
2. Verify expected results

Expected Results

- Checklist is added and visible in the client's checklist section

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Checklist_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Checklist_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Checklist_test.cy.ts

Individual Client Documents

Overview

File: OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Document_test.cy.ts

Folder: OtherTests/IndividualClientFunctionality

Description: Validates adding, editing, and deleting documents on an individual client profile

Priority: Medium

Owner: QA Team

Tags: regression, smoke, documents

Dependencies: faker-js, navigateToNewestClientMenu

Test Suites

Add, Edit, Delete Client Document - Individual

Test Scenarios

Add Client Document

Scenario: Add Client Document

Adds a new document to the individual client using a predefined document template

Priority: Medium

Test Data: Faker-generated document number and comment text

1. Load client from fixture and navigate to newest client
2. Open Documents section and click Add
3. Pick document, collection status, country, form; fill document number and comment
4. Pick certified/reviewed users and click Save

Expected Results

- Document is saved and visible in the grid

Edit Client Document

Scenario: Add Client Document

Adds a new document to the individual client using a predefined document template

Priority: Medium

Test Data: Faker-generated document number and comment text

1. Load client from fixture and navigate to newest client
2. Open Documents section and click Add
3. Pick document, collection status, country, form; fill document number and comment

4. Pick certified/reviewed users and click Save

Expected Results

- Document is saved and visible in the grid

Delete Client Document

Scenario: Add Client Document

Adds a new document to the individual client using a predefined document template

Priority: Medium

Test Data: Faker-generated document number and comment text

1. Load client from fixture and navigate to newest client
2. Open Documents section and click Add
3. Pick document, collection status, country, form; fill document number and comment
4. Pick certified/reviewed users and click Save

Expected Results

- Document is saved and visible in the grid

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Document_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Document_test.cy.ts"
```

Source Code

File Path: OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Document_test.cy.ts

ClientEvaluation - Corporate Evaluation Process

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Evaluation_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: End-to-end tests for corporate client evaluations including creation, edit, delete, and ignore re-evaluation logic

Priority: High

Owner: QA Team

Tags: evaluation, risk-assessment, compliance, corporate

Dependencies: criteria-setup, client-management, dashboard

Test Suites

Add Corporate Client Evaluation

Test Scenarios

Adds an evaluation

Scenario: Add Client Evaluation

Adds a new evaluation with full flow steps

1. Execute test case
2. Verify expected results

Expected Results

- Evaluation is completed and status recorded

Adds another evaluation

Scenario: Add Client Evaluation

Adds a new evaluation with full flow steps

1. Execute test case
2. Verify expected results

Expected Results

- Evaluation is completed and status recorded

Edits an Evaluation

Scenario: Add Client Evaluation

Adds a new evaluation with full flow steps

1. Execute test case
2. Verify expected results

Expected Results

- Evaluation is completed and status recorded

Deletes an Evaluation

Scenario: Add Client Evaluation

Adds a new evaluation with full flow steps

1. Execute test case
2. Verify expected results

Expected Results

- Evaluation is completed and status recorded

Ignores need re-evaluation

Scenario: Add Client Evaluation

Adds a new evaluation with full flow steps

1. Execute test case
2. Verify expected results

Expected Results

- Evaluation is completed and status recorded

Execution

Run Individual Test

```
npm run cypress:run -- --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Evaluation_test.cy.ts"
```

Run in Interactive Mode

```
npm run cypress:open -- --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Evaluation_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Evaluation_test.cy.ts

AddClients - Corporate Client Management

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Gaming_Account_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Test suite for managing client gaming accounts

Priority: High

Owner: QA Team

Tags: regression, gaming, client-management

Dependencies: user-authentication, faker-js

Test Suites

Add, Edit, Delete Client Gaming Accounts

Test Scenarios

Add Client Gaming Accounts

Scenario: Add Gaming Account

Adds a new gaming account for a corporate client

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- Gaming account is added and visible in the grid

Edit client Gaming Accounts

Scenario: Add Gaming Account

Adds a new gaming account for a corporate client

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- Gaming account is added and visible in the grid

Delete client Gaming Accounts

Scenario: Add Gaming Account

Adds a new gaming account for a corporate client

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- Gaming account is added and visible in the grid

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Gaming_Account_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec  
"OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Gaming_Account_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Gaming_Account_test.cy.ts

Add_Edit_Delete_Client_Investment_Account_test

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Investment_Account_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Tests for adding, editing, and deleting investment accounts for corporate clients

Priority: High

Owner: QA Team

Tags: regression, investment, client-management

Dependencies: user-authentication, faker-js

Test Data: Faker-generated financial details

Test Suites

Add, Edit, Delete Client Investment Account

Test Scenarios

Add Client Investment Account

Scenario: Add Investment Account

Adds a new investment account for a corporate client

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- Investment account appears in the grid and is associated with client

Edit client investment account

Scenario: Add Investment Account

Adds a new investment account for a corporate client

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- Investment account appears in the grid and is associated with client

Delete client investment account

Scenario: Add Investment Account

Adds a new investment account for a corporate client

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- Investment account appears in the grid and is associated with client

Execution

Run Individual Test

```
npx cypress run --spec  
"OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Investment_Account_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec  
"OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Investment_Account_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Investment_Account_test.cy.ts

Add_Edit_Delete_Client_MID_Accounts_test

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_MID_Accounts_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Tests for adding, editing, and deleting MID accounts for corporate clients

Priority: High

Owner: QA Team

Tags: regression, MID, client-management

Dependencies: user-authentication, faker-js

Test Data: Faker-generated account names and codes

Test Suites

Add, Edit, Delete Client MID Accounts - Corporate

Test Scenarios

Add Client MID Accounts

Scenario: Add MID Account

Adds a new MID account to a corporate client profile

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- MID account appears in the grid with correct data

Edit Client MID Accounts

Scenario: Add MID Account

Adds a new MID account to a corporate client profile

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- MID account appears in the grid with correct data

Delete client MID Accounts

Scenario: Add MID Account

Adds a new MID account to a corporate client profile

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- MID account appears in the grid with correct data

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_MID_Accounts_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_MID_Accounts_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_MID_Accounts_test.cy.ts

AddClients - Corporate Client Management

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Policy_Payments_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Test suite for managing client policy payment collections and transactions

Priority: High

Owner: QA Team

Tags: regression, policy-payments, client-management

Dependencies: user-authentication, faker-js

Test Suites

Add, Edit, Delete Client Policy Payments

Test Scenarios

Go to Policy Payments detail line

Scenario: Navigate to Policy Payments

Opens policy payments tab for a given corporate client

Priority: Medium

1. Execute test case
2. Verify expected results

Expected Results

- Navigates to client policy payments section successfully

Add Client Policy Payment Collection

Scenario: Navigate to Policy Payments

Opens policy payments tab for a given corporate client

Priority: Medium

1. Execute test case
2. Verify expected results

Expected Results

- Navigates to client policy payments section successfully

Edit client Policy collection

Scenario: Navigate to Policy Payments

Opens policy payments tab for a given corporate client

Priority: Medium

1. Execute test case
2. Verify expected results

Expected Results

- Navigates to client policy payments section successfully

Delete client policy collection

Scenario: Navigate to Policy Payments

Opens policy payments tab for a given corporate client

Priority: Medium

1. Execute test case
2. Verify expected results

Expected Results

- Navigates to client policy payments section successfully

Add Client Policy Payment Transaction

Scenario: Navigate to Policy Payments

Opens policy payments tab for a given corporate client

Priority: Medium

1. Execute test case
2. Verify expected results

Expected Results

- Navigates to client policy payments section successfully

Edit client Policy payment transaction

Scenario: Navigate to Policy Payments

Opens policy payments tab for a given corporate client

Priority: Medium

1. Execute test case
2. Verify expected results

Expected Results

- Navigates to client policy payments section successfully

Delete client policy transaction

Scenario: Navigate to Policy Payments

Opens policy payments tab for a given corporate client

Priority: Medium

1. Execute test case
2. Verify expected results

Expected Results

- Navigates to client policy payments section successfully

Execution

Run Individual Test

```
npx cypress run --spec  
"OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Policy_Payments_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec  
"OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Policy_Payments_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Policy_Payments_test.cy.ts

AddClients - Corporate Client Management

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Related_Website_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Test suite for managing related websites linked to corporate clients

Priority: Medium

Owner: QA Team

Tags: regression, websites, client-profile

Dependencies: user-authentication, faker-js

Test Suites

Add, Edit, Delete Client Related Website

Test Scenarios

Add Client Related Website

Scenario: Add Related Website

Adds a new related website to a corporate client profile

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- Website appears in the client's related websites grid

Edit Client Related website

Scenario: Add Related Website

Adds a new related website to a corporate client profile

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- Website appears in the client's related websites grid

Delete client Related Website

Scenario: Add Related Website

Adds a new related website to a corporate client profile

Priority: High

1. Execute test case
2. Verify expected results

Expected Results

- Website appears in the client's related websites grid

Execution

Run Individual Test

```
npx cypress run --spec  
"OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Related_Website_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec  
"OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Related_Website_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Related_Website_test.cy.ts

Client Trades (Individual)

Overview

File: OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Trade_test.cy.ts

Folder: OtherTests/IndividualClientFunctionality

Description: Validates add/edit/delete flows for a client's Trades detail line. Seeds a Trade Type prerequisite.

Priority: Medium

Owner: QA

Tags: individual, trades, crud

Dependencies: navigateToNewestClientMenu

Test Suites

Add, Edit, Delete Client Trade

Test Scenarios

Add Client Trade

Scenario: Seed Trade Type

Adds a Trade Type in Settings (e.g., "Day trading") to be used during client trade creation.

- Visit Settings → Trade Types → Add → Enter name & mapping reference → Save

Expected Results

- Trade type is created successfully.

Edit client trade

Scenario: Seed Trade Type

Adds a Trade Type in Settings (e.g., "Day trading") to be used during client trade creation.

- Visit Settings → Trade Types → Add → Enter name & mapping reference → Save

Expected Results

- Trade type is created successfully.

Delete client trade

Scenario: Seed Trade Type

Adds a Trade Type in Settings (e.g., "Day trading") to be used during client trade creation.

- Visit Settings → Trade Types → Add → Enter name & mapping reference → Save

Expected Results

- Trade type is created successfully.

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Trade_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Trade_test.cy.ts"
```

Source Code

File Path: `OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Trade_test.cy.ts`

Client Transactions - Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Transaction_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Test suite for managing client transactions in the corporate module

Priority: High

Owner: QA Team

Tags: regression, transactions, client-management

Dependencies: client_corporate.json, faker-js

Test Suites

Add, Edit, Delete Client Transactions - Corporate

Test Scenarios

Add Client Transactions

Scenario: Add Transaction

Adds a new transaction for the selected corporate client

1. Execute test case
2. Verify expected results

Expected Results

- Transaction is successfully added and confirmed

Edit client Transactions

Scenario: Add Transaction

Adds a new transaction for the selected corporate client

1. Execute test case
2. Verify expected results

Expected Results

- Transaction is successfully added and confirmed

Delete client Transactions

Scenario: Add Transaction

Adds a new transaction for the selected corporate client

1. Execute test case
2. Verify expected results

Expected Results

- Transaction is successfully added and confirmed

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Transaction_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Transaction_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Client_Transaction_test.cy.ts

Client Wallets - Individual

Overview

File: OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Wallets_test.cy.ts

Folder: OtherTests/IndividualClientFunctionality

Description: Validates add, edit, and delete flows for a client's crypto/e-wallets detail line.

Priority: Medium

Owner: QA Team

Tags: regression, smoke, wallets

Dependencies: navigateToNewestClientMenu

Test Suites

Add, Edit, Delete Client Wallets

Test Scenarios

Add Client Wallet

Scenario: Add Client Wallet

Creates a new wallet record for the client with randomized address and currency selection.

Test Data: Faker-generated wallet name and crypto address

- Load client → Navigate to Wallets → Add → Fill name, address, select currency → Save

Expected Results

- Toast/notification confirms the wallet has been added.

Edit client Wallet

Scenario: Add Client Wallet

Creates a new wallet record for the client with randomized address and currency selection.

Test Data: Faker-generated wallet name and crypto address

- Load client → Navigate to Wallets → Add → Fill name, address, select currency → Save

Expected Results

- Toast/notification confirms the wallet has been added.

Delete client Wallet

Scenario: Add Client Wallet

Creates a new wallet record for the client with randomized address and currency selection.

Test Data: Faker-generated wallet name and crypto address

- Load client → Navigate to Wallets → Add → Fill name, address, select currency → Save

Expected Results

- Toast/notification confirms the wallet has been added.

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Wallets_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Wallets_test.cy.ts"
```

Source Code

File Path: `OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Client_Wallets_test.cy.ts`

Self-Declaration UBO

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Self-Declaration-UBO_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Manages the add/edit/delete operations for Ultimate Beneficial Owner declarations for corporate clients

Priority: High

Owner: QA Team

Tags: ubo, compliance, regression

Dependencies: client_corporate.json, faker-js

Test Suites

Self-Declaration UBO

Test Scenarios

Adds Self Declaration UBO

Scenario: Add UBO Declaration

Adds a new UBO record for the client using existing profile selection

1. Execute test case
2. Verify expected results

Expected Results

- UBO is successfully added and confirmation message is shown

Edits Self Declaration UBO

Scenario: Add UBO Declaration

Adds a new UBO record for the client using existing profile selection

1. Execute test case
2. Verify expected results

Expected Results

- UBO is successfully added and confirmation message is shown

Deletes Self Declaration UBO

Scenario: Add UBO Declaration

Adds a new UBO record for the client using existing profile selection

1. Execute test case
2. Verify expected results

Expected Results

- UBO is successfully added and confirmation message is shown

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Self-Declaration-UBO_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Self-Declaration-UBO_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Self-Declaration-UBO_test.cy.ts

Shareholders/Partners

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Shareholder_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Validates CRUD operations and validation behavior for shareholder/partner entities

Priority: High

Owner: QA Team

Tags: corporate, stakeholders, compliance

Dependencies: client_corporate.json, faker-js

Test Suites

Shareholders/Partners

Test Scenarios

Adds Shareholder

Scenario: Add Shareholder

Adds a shareholder with defined capacity and share allocation

1. Execute test case
2. Verify expected results

Expected Results

- Shareholder is successfully added

Should error out if shares exceed Authorized capital

Scenario: Add Shareholder

Adds a shareholder with defined capacity and share allocation

1. Execute test case
2. Verify expected results

Expected Results

- Shareholder is successfully added

Edits Authorized Person

Scenario: Add Shareholder

Adds a shareholder with defined capacity and share allocation

1. Execute test case
2. Verify expected results

Expected Results

- Shareholder is successfully added

Deletes Authorized Person

Scenario: Add Shareholder

Adds a shareholder with defined capacity and share allocation

1. Execute test case
2. Verify expected results

Expected Results

- Shareholder is successfully added

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Shareholder_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Shareholder_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Shareholder_test.cy.ts

Tax Residency - Individual

Overview

File: OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Tax-Residency_test.cy.ts

Folder: OtherTests/IndividualClientFunctionality

Description: Validates add, edit, and delete flows for a client's Tax Residency detail line.

Priority: Medium

Owner: QA Team

Tags: regression, smoke, tax-residency

Dependencies: navigateToNewestClientMenu

Test Suites

Adds, Edits and Deletes Tax Residency - Individual

Test Scenarios

Adds Tax Residency

Scenario: Add Tax Residency

Creates a new tax residency entry for the client.

Test Data: Country: Afghanistan; Notes/Explanation: faker-generated text

- Open client → Tax Residency → Add → select country, fill notes/explanation → Save

Expected Results

- Confirmation toast "Tax residency has been added."

Edits a Tax Residency

Scenario: Add Tax Residency

Creates a new tax residency entry for the client.

Test Data: Country: Afghanistan; Notes/Explanation: faker-generated text

- Open client → Tax Residency → Add → select country, fill notes/explanation → Save

Expected Results

- Confirmation toast "Tax residency has been added."

Deletes a Tax Residency

Scenario: Add Tax Residency

Creates a new tax residency entry for the client.

Test Data: Country: Afghanistan; Notes/Explanation: faker-generated text

- Open client → Tax Residency → Add → select country, fill notes/explanation → Save

Expected Results

- Confirmation toast “Tax residency has been added.”

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Tax-Residency_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Tax-Residency_test.cy.ts"
```

Source Code

File Path: OtherTests/IndividualClientFunctionality/Add_Edit_Delete_Tax-Residency_test.cy.ts

Ultimate Beneficial Owner – Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Ultimate_Beneficial_Owner_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Test suite for managing corporate UBOs and related Shareholders/Partners

Priority: High

Owner: QA Team

Tags: corporate, UBO, stakeholder-management

Dependencies: faker-js, client_corporate.json

Test Suites

Ultimate Beneficial Owner – Corporate

Test Scenarios

Adds Shareholder

Scenario: Add Shareholder

Adds a new shareholder/partner with control attributes

1. Execute test case
2. Verify expected results

Expected Results

- Shareholder is saved successfully

Adds UBO

Scenario: Add Shareholder

Adds a new shareholder/partner with control attributes

1. Execute test case
2. Verify expected results

Expected Results

- Shareholder is saved successfully

Edits UBO

Scenario: Add Shareholder

Adds a new shareholder/partner with control attributes

1. Execute test case
2. Verify expected results

Expected Results

- Shareholder is saved successfully

Deletes UBO

Scenario: Add Shareholder

Adds a new shareholder/partner with control attributes

1. Execute test case
2. Verify expected results

Expected Results

- Shareholder is saved successfully

Deletes Authorized Person

Scenario: Add Shareholder

Adds a new shareholder/partner with control attributes

1. Execute test case
2. Verify expected results

Expected Results

- Shareholder is saved successfully

Execution

Run Individual Test

```
npx cypress run --spec  
"OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Ultimate_Beneficial_Owner_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec  
"OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Ultimate_Beneficial_Owner_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Add_Edit_Delete_Ultimate_Beneficial_Owner_test.cy.ts

Additional External References - Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Additional_External_References_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Covers end-to-end operations for additional external references for a corporate client

Priority: Medium

Owner: QA Team

Tags: client-profile, references, external

Dependencies: faker-js, client_corporate.json

Test Suites

Add, Edit, Delete Additional External References - Corporate

Test Scenarios

Add Client external reference

Scenario: Add Additional External Reference

Adds a new external reference URL to a corporate client

1. Execute test case
2. Verify expected results

Expected Results

- Reference is saved successfully and confirmation message appears

Edit Client external reference

Scenario: Add Additional External Reference

Adds a new external reference URL to a corporate client

1. Execute test case
2. Verify expected results

Expected Results

- Reference is saved successfully and confirmation message appears

Delete Client external reference

Scenario: Add Additional External Reference

Adds a new external reference URL to a corporate client

1. Execute test case
2. Verify expected results

Expected Results

- Reference is saved successfully and confirmation message appears

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Additional_External_Refences_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Additional_External_Refences_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Additional_External_Refences_test.cy.ts

Adhoc Evaluations - Corporate

Overview

File: OtherTests/CorporateClientFunctionality/AdHoc_Evaluations_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Validates navigation to the Adhoc Evaluations section for a corporate client

Priority: Low

Owner: QA Team

Tags: evaluation, navigation, client-profile

Dependencies: client_corporate.json

Test Suites

Adhoc Evaluations

Test Scenarios

Navigates to Adhoc Evaluations Page

Scenario: Navigate to Adhoc Evaluations

Opens the Adhoc Evaluations tab from the corporate client profile

1. Execute test case
2. Verify expected results

Expected Results

- The page header "Adhoc Evaluations" is visible

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/AdHoc_Evaluations_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/AdHoc_Evaluations_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/AdHoc_Evaluations_test.cy.ts

AML Segment Details – Corporate

Overview

File: OtherTests/CorporateClientFunctionality/AML_Segment_Detail_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Validates access to the AML Segment Detail section for a corporate client

Priority: Low

Owner: QA Team

Tags: aml, navigation, client-profile

Dependencies: client_corporate.json

Test Suites

AML Segment Details

Test Scenarios

Navigates to AML Segment Page

Scenario: Navigate to AML Segment Detail

Navigates to the AML Segment Detail tab from the client profile

1. Execute test case
2. Verify expected results

Expected Results

- The page displays the heading "Aml Segment Details"

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/AML_Segment_Detail_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/AML_Segment_Detail_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/AML_Segment_Detail_test.cy.ts

System Logs - Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Audit_Trails_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Navigates through the Audit Trail logs for a corporate client

Priority: Low

Owner: QA Team

Tags: logs, audit-trail, client-navigation

Dependencies: client_corporate.json

Test Suites

System logs

Test Scenarios

Navigates to system logs

Scenario: Navigate to System Logs

Opens the Audit Trail page and views external and onboarding audit trails

1. Execute test case
2. Verify expected results

Expected Results

- Logs are displayed for all audit trail sections (main, external, onboarding)

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Audit_Trails_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Audit_Trails_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Audit_Trails_test.cy.ts

CorporateClientFunctionality Tests

Overview

Test files in the `OtherTests/CorporateClientFunctionality` directory.

Total Files: 41

Test Files

AML Segment Details - Corporate

File: `AML_Segment_Detail_test.cy.ts`

Validates access to the AML Segment Detail section for a corporate client

View Test Details ([AML Segment Details - Corporate](#))

Adhoc Evaluations - Corporate

File: `AdHoc_Evaluations_test.cy.ts`

Validates navigation to the Adhoc Evaluations section for a corporate client

View Test Details ([Adhoc Evaluations - Corporate](#))

AddClientQuestionnaire - Corporate Questionnaire Flow

File: `Add_Client_Questionnaire_test.cy.ts`

Full workflow for creating a questionnaire type, adding question categories, adding questions and answers, and assigning a questionnaire to a corporate client.

View Test Details ([Individual Client Questionnaire](#))

Corporate Client Alternative Names

File: `Add_Delete_Alternative_Names_test.cy.ts`

Validates adding and deleting of alternative names for corporate clients

View Test Details ([Individual Client Alternative Names](#))

AddDeleteClientInternalNotes - Corporate Internal Notes

File: `Add_Delete_Client_Internal_Notes_test.cy.ts`

Tests for adding and deleting internal notes for a corporate client

View Test Details ([AddDeleteClientInternalNotes - Corporate Internal Notes](#))

ClientPaymentMethods - Corporate Client Payment Method Management

File: `Add_Delete_Payment_Method_test.cy.ts`

Suite for testing add and delete operations on payment methods linked to corporate clients

View Test Details ([ClientPaymentMethods - Corporate Client Payment Method Management](#))

ClientFATCA - FATCA Setup and Client Assignment

File: `Add_Edit_Client_FATCA_test.cy.ts`

End-to-end test suite for setting up FATCA metadata and assigning FATCA fields to a corporate client

View Test Details ([ClientFATCA - FATCA Setup and Client Assignment](#))

ClientCapacity - Authorized Person Management

File: Add_Edit_Delete_Capacity_test.cy.ts

Test suite for adding, editing, and deleting authorized persons for corporate clients

View Test Details ([ClientCapacity - Authorized Person Management](#))

ClientCases - Corporate Case Management

File: Add_Edit_Delete_Case_test.cy.ts

Handles end-to-end testing for managing client cases under corporate clients

View Test Details ([ClientCases - Corporate Case Management](#))

ClientActions - Corporate Tasks Management

File: Add_Edit_Delete_Client_Action_test.cy.ts

Handles automation for creation, editing, and deletion of client-related actions (tasks)

View Test Details ([Individual Client Actions \(Tasks\)](#))

ClientAddresses - Corporate Client Address Management

File: Add_Edit_Delete_Client_Address_test.cy.ts

Validates the complete lifecycle of client address management: add, edit, and delete

View Test Details ([ClientAddresses - Corporate Client Address Management](#))

ClientApplications - Corporate Application Management

File: Add_Edit_Delete_Client_Application_test.cy.ts

Covers adding, editing, and deleting applications for corporate clients

View Test Details ([ClientApplications - Corporate Application Management](#))

ClientBankAccounts - Corporate Bank Account Management

File: Add_Edit_Delete_Client_Bank_Account_test.cy.ts

Tests the full workflow for creating, editing, and deleting bank accounts for a corporate client

View Test Details ([Individual Client Bank Accounts](#))

ClientCards - Corporate Client Card Management

File: Add_Edit_Delete_Client_Card_test.cy.ts

Covers the workflow for managing payment cards linked to corporate clients

View Test Details ([Individual Client Cards](#))

ClientChecklist - Corporate Client Checklist Management

File: Add_Edit_Delete_Client_Checklist_test.cy.ts

Test suite for adding, updating, and deleting client checklists for corporate clients

View Test Details ([ClientChecklist - Corporate Client Checklist Management](#))

ClientDocuments - Corporate Client Document Management

File: Add_Edit_Delete_Client_Document_test.cy.ts

Tests related to adding, editing, and deleting documents linked to corporate clients

View Test Details ([Individual Client Documents](#))

ClientEvaluation - Corporate Evaluation Process

File: Add_Edit_Delete_Client_Evaluation_test.cy.ts

End-to-end tests for corporate client evaluations including creation, edit, delete, and ignore re-evaluation logic

View Test Details ([ClientEvaluation - Corporate Evaluation Process](#))

AddClients - Corporate Client Management

File: Add_Edit_Delete_Client_Gaming_Account_test.cy.ts

Test suite for managing client gaming accounts

View Test Details ([AddClients - Corporate Client Management](#))

Add_Edit_Delete_Client_Investment_Account_test

File: Add_Edit_Delete_Client_Investment_Account_test.cy.ts

Tests for adding, editing, and deleting investment accounts for corporate clients

View Test Details ([Add_Edit_Delete_Client_Investment_Account_test](#))

Add_Edit_Delete_Client_MID_Accounts_test

File: Add_Edit_Delete_Client_MID_Accounts_test.cy.ts

Tests for adding, editing, and deleting MID accounts for corporate clients

View Test Details ([Add_Edit_Delete_Client_MID_Accounts_test](#))

AddClients - Corporate Client Management

File: Add_Edit_Delete_Client_Policy_Payments_test.cy.ts

Test suite for managing client policy payment collections and transactions

View Test Details ([AddClients - Corporate Client Management](#))

AddClients - Corporate Client Management

File: Add_Edit_Delete_Client_Related_Website_test.cy.ts

Test suite for managing related websites linked to corporate clients

View Test Details ([AddClients - Corporate Client Management](#))

AddClients - Corporate Client Management

File: Add_Edit_Delete_Client_Trade_test.cy.ts

Full lifecycle testing for client trades (add, edit, delete)

View Test Details ([Client Trades \(Individual\)](#))

Client Transactions - Corporate

File: Add_Edit_Delete_Client_Transaction_test.cy.ts

Test suite for managing client transactions in the corporate module

View Test Details ([Client Transactions - Corporate](#))

Client Wallets - Corporate

File: Add_Edit_Delete_Client_Wallets_test.cy.ts

Test suite for adding, editing, and deleting wallets linked to corporate clients

View Test Details ([Client Wallets - Individual](#))

Self-Declaration UBO

File: Add_Edit_Delete_Self-Declaration-UBO_test.cy.ts

Manages the add/edit/delete operations for Ultimate Beneficial Owner declarations for corporate clients

View Test Details ([Self-Declaration UBO](#))

Shareholders/Partners

File: Add_Edit_Delete_Shareholder_test.cy.ts

Validates CRUD operations and validation behavior for shareholder/partner entities

View Test Details ([Shareholders/Partners](#))

Tax Residency - Corporate

File: Add_Edit_Delete_Tax-Residency_test.cy.ts

Covers creation, modification, and deletion of corporate tax residency records

View Test Details ([Tax Residency - Individual](#))

Ultimate Beneficial Owner - Corporate

File: Add_Edit_Delete_Ultimate_Beneficial_Owner_test.cy.ts

Test suite for managing corporate UBOs and related Shareholders/Partners

View Test Details ([Ultimate Beneficial Owner - Corporate](#))

Additional External References - Corporate

File: Additional_External_References_test.cy.ts

Covers end-to-end operations for additional external references for a corporate client

View Test Details ([Additional External References - Corporate](#))

System Logs - Corporate

File: Audit_Trails_test.cy.ts

Navigates through the Audit Trail logs for a corporate client

View Test Details ([System Logs - Corporate](#))

Certificates - Corporate

File: Certificates_test.cy.ts

Verifies that the Certificates page is accessible for a corporate client

View Test Details ([Certificates - Corporate](#))

Client Dashboard - Corporate

File: Dashboard_test.cy.ts

Verifies that the client dashboard loads correctly for corporate clients

View Test Details ([Individual Client Dashboard](#))

Client Profile - Corporate

File: Edit_Corporate_Client_Profile_test.cy.ts

Tests related to editing the corporate client profile

View Test Details ([Client Profile - Corporate](#))

Electronic Identification - Corporate

File: Electronic_Identification_test.cy.ts

Tests the loading and visibility of the Electronic Identifications page for a corporate client

View Test Details ([Electronic Identification - Corporate](#))

Evaluation Status History - Corporate

File: Evaluation_Status_History_test.cy.ts

Verifies navigation to the Evaluation Status History page for a corporate client

View Test Details ([Evaluation Status History - Corporate](#))

Fraud Risk Analysis - Corporate

File: Fraud_Risk_Analysis_test.cy.ts

Ensures navigation to the Fraud Risk Analysis and Pending Records sections for corporate clients

View Test Details ([Fraud Risk Analysis - Corporate](#))

Screening History - Corporate

File: Internal_Screening_test.cy.ts

Verifies navigation to the Internal Screening page for corporate clients

View Test Details ([Internal Screening - Individual](#))

Screening History - Corporate

File: Screening_History_test.cy.ts

Verifies navigation to the Screening History (Negative Lists History) section for corporate clients

View Test Details ([Screening History - Corporate](#))

Screening - Corporate

File: Screening_test.cy.ts

Ensures navigation to the Screening (Negative Lists) page for corporate clients

View Test Details ([Screening - Corporate](#))

Workflow Task History - Corporate

File: Workflow_Task_History_test.cy.ts

Validates that the Workflow Task History page loads correctly for corporate clients

View Test Details ([Workflow Task History - Corporate](#))

Certificates - Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Certificates_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Verifies that the Certificates page is accessible for a corporate client

Priority: Low

Owner: QA Team

Tags: certificates, navigation, client-profile

Dependencies: client_corporate.json

Test Suites

Certificates

Test Scenarios

Navigates to Certificate Page

Scenario: Navigate to Certificates Page

Navigates to the Certificates section of a corporate client profile

1. Execute test case
2. Verify expected results

Expected Results

- Certificates grid is displayed and page header is visible

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Certificates_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Certificates_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Certificates_test.cy.ts

Individual Client Dashboard

Overview

File: OtherTests/IndividualClientFunctionality/Dashboard_test.cy.ts

Folder: OtherTests/IndividualClientFunctionality

Description: Verifies the main dashboard widgets render and can be scrolled into view for an individual client.

Priority: Medium

Owner: QA Team

Tags: regression, smoke, dashboard

Dependencies: navigateToNewestClientMenu

Test Suites

Views the Individual Client Dashboard

Test Scenarios

Checks if the dashboard loads correctly

Scenario: Checks if the dashboard loads correctly

Navigates to the newest client and validates that core dashboard widgets are visible and reachable.

- Open client → assert presence of widgets → scroll through sections and confirm visibility

Expected Results

- All listed dashboard sections are present and visible without errors.

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/IndividualClientFunctionality/Dashboard_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/IndividualClientFunctionality/Dashboard_test.cy.ts"
```

Source Code

File Path: OtherTests/IndividualClientFunctionality/Dashboard_test.cy.ts

Client Profile - Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Edit_Corporate_Client_Profile_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Tests related to editing the corporate client profile

Priority: Medium

Owner: QA Team

Tags: client-profile, corporate

Dependencies: client_corporate.json

Test Suites

Edit Corporate Client Profile

Test Scenarios

Edit Corporate Profile

Scenario: Edit Corporate Profile

Updates the phone number on the corporate client profile and confirms page navigation

1. Execute test case
2. Verify expected results

Expected Results

- Phone number is updated and 'Tree Structure' section is visible

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Edit_Corporate_Client_Profile_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Edit_Corporate_Client_Profile_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Edit_Corporate_Client_Profile_test.cy.ts

Electronic Identification - Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Electronic_Identification_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Tests the loading and visibility of the Electronic Identifications page for a corporate client

Priority: Low

Owner: QA Team

Tags: electronic-identification, ui, navigation

Dependencies: client_corporate.json

Test Suites

Electronic Identification

Test Scenarios

Checks if the Identity verifications page loads

Scenario: Load Electronic Identification Page

Navigates to the Electronic Identification tab of a corporate client and checks if it loads correctly

1. Execute test case
2. Verify expected results

Expected Results

- Electronic Identifications page is visible with header

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Electronic_Identification_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Electronic_Identification_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Electronic_Identification_test.cy.ts

Evaluation Status History – Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Evaluation_Status_History_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Verifies navigation to the Evaluation Status History page for a corporate client

Priority: Low

Owner: QA Team

Tags: evaluation-status-history, navigation, ui

Dependencies: client_corporate.json

Test Suites

Evaluation Status History

Test Scenarios

Navigates to Evaluation Status History Page

Scenario: Load Evaluation Status History

Navigates to the Evaluation Status History tab for a corporate client

1. Execute test case
2. Verify expected results

Expected Results

- Evaluation Status History page is loaded and header is visible

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Evaluation_Status_History_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Evaluation_Status_History_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Evaluation_Status_History_test.cy.ts

Fraud Risk Analysis – Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Fraud_Risk_Analysis_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Ensures navigation to the Fraud Risk Analysis and Pending Records sections for corporate clients

Priority: Medium

Owner: QA Team

Tags: fraud-risk, navigation, ui

Dependencies: client_corporate.json

Test Suites

Fraud Risk Analysis

Test Scenarios

Navigates to Fraud Risk Analysis

Scenario: Navigate to Fraud Risk Analysis

Opens the Fraud Risk Analysis section and verifies presence of grids and headers

1. Execute test case
2. Verify expected results

Expected Results

- Fraud Risk Analysis and Pending Records sections are loaded and headers are visible

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Fraud_Risk_Analysis_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Fraud_Risk_Analysis_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Fraud_Risk_Analysis_test.cy.ts

Internal Screening - Individual

Overview

File: OtherTests/IndividualClientFunctionality/Internal_Screening_test.cy.ts

Folder: OtherTests/IndividualClientFunctionality

Description: Sets up internal blacklist reason and individual, then verifies internal blacklist search flow from an individual client's Internal Screening page.

Priority: High

Owner: QA Team

Tags: regression, internal-screening, smoke

Dependencies: navigateToNewestClientMenu

Test Suites

Internal Screening - Individual

Test Scenarios

Performs Internal blacklists search

1. Add "Fraud" internal blacklist reason
2. Add an internal blacklisted individual linked to that reason

Expected Results

- Reason and individual exist for subsequent search

Performs internal monitoring

1. Add "Fraud" internal blacklist reason
2. Add an internal blacklisted individual linked to that reason

Expected Results

- Reason and individual exist for subsequent search

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/IndividualClientFunctionality/Internal_Screening_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/IndividualClientFunctionality/Internal_Screening_test.cy.ts"
```

Source Code

File Path: OtherTests/IndividualClientFunctionality/Internal_Screening_test.cy.ts

Screening History - Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Screening_History_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Verifies navigation to the Screening History (Negative Lists History) section for corporate clients

Priority: Medium

Owner: QA Team

Tags: screening, navigation, corporate

Dependencies: client_corporate.json

Test Suites

Screening History

Test Scenarios

Navigates to Screening Page

Scenario: Navigate to Screening History

Navigates to the Screening History section of the corporate client profile

1. Execute test case
2. Verify expected results

Expected Results

- The Negative Lists History page is displayed successfully

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Screening_History_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Screening_History_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Screening_History_test.cy.ts

Screening - Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Screening_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Ensures navigation to the Screening (Negative Lists) page for corporate clients

Priority: Medium

Owner: QA Team

Tags: screening, corporate, navigation

Dependencies: client_corporate.json

Test Suites

Screening

Test Scenarios

Navigates to Screening Page

Scenario: Navigate to Screening Page

Navigates to the Screening page and ensures it loads without errors

1. Execute test case
2. Verify expected results

Expected Results

- The Negative Lists page is displayed and no error appears

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Screening_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Screening_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Screening_test.cy.ts

Workflow Task History - Corporate

Overview

File: OtherTests/CorporateClientFunctionality/Workflow_Task_History_test.cy.ts

Folder: OtherTests/CorporateClientFunctionality

Description: Validates that the Workflow Task History page loads correctly for corporate clients

Priority: Low

Owner: QA Team

Tags: workflow, history, navigation

Dependencies: client_corporate.json

Test Suites

Workflow Task History

Test Scenarios

Navigates to Workflow Task History

Scenario: Navigate to Workflow Task History

Navigates to the Workflow Task History page from a corporate client profile

1. Execute test case
2. Verify expected results

Expected Results

- The grid and header are visible on the page

Execution

Run Individual Test

```
npx cypress run --spec "OtherTests/CorporateClientFunctionality/Workflow_Task_History_test.cy.ts"
```

Run in Interactive Mode

```
npx cypress open --spec "OtherTests/CorporateClientFunctionality/Workflow_Task_History_test.cy.ts"
```

Source Code

File Path: OtherTests/CorporateClientFunctionality/Workflow_Task_History_test.cy.ts