

B01_main_frame

material: 1.4301 stainless envelope X x Y x Z: [1000.0, 1300.0, 1508.5] mm estimated mass ~98.5 kg position of min corner in assembly: [-500.0, -350.0, -0.1]


TOP



FRONT




SIDE (from right)




B02_film_roll

material: OPP laminate envelope X x Y x Z: [341.1, 401.1, 400.0] mm estimated mass ~37.5 kg position of min corner in assembly: [-170.6, 549.4, 320.0]


TOP



FRONT




SIDE (from right)




B03_unwind_shaft

material: 1.4301 stainless envelope X x Y x Z: [900.0, 100.0, 280.0] mm estimated mass ~17.1 kg position of min corner in assembly: [-450.0, 700.0, 300.0]


TOP



FRONT




SIDE (from right)




B04_guide_rollers

material: EN AW-6082 envelope X x Y x Z: [520.0, 385.0, 695.0] mm estimated mass ~14.4 kg position of min corner in assembly: [-260.0, 175.0, 730.0]


TOP



FRONT




SIDE (from right)



B05_dancer_arm


material: EN AW-6082 envelope X x Y x Z: [492.0, 262.1, 44.0] mm estimated mass ~2.3 kg position of min corner in assembly: [-246.0, 297.9, 978.0]




B06_forming_tube

material: 1.4301 stainless envelope X x Y x Z: [102.1, 101.9, 690.3] mm estimated mass ~3.4 kg position of min corner in assembly: [-51.1, -50.9, 759.9]


TOP



FRONT




SIDE (from right)




B07_forming_collar

material: 1.4301 stainless envelope X x Y x Z: [281.9, 301.9, 192.2] mm estimated mass ~6.8 kg position of min corner in assembly: [-140.9, -140.9, 1259.9]



B08_infeed_funnel


material: 1.4301 stainless envelope X x Y x Z: [304.5, 303.7, 254.5] mm estimated mass ~2.4 kg position of min corner in assembly: [-152.3, -151.8, 1447.7]




B09_pull_belt_left

material: EN AW-6082 envelope X x Y x Z: [150.0, 82.1, 310.2] mm estimated mass ~1.3 kg position of min corner in assembly: [-198.9, -22.1, 769.9]


TOP



FRONT




SIDE (from right)




B10_pull_belt_right

material: EN AW-6082 envelope X x Y x Z: [150.0, 82.1, 310.2] mm estimated mass ~1.3 kg position of min corner in assembly: [48.9, -22.1, 769.9]


TOP



FRONT




SIDE (from right)




B11_belt_servo_drive

material: steel envelope X x Y x Z: [541.9, 60.2, 60.2] mm estimated mass ~3.4 kg position of min corner in assembly: [-350.9, 140.9, 769.9]


TOP



FRONT




SIDE (from right)




B12_vertical_seal

material: EN AW-6082 envelope X x Y x Z: [80.0, 160.0, 320.0] mm estimated mass ~1.7 kg position of min corner in assembly: [-40.0, -211.9, 780.0]


TOP



FRONT




SIDE (from right)




B13_jaw_assembly

material: steel envelope X x Y x Z: [385.0, 540.1, 98.0] mm estimated mass ~20.5 kg position of min corner in assembly: [-195.0, -220.0, 662.0]


TOP



FRONT




SIDE (from right)



B14_guard_doors


material: polycarbonate envelope X x Y x Z: [900.0, 6.0, 990.0] mm estimated mass ~6.3 kg position of min corner in assembly: [-450.0, -356.0, 450.0]




B15_electrical_cabinet

material: 1.4301 stainless envelope X x Y x Z: [340.1, 600.0, 1000.0] mm estimated mass ~85.4 kg position of min corner in assembly: [500.0, 250.0, 300.0]


TOP



FRONT




SIDE (from right)




B16_hmi_station

material: polymer envelope X x Y x Z: [260.0, 84.0, 280.0] mm estimated mass ~0.7 kg position of min corner in assembly: [520.0, -434.0, 1200.0]


TOP



FRONT




SIDE (from right)




B17_film_web

material: film envelope X x Y x Z: [340.0, 764.7, 880.9] mm estimated mass ~0.5 kg position of min corner in assembly: [-170.0, 125.6, 519.6]


TOP



FRONT




SIDE (from right)




C01_takeoff_conveyor

material: 1.4301 stainless envelope X x Y x Z: [1819.4, 500.2, 777.6] mm estimated mass ~58.3 kg position of min corner in assembly: [-269.4, -170.0, -0.0]


TOP



FRONT




SIDE (from right)




P01_weigher_platform

material: 1.4301 stainless envelope X x Y x Z: [3184.6, 1900.0, 3100.0] mm estimated mass ~272.0 kg position of min corner in assembly: [-2234.6, -950.0, -0.0]


TOP



FRONT




SIDE (from right)




W01_multihead_weigher

material: 1.4301 stainless envelope X x Y x Z: [1100.0, 1100.0, 1660.0] mm estimated mass ~204.6 kg position of min corner in assembly: [-550.0, -550.0, 1742.6]


TOP



FRONT




SIDE (from right)




E01_z_bucket_elevator

material: 1.4301 stainless envelope X x Y x Z: [3080.0, 800.2, 3900.0] mm estimated mass ~371.9 kg position of min corner in assembly: [-2900.0, -330.0, -0.0]


TOP



FRONT




SIDE (from right)




E02_infeed_hopper

material: 1.4301 stainless envelope X x Y x Z: [1141.4, 1041.4, 1324.5] mm estimated mass ~68.8 kg position of min corner in assembly: [-2895.7, -520.7, -0.0]

TOP



FRONT



SIDE (from right)

