

Cucumber Report

25 Nov 2024, 22:07:59

Start : Nov 25, 10:07:15.138 pm

End : Nov 25, 10:07:58.246 pm

Duration : 43.108 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 5
FAILED - 3
SKIPPED - 28




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>As an end user</u>	43.108 s	3	0	3	0	36	5	3	28

#	Feature Name	Scenario Name
1	<u>As an end user</u>	<u>Register new user</u>
2		<u>Register new user</u>
3		<u>Register new user</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@DDT	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>As an end user</u>	3	0	3	0	43.108 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>As an end user</u>	<u>Register new user</u>	12	3	1	8	36.125 s
2		<u>Register new user</u>	12	1	1	10	3.456 s
3		<u>Register new user</u>	12	1	1	10	3.494 s

As an end user

FAILED	DURATION - 43.108 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 36 Pass - 5 Fail - 3 Skip - 28	
/ 10:07:15.138 pm // 10:07:58.246 pm /					



Register new user

<div>FAILED</div> <div>DURATION - 36.125 s</div>			<div>Steps</div> <div>Total - 12</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 10:07:15.144 pm // 10:07:51.269 pm /				
As an end user				
@DDT				

#	Step / Hook Details	Status	Duration
1	Given user was able to access the application	PASSED	0.004 s
2	When user is able to click new User? SignUp button	PASSED	1.199 s
3	And Sign up page opens	PASSED	1.877 s
4	And user check if signup is enabled or not org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //button[normalize-space()='Sign up'] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.7', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a..., userDataDir: /var/folders/qs/9w9mv_0x5tj...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52268}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:52268/devtoo..., se:cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 55042c8dba34a0269ec56364ba2f075a at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at helper.Utility.waitForElement(Utility.java:54) at pages.NewUserPage.signupsEnabled(NewUserPage.java:40)	FAILED	30.068 s

#	Step / Hook Details	Status	Duration
	at stepDefination.NewUserSteps.user_check_if_signup_is_enabled_or_not(NewUserSteps.java:40) at ?.user check if signup is enabled or not(file:///Users/muhammadqaiser/Documents/Automation%20Stuff/CucumberFramework/Featurefiles/newUserRegistration.feature:9) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at helper.Utility.takeScreenshot(Utility.java:30) at hooks.Hook.teardown(Hook.java:37)	FAILED	0.001 s
5	And User enters name "M Test"	SKIPPED	0.001 s
6	And user enters email "mtest@emailcom"	SKIPPED	0.000 s
7	And user enter password "test@123"	SKIPPED	0.000 s
8	And User select interests	SKIPPED	0.001 s
9	And User select gender	SKIPPED	0.000 s
10	And user select state	SKIPPED	0.000 s
11	And user select hobbies	SKIPPED	0.000 s
12	Then user click sign up button	SKIPPED	0.000 s

Register new user



FAILED DURATION - 3.456 s / 10:07:51.284 pm // 10:07:54.740 pm / As an end user @DDT	 <p>A bar chart with 12 steps on the x-axis and a y-axis from 0 to 2. A single black bar is present at step 2, reaching a height of 1.0.</p>	Steps Total - 12 Pass - 1 Fail - 1 Skip - 10	 <p>A donut chart with a total of 12 segments. 1 segment is green (Pass), 1 segment is red (Fail), and 10 segments are yellow (Skip). The number 12 is displayed in the center.</p>
----------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#	Step / Hook Details	Status	Duration
1	Given user was able to access the application	PASSED	0.001 s
2	When user is able to click new User? SignUp button org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.86) Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.7', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce1e01db9f8b797dbd01a4617a195124, executeScript {script=arguments[0].setAttribute('style','border: solid 2px black'), args=[[element-6066-11e4-a52e-4f735466cecf=f.B6CD3CCFC7383A27FB3BCA5F1A763004.d.E296E8E78D1070C24164A695416667D7.e.22]]}] Capabilities	FAILED	1.074 s

#	Step / Hook Details	Status	Duration
	<pre> {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a..., userDataDir: /var/folders/qs/9w9mv_0x5tj...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52444}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:52444/devtoo..., se:cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ce1e01db9f8b797dbd01a4617a195124 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.Utility.highlightWebElement(Utility.java:39) at helper.Utility.waitForElement(Utility.java:58) at pages.LoginPage.clickSignUp(LoginPage.java:39) at stepDefination.NewUserSteps.user_is_able_to_click_new_user_sign_up_button(NewUserSteps.java:28) at ?.user is able to click new User? SignUp button(file:///Users/muhammadqaiser/Documents/Automation%20Stuff/CucumberFramework/Featurefiles/newUserRegistration.feature:7) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - hooks.Hook.teardown(io.cucumber.java.Scenario)</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at helper.Utility.takeScreenshot(Utility.java:30) at hooks.Hook.teardown(Hook.java:37) </pre>	FAILED	0.001 s
3	And Sign up page opens	SKIPPED	0.000 s
4	And user check if signup is enabled or not	SKIPPED	0.001 s
5	And User enters name "M Test2"	SKIPPED	0.001 s
6	And user enters email "mtest1@emailcom"	SKIPPED	0.000 s
7	And user enter password "test@123"	SKIPPED	0.000 s
8	And User select interests	SKIPPED	0.000 s
9	And User select gender	SKIPPED	0.000 s
10	And user select state	SKIPPED	0.000 s
11	And user select hobbies	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then user click sign up button	SKIPPED	0.000 s

Register new user

FAILED		DURATION - 3.494 s			<div>Steps</div> <div>Total - 12</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 10</div>	
/ 10:07:54.752 pm // 10:07:58.246 pm /						
As an end user						
@DDT						

#	Step / Hook Details	Status	Duration
1	Given user was able to access the application	PASSED	0.000 s
2	When user is able to click new User? SignUp button	FAILED	1.065 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.86) Build info: version: '4.26.0', revision: '8ccf0219d7' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.7', java.version: '23.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [90cc6a0ce39734a105df13f0031b9e35, executeScript {script=arguments[0].setAttribute('style','border: solid 2px black'), args=[{element-6066-11e4-a52e-4f735466cecf=f.0A9FC2E027CBD16EBC58E8229753D8E0.d.9044056A76B1193A55E03B15E75233BE.e.23}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a..., userDataDir: /var/folders/qs/9w9mv_0x5tj...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:52476/devtoo..., se:cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 90cc6a0ce39734a105df13f0031b9e35</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at helper.Utility.highLightWebElement(Utility.java:39)</p>		

#	Step / Hook Details	Status	Duration
	at helper.Utility.waitForElement(Utility.java:58) at pages.LoginPage.clickSignUp(LoginPage.java:39) at stepDefination.NewUserSteps.user_is_able_to_click_new_user_sign_up_button(NewUserSteps.java:28) at ?.user is able to click new User? SignUp button(file:///Users/muhammadqaiser/Documents/Automation%20Stuff/CucumberFramework/Featurefiles/newUserRegistration.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - hooks.Hook.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at helper.Utility.takeScreenshot(Utility.java:30) at hooks.Hook.teardown(Hook.java:37)	FAILED	0.005 s
3	And Sign up page opens	SKIPPED	0.001 s
4	And user check if signup is enabled or not	SKIPPED	0.001 s
5	And User enters name "M Test3"	SKIPPED	0.000 s
6	And user enters email "mtest2@emailcom"	SKIPPED	0.000 s
7	And user enter password "test@123"	SKIPPED	0.000 s
8	And User select interests	SKIPPED	0.000 s
9	And User select gender	SKIPPED	0.000 s
10	And user select state	SKIPPED	0.001 s
11	And user select hobbies	SKIPPED	0.000 s
12	Then user click sign up button	SKIPPED	0.000 s