

# Cucumber Report

20 Nov 2024, 18:32:50

Start : Nov 20, 6:32:36.901 pm

End : Nov 20, 6:32:50.224 pm

Duration : 13.323 s

Features



Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 9  
FAILED - 1  
SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>As an end user, User should be able to perform all the basic operations.</u>	7.979 s	1	1	0	0	5	5	0	0
<u>As an end user</u>	5.326 s	1	0	1	0	13	4	1	8

#	Feature Name	Scenario Name
1	<u>As an end user</u>	<u>Register new user</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	2	1	1	0	2	1	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>As an end user, User should be able to perform all the basic operations.</u>	1	1	0	0	7.979 s
2	<u>As an end user</u>	1	0	1	0	5.326 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>As an end user, User should be able to perform all the basic operations.</u>	<u>User is able to login to app</u>	5	5	0	0	7.976 s
2	<u>As an end user</u>	<u>Register new user</u>	13	4	1	8	5.326 s

**As an end user, User should be able to perform all the basic operations.**



<b>PASSED</b>	DURATION - 7.979 s	Scenarios		Steps	
/ 6:32:36.901 pm // 6:32:44.880 pm /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**User is able to login to app**

<div>PASSED</div> <div>DURATION - 7.976 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:32:36.904 pm // 6:32:44.880 pm /</div>			
<div>As an end user, User should be able to perform all the basic operations.</div>			
<div>@Smoke</div>			

#	Step / Hook Details	Status	Duration
1	Given User can access the application	PASSED	0.003 s
2	When User enters "admin@email.com" in email field	PASSED	1.259 s
3	And User enters "admin@123" in password field	PASSED	1.142 s
4	And User can click on login	PASSED	1.132 s
5	Then User can verify manage filed on home page	PASSED	1.297 s

**As an end user**

<b>FAILED</b>	DURATION - 5.326 s	Scenarios		Steps	
/ 6:32:44.898 pm // 6:32:50.224 pm /		Total - 1		Total - 13	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

**Register new user**

<b>FAILED</b>	<b>DURATION - 5.326 s</b>		<b>Steps</b> Total - 13 Pass - 4 Fail - 1 Skip - 8	
/ 6:32:44.898 pm // 6:32:50.224 pm /				
As an end user				
@Smoke				

#	Step / Hook Details	Status	Duration
1	Given user was able to access the application	PASSED	0.002 s
2	When user is able to click new User? SignUp button	PASSED	1.165 s
3	And Sign up page opens	PASSED	1.769 s
4	And user check if signup is enabled or not	PASSED	0.000 s
5	And User enters name	FAILED	0.011 s
	io.cucumber.core.exception.CucumberException: Step [User enters name] is defined with 1 parameters at 'stepDefination.NewUserSteps.user_enters_name(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: User enters name at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:82) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:41) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		



#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:162) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:229) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:530) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:758) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:453) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)		
	AFTER_STEP - hooks.Hook.teardown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "ts" is null at helper.Utility.takeScreenshot(Utility.java:30) at hooks.Hook.teardown(Hook.java:37)	FAILED	0.003 s
6	And user enters email	SKIPPED	0.001 s
7	And user enter password	SKIPPED	0.000 s
8	And User select interests	SKIPPED	0.000 s
9	And User select gender	SKIPPED	0.000 s
10	And user select state	SKIPPED	0.000 s
11	And user select hobbies	SKIPPED	0.001 s
12	Then user click sign up button	SKIPPED	0.001 s
13	And check more outcomes	SKIPPED	0.000 s