

1: First create a new folder for animated tabs with **any name**.


2: In which above folder create new notepad file with name of **animatedtab.html**

3. In same folder also create the notepad new file with name of **style.css**

Make HTML main structure in **animatedtab.html** file.

```
*C:\Users\taimo_000\Desktop\one\css slider\index1.html - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  
index2.html style1.css image_effect1.html holy_grail.html style.css index.html index1.html style1.css index1.html style.css  
Save  
1 <!DOCTYPE html>  
2 <html>  
3 <head>  
4     <title>CSS slider </title>  
5 </head>  
6 <body>  
7  
8 </body>  
9  
10  
11  
12  
13  
14 </html>  
15  
16
```

Now start writing Html code within body tag.




The screenshot shows the Notepad++ interface with an open file named "index1.html". The code editor contains the following HTML structure:



```
<!DOCTYPE html>
<html>
<head>
<title></title>
</head>
<body>
<div class="container">
</div>
</body>
</html>
```

The line "17" is highlighted. A red selection box highlights the entire "div" tag. The status bar at the bottom indicates the file is a "Hyper Text Markup Language file".

Launch in Browser like this.



Output:



*C:\Users\taimo_000\Desktop\one\css slider\index1.html - Notepad++

```
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
index2.html style1.css image_effect1.html holy-grail.html style.css index.html index.html style1.css index1.html style.css

1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title></title>
5     <link rel="stylesheet" type="text/css" href="css/style.css">
6   </head>
7   <body>
8     <div class="container">
9       <h1>CSS Slider</h1>
10      ...
11    ...
12  ...
13 ...
14 ...
15 ...
16 ...
17 ...
18 ...
19 </body>
</html>
```

Hyper Text Markup Language file length : 223 lines : 19 Ln : 10 Col : 5 Sel : 24 | 2 Windows (CR LF) UTF-8 INS

2:43 PM 5/26/2018

*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++

```
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
index2.html style1.css image_effect1.html holy-grail.html style.css index.html index.html style1.css index1.html style.css

1 * {
2   margin: 0;
3   padding: 0;
4   border: none;
5   outline: none;
6   list-style: none;
7 }
8 body {
9   background: linear-gradient(grey, blueviolet);
10  font-family: Arial, sans-serif;
11 }
```

Cascade Style Sheets File length : 180 lines : 12 Ln : 1 Col : 1 Sel : 180 | 12 Windows (CR LF) UTF-8 INS

2:43 PM 5/26/2018

*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++

```
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
index2.html style1.css image_effect1.html holy-grail.html style.css index.html index.html style1.css index.html style.css

1 *{ margin: 0; padding: 0; border: none; outline: none; list-style: none; }
2
3
4
5
6
7
8 body{
9     background: linear-gradient(grey, blueviolet);
10    font-family: Arial, sans-serif;
11
12 .container{
13     width: 718px;
14     margin: 40px auto;
15     overflow: hidden;
16
17 }
```

Cascade Style Sheets File length : 253 lines : 17 Ln : 12 Col : 1 Sel : 73 | 6 Windows (CR LF) UTF-8 INS 2:43 PM 5/26/2018


*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++

```
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
index2.html style1.css image_effect1.html holy-grail.html style.css index.html index.html style1.css index.html style.css

1 *{ margin: 0; padding: 0; border: none; outline: none; list-style: none; }
2
3
4
5
6
7
8 body{
9     background: linear-gradient(grey, blueviolet);
10    font-family: Arial, sans-serif;
11
12 .container{
13     width: 718px;
14     margin: 40px auto;
15     overflow: hidden;
16
17 h1{
18     color: #fff;
19     text-align: center; margin-bottom: 20px;
20 }
```

Cascade Style Sheets File length : 316 lines : 20 Ln : 17 Col : 1 Sel : 63 | 4 Windows (CR LF) UTF-8 INS 2:44 PM 5/26/2018

Output:

A screenshot of the Notepad++ code editor. The title bar shows the file path "C:\Users\taimo_000\Desktop\one\css slider\index1.html - Notepad++". The main editor area contains the following HTML code:

```
<!DOCTYPE html>
<html>
<head>
<title></title>
<link rel="stylesheet" type="text/css" href="css/style.css">
</head>
<body>
<div class="container">
<h1>CSS Slider</h1>
<ul class="thumbs">
</ul>
</div>
</body>
</html>
```

The code editor has syntax highlighting and line numbers. The cursor is positioned on the line containing the opening tag of the ul element. The status bar at the bottom provides information about the file: "Hyper Text Markup Language file", "length : 255 lines : 21", "Ln : 11 Col : 5 Sel : 33 | 3", "Windows (CR LF) | UTF-8", and "INS". The system tray at the bottom right shows the date and time as "2:50 PM 5/26/2018".

The screenshot shows a Notepad++ window with the file path `C:\Users\taimo_000\Desktop\one\css slider\index1.html`. The code is an HTML document with a title, a link to a CSS file, and a body containing a container div with a h1 and a ul element. The ul element has a class of "thumbs". A specific li item is selected, showing an anchor tag with a href of "#slide-1", an image tag with a src of "img/thumb1.jpg", and a span with the text "This is image 1". The status bar at the bottom indicates the file is a Hyper Text Markup Language file, length is 356, lines is 23, and the current position is Ln : 12 Col : 13 Sel : 95 | 2.

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title></title>
5     <link rel="stylesheet" type="text/css" href="css/style.css">
6   </head>
7   <body>
8
9     <div class="container">
10       <h1>CSS Slider</h1>
11       <ul class="thumbs">
12         <li><a href="#slide-1"><span>This is image 1</span></a></li>
13
14       </ul>
15
16     </div>
17
18   </body>
19 </html>
```

CSS for class thumb


The screenshot shows a Notepad++ window with the file path `C:\Users\taimo_000\Desktop\one\css slider\css\style1.css`. The code defines various CSS rules for the body, container, h1, and ul.thumbs img elements. The ul.thumbs img rule is highlighted, setting a border of #333 solid 4px. The status bar at the bottom indicates the file is a Cascade Style Sheets File, length is 367, lines is 26, and the current position is Ln : 22 Col : 1 Sel : 45 | 4.

```
*{
  margin: 0;
  padding: 0;
  border: none;
  outline: none;
  list-style: none;
}
body{
  background: linear-gradient(grey, blueviolet);
  font-family: Arial, sans-serif;
}
.container{
  width: 718px;
  margin: 40px auto;
  overflow: hidden;
}
h1{
  color: #fff;
  text-align: center; margin-bottom: 20px;
}
ul.thumbs img{
  border: #333 solid 4px;
}
```

```
*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  
index1.html style1.css image_effect1.html holy-grail.html style.css index.html index.html style1.css index.html style.css  
8 body{  
9     background: linear-gradient(grey, blueviolet);  
10    font-family: Arial, sans-serif;  
11}  
12 .container{  
13    width: 718px;  
14    margin: 40px auto;  
15    overflow: hidden;  
16}  
17 h1{  
18    color: #fff;  
19    text-align: center; margin-bottom: 20px;  
20}  
21  
22 ul.thumbs img{  
23    border: #333 solid 4px;  
24}  
25  
26 ul.thumbs a{  
27    display: block;  
28    position: relative;  
29    width: 85px;  
30    height: 55px;  
31    border: 4px solid transparent;  
32    font: 12px/25px Arial, sans-serif;  
33    text-decoration: none;  
34    color: #515151;  
35    text-shadow: 1px 1px 0px rgba(255, 255, 255, .25), inset 1px 1px 0px rgba(0, 0, 0, 0.15);  
36}  
37  
Cascade Style Sheets File length: 662 lines: 38 Ln: 26 Col: 1 Sel: 293 | 12 Windows (CR LF) UTF-8 INS  
2:52 PM 5/26/2018
```


```
*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  
index2.html style1.css image_effect1.html holy-grail.html style.css index.html index.html style1.css index.html style.css  
13 width: 718px;  
14 margin: 40px auto;  
15 overflow: hidden;  
16}  
17 h1{  
18 color: #fff;  
19 text-align: center; margin-bottom: 20px;  
20}  
21  
22 ul.thumbs img{  
23 border: #333 solid 4px;  
24}  
25  
26 ul.thumbs a{  
27 display: block;  
28 position: relative;  
29 width: 85px;  
30 height: 55px;  
31 border: 4px solid transparent;  
32 font: 12px/25px Arial, sans-serif;  
33 text-decoration: none;  
34 color: #515151;  
35 text-shadow: 1px 1px 0px rgba(255, 255, 255, .25), inset 1px 1px 0px rgba(0, 0, 0, 0.15);  
36}  
37 }  
38 ul.thumbs li{  
39 float: left;  
40 margin-bottom: 10px;  
41 margin-right: 9px;  
42}  
Cascade Style Sheets File length: 739 lines: 43 Ln: 37 Col: 2 Sel: 77 | 6 Windows (CR LF) UTF-8 INS  
2:52 PM 5/26/2018
```

Output:



```
*C:\Users\taimo_000\Desktop\one\css slider\index1.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
index2.html style1.css image_effect1.html holy-grail.html style.css index.html index1.html style1.css index1.html style.css
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title></title>
5     <link rel="stylesheet" type="text/css" href="css/style.css">
6   </head>
7   <body>
8
9     <div class="container">
10       <h1>CSS Slider</h1>
11       <ul class="thumbs">
12         <li><a href="#slide-1"><span>This is image 1</span></a></li>
13
14         <li><a href="#slide-2"><span>This is image 2</span></a></li>
15
16         <li><a href="#slide-3"><span>This is image 3</span></a></li>
17
18         <li><a href="#slide-4"><span>This is image 4</span></a></li>
19
20         <li><a href="#slide-5"><span>This is image 5</span></a></li>
21
22         <li><a href="#slide-6"><span>This is image 6</span></a></li>
23
24         <li><a href="#slide-7"><span>This is image 7</span></a></li>
25
26
27
28
29
30   </div>
```

Output:



```
*C:\Users\taimo_000\Desktop\one\css slider\index1.html - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  
snippet.html p2.html new.css index1.html index2.html style1.css image_effect1.html holy-grail.html style.css index.html style1.css index1.html style.css  
6 </head>  
7 <body>  
8 <div class="container">  
9   <h1>CSS Slider</h1>  
10  <ul class="thumbs">  
11    <li><a href="#slide-1"><span>This is image 1</span></a></li>  
12    <li><a href="#slide-2"><span>This is image 2</span></a></li>  
13    <li><a href="#slide-3"><span>This is image 3</span></a></li>  
14    <li><a href="#slide-4"><span>This is image 4</span></a></li>  
15    <li><a href="#slide-5"><span>This is image 5</span></a></li>  
16    <li><a href="#slide-6"><span>This is image 6</span></a></li>  
17    <li><a href="#slide-7"><span>This is image 7</span></a></li>  
18  </ul>  
19 <ul class="slides">  
20   <li><a href="#slide-1"><span>This is image 1</span></a></li>  
21   <li><a href="#slide-2"><span>This is image 2</span></a></li>  
22   <li><a href="#slide-3"><span>This is image 3</span></a></li>  
23   <li><a href="#slide-4"><span>This is image 4</span></a></li>  
24   <li><a href="#slide-5"><span>This is image 5</span></a></li>  
25   <li><a href="#slide-6"><span>This is image 6</span></a></li>  
26   <li><a href="#slide-7"><span>This is image 7</span></a></li>  
27 </ul>  
28 </div>  
29 </body>  
30 </html>  
Hyper Text Markup Language file length : 983 lines : 36 Ln : 27 Col : 5 Sel : 33 | 3 Windows (CR LF) UTF-8 INS 3:05 PM 5/26/2018
```

```
*C:\Users\taimo_000\Desktop\one\css slider\index1.html - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  



The screenshot shows the Notepad++ text editor with the following file path: *C:\Users\taimo_000\Desktop\one\css slider\index1.html - Notepad++. The menu bar includes File, Edit, Search, View, Encoding, Language, Settings, Tools, Macro, Run, Plugins, Window, and ?. The toolbar contains icons for Open, Save, Find, Replace, Cut, Copy, Paste, Select All, Undo, Redo, and others. Below the toolbar is a tab bar with multiple tabs, including snippet.html, p2.html, new.css, index.html, index2.html, style1.css, image_effect1.html, holy-grail.html, style.css, index.html, index.html, style1.css, index1.html, and style.css. The main code editor area displays the following CSS and HTML code:




```
13 This is image 2
14
15 This is image 3
16
17 This is image 4
18
19 This is image 5
20
21 This is image 6
22
23 This is image 7
24
25
26 <ul class="slides">
27 <li id="slide-1" class="first">
28 <li id="slide-2">
29 <li id="slide-3">
30 <li id="slide-4">
31 <li id="slide-5">
32 <li id="slide-6">
33 <li id="slide-7">
34
35
36 </div>
37
38
39
40
41 </body>
42 </html>
```


```


Output:



CSS for ul slides




```
*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  
File Open Recent Save All Save As Find Replace Go To Macros Run Macros Help  
snippet.html p2.html new.css index1.html index2.html style1.css image_effect1.html holy-grail.html style.css index.html style1.css index1.html style.css  
32     font: 12px/25px Arial, sans-serif;  
33     text-decoration: none;  
34     color: #515151;  
35     text-shadow: 1px 1px 0px rgba(255, 255, 255, .25), inset 1px 1px 0px rgba(0, 0, 0, 0.15);  
36  
37 }  
38 ul.thumbs li{  
39     float: left;  
40     margin-bottom: 10px;  
41     margin-right: 9px;  
42 }  
43 ul.slides {  
44     overflow: hidden;  
45     clear: both;  
46     border: #333 solid 4px;  
47 }  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
length : 852 lines : 66 Ln : 42 Col : 2 Sel : 77 | 6 Windows (CR LF) UTF-8 INS  
Cascade Style Sheets File 3:08 PM 5/26/2018
```



```
*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  
File Open Recent Save All Save As Find Replace Go To Macros Run Macros Help  
snippet.html p2.html new.css index1.html index2.html style1.css image_effect1.html holy-grail.html style.css index.html style1.css index1.html style.css  
32     font: 12px/25px Arial, sans-serif;  
33     text-decoration: none;  
34     color: #515151;  
35     text-shadow: 1px 1px 0px rgba(255, 255, 255, .25), inset 1px 1px 0px rgba(0, 0, 0, 0.15);  
36  
37 }  
38 ul.thumbs li{  
39     float: left;  
40     margin-bottom: 10px;  
41     margin-right: 9px;  
42 }  
43 ul.slides {  
44     overflow: hidden;  
45     clear: both;  
46     border: #333 solid 4px;  
47 }  
48 ul.slides,  
49 ul.slides li,  
50 ul.slides a,  
51 ul.slides img{  
52     width: 705px;  
53     height: 350px;  
54     position: relative;  
55 }  
56  
57  
58  
59  
60  
61  
length : 967 lines : 74 Ln : 48 Col : 1 Sel : 113 | 8 Windows (CR LF) UTF-8 INS  
Cascade Style Sheets File 3:09 PM 5/26/2018
```

Output:

Click other thumb and check it.



```
*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
snippet.html p2.html new.css index1.html index2.html style1.css image_effect1.html holy-grail.html style.css index.html style1.css index1.html style.css
44     overflow: hidden;
45     clear: both;
46     border: #333 solid 4px;
47   }
48   ul.slides,
49   ul.slides li,
50   ul.slides a,
51   ul.slides img{
52     width: 705px;
53     height: 350px;
54     position: relative;
55   }
56   ul.slides li{
57     position: absolute;
58     z-index: 50;
59   }
60
61
62
63
64
65
66
67
68
69
70
71
72
73
```

The screenshot shows the Notepad++ code editor with the file 'style1.css' open. The code defines styles for a slider. It includes a general rule for the container with 'overflow: hidden;', 'clear: both;', and 'border: #333 solid 4px;'. It also defines rules for the 'ul.slides' element and its children: 'li' and 'img'. The 'li' rule specifies 'position: absolute;' and 'z-index: 50;'. The code editor interface includes a toolbar, a list of recent files, and status bars at the bottom showing file length, line count, and encoding.

*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++

```
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
snipe.html p2.html new.css index1.html index2.html style1.css mage_effect1.html holy-grail.html style.css index.html style1.css index1.html style.css

44     overflow: hidden;
45     clear: both;
46     border: #333 solid 4px;
47 }
48 ul.slides,
49 ul.slides li,
50 ul.slides a,
51 ul.slides img{
52     width: 705px;
53     height: 350px;
54     position: relative;
55 }
56 ul.slides li{
57     position: absolute;
58     z-index: 50;
59 }
60
61
62
63
64
65
66
67
68
69
70
71
72
73
```

Cascade Style Sheets File length : 1,020 lines : 77 Ln : 56 Col : 1 Sel : 53 | 4 Windows (CR LF) UTF-8 INS

3:12 PM 5/26/2018


*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++

```
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
snipe.html p2.html new.css index1.html index2.html style1.css mage_effect1.html holy-grail.html style.css index.html style1.css index1.html style.css


52     width: 705px;
53     height: 350px;
54     position: relative;
55 }
56 ul.slides li{
57     position: absolute;
58     z-index: 50;
59 }
60
61 ul.thumbs li a:hover span{
62     position: absolute;
63     z-index: 101;
64     bottom: -30px;
65     left: -22px;
66     display: block;
67     width: 100px;
68     height: 25px;
69     text-align: center;
70     border-radius: 3px;
71     box-shadow: 0px 1px 0px rgba(0, 0, 0, 0.4);
72     background-color: white;
73     background: linear-gradient(top, #fff 0%, #bcbcbc 100%);
74 }
```

Cascade Style Sheets File length : 1,345 lines : 90 Ln : 61 Col : 1 Sel : 327 | 15 Windows (CR LF) UTF-8 INS

3:13 PM 5/26/2018



```
C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  
File Open Save Save As Find Replace Go To Insert Comment Comment Out Undo Redo Cut Copy Paste Select All Delete All Find Next Find Previous  
61 ul.thumbs li a:hover span{  
62     position: absolute;  
63     z-index: 101;  
64     bottom: -30px;  
65     left: -22px;  
66     display: block;  
67     width: 100px;  
68     height: 25px;  
69     text-align: center;  
70     border-radius: 3px;  
71     box-shadow: 0px 1px 0px rgba(0, 0, 0, 0.4);  
72     background-color: white;  
73     background: linear-gradient(top, #fff 0%, #bcbcbc 100%);  
74 }  
75 ul.thumbs li span{  
76     display: none;  
77 }  
78 ul.thumbs li a:hover span:before{  
79     width: 0;  
80     height: 0;  
81     border-bottom: 5px solid #fff;  
82     border-left: 5px solid transparent;  
83     border-right: 5px solid transparent;  
84     content: '';  
85     position: absolute;  
86     top: -5px;  
87     left: 44px;  
88 }  
89 }  
90 }  
Cascade Style Sheets File  
length : 1,623 lines : 105 Ln : 75 Col : 1 Sel : 278 | 16 Windows (CR LF) | UTF-8 INS  
Windows Taskbar 3:15 PM 5/26/2018
```



C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

snippet.html p2.html new.css index1.html index2.html style1.css image_effect1.html holy-grail.html style.css index.html index.html style1.css index1.html style.css


```
76    display: none;
77 }
78 ul.thumbs li a:hover span:before{
79     width: 0;
80     height: 0;
81     border-bottom: 5px solid #ffff;
82
83     border-left: 5px solid transparent;
84
85     border-right: 5px solid transparent;
86     content: '';
87     position: absolute;
88     top: -5px;
89     left: 44px;
90 }
91 ul.thumbs li:first-child a:hover span{
92     left: -3px;
93 }
```

100
101
102
103
104
105

Cascade Style Sheets File length: 1,678 lines: 107 Ln: 91 Col: 1 Sel: 55 | 3 Windows (CR LF) UTF-8 INs

3:16 PM 5/26/2018


Output:



```
*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++  
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?  
File Edit View Insert Encoding Language Settings Tools Macro Run Plugins Window ?  
77 }  
78 ul.thumbs li a:hover span:before{  
79   width: 0;  
80   height: 0;  
81   border-bottom: 5px solid #fff;  
82  
83   border-left: 5px solid transparent;  
84  
85   border-right: 5px solid transparent;  
86   content: '';  
87   position: absolute;  
88   top: -5px;  
89   left: 44px;  
90 }  
91 ul.thumbs li:first-child a:hover span{  
92   left: -3px;  
93 }  
94  
95 keyframes slide{  
96   0%{left:-500px;}  
97   100%{left: 0;}  
98 }  
99  
100 ul.slides li:target{  
101   z-index: 100;  
102   animation-name: slide;  
103   animation-duration: 1s;  
104   animation-iteration-count: 1;  
105 }  
106  
Cascade Style Sheets File length : 1,862 lines : 118 Ln : 95 Col : 1 Sel : 184 | 12 Windows (CR LF) | UTF-8 INS  
3:17 PM 5/26/2018
```

A screenshot of a Notepad++ code editor window. The file is named "style1.css". The code is a CSS stylesheet for a slider. It includes styles for a navigation bar (ul.thumbs) where hovering over a link adds a before pseudo-element with a border and a specific position. It also includes a keyframe animation named "slide" for the "ul.slides li:target" selector, which animates the slide's position over 1 second. The code editor interface shows the file path, line numbers, and various toolbars at the top and bottom.

Output:



```
*C:\Users\taimo_000\Desktop\one\css slider\css\style1.css - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
File Open Save Save All Find Replace Go Run Macros Help
file:///C:/Users/taimo_000/Desktop/one/css%20slider/index1.html#slide-1
87     position: absolute;
88     top: -5px;
89     left: 44px;
90   }
91   ul.thumbs li:first-child a:hover span{
92     left: -3px;
93   }
94
95
96   @keyframes slide{
97     0%{left:-500px;}
98     100%{left: 0;}
99   }
100  ul.slides li:target{
101    z-index: 100;
102    animation-name: slide;
103    animation-duration: 1s;
104    animation-iteration-count: 1;
105  }
106
107  @keyframes NoTarget{
108    0%{z-index: 75;}
109    100%{z-index: 75;}
110  }
111  ul.slides li:not(:target){
112    animation-name: NoTarget;
113    animation-duration: 1s;
114    animation-iteration-count: 1;
115  }
116
```

Output:

