Section A: Multiple Choice Questions (Answer ALL) [8 x 1 = 8 Marks]

1. Ahmed improperly configured some hardware and software in his system. This situation is the best example for_____.
   a. Attack
   b. Risk
   c. Vulnerability
   d. Threat

2. _____The process of determining what rights and privileges a particular entity has.
   a. Authentication
   b. Availability
   c. Integrity
   d. Access Control

3. _____is keeping information continuously and that authorized persons can access the data when needed.
   a. Confidentiality
   b. Integrity
   c. Availability
   d. Attack

4. Token is an example of which authentication factor?
   a. Something you have
   b. Something you are
   c. Something you know
   d. Something you do

5. _____ are hackers who exploit vulnerabilities without consent but not necessarily for malicious reasons
   a. White Hat
   b. Red Hat
   c. Grey Hat
   d. Black Hat

6. Advanced Persistent Threat (APT) is one of the _____
   a. Malware attack
   b. Network attack

c. Wireless attack
d. Social Engineering attack

7. What is the primary goal of Monitoring and Logging in cybersecurity?
   a. Divides the network into smaller sections
   b. Providing visibility into network activities
   c. Disables unused services, ports, and protocols
   d. Using multiple layers of security to protect systems and data

8. _____ is A device that distributes workload among multiple devices in a network.
   a. Router
   b. Load balancer
   c. Proxy
   d. Firewall

Section B: Short Answer Questions PART I - (Answer ALL) [4x1.5 = 6 Marks]

B1. Write the name of attack for each of the following **[3X0.5=1.5 Marks]**

a. Attackers set up a rogue access point that mimics a legitimate wireless network.
b. Phishing attack that targets high-profile individuals
c. Malware can change its code or appearance to evade detection by traditional antivirus software.

B2. Write attack type for each of the following **[3X0.5=1.5 Marks]**

Attack	Attack Type
Wardriving	
Man-in-the-Middle	
Smishing	

B3. List out any **three** keys of Secure Network Architecture **[1.5 Marks]**

ction C: Short Answer Questions PART II - (Answer ALL) [3x2 = 6 Marks]

Match the type of threat actors on the left side to their intention on the right side of the iven table.

[3 Mark]

Type of Threat Actors	Intention
Crackers.	Entry-level threat actors they gain attention or prove technical abilities.
Insiders	Government-sponsored groups to advance their geopolitical interests.
Corporate Espionage	Individuals who break encryption codes or defeat software copy protections
Script kiddie	Financial profit, through ransomware and Phishing.
Nation-State Actors	Cause social or political change
Hacktivist	Gain a competitive advantage through information theft
Cybercriminals	Individuals within an organization and exploit their authorized access to cause harm