Assignment 1 :









**Question 3:**
What are the **non-functional requirements** we should consider for this payment module? For example: performance (transaction speed), security (PCI DSS compliance, encryption), scalability, and availability. This will guide load, security, and reliability testing in the strategy.

no security , no non functional

next-q

**Question 4:**
What is the **target environment and platforms** for testing? For example: web browsers (Chrome, Firefox, Safari), mobile apps (iOS, Android), or both, including any specific OS versions. This ensures the strategy covers compatibility.

chrome

Next Q-

**Question 5:**
What is the **test data and transaction volume** expectation? For example: multiple user accounts, different wallet balances, successful and failed payments, partial refunds, etc. This will help define test scenarios and data setup in the strategy.

multiple user accounts, different wallet balances

Final output:

# Test Strategy Document – E-commerce Payment Module

**Prepared by:** [Software Test Lead]
**Date:** [Insert Date]
**Version:** 1.0

---

## 1. Introduction

This document outlines the **test strategy** for the **E-commerce Payment Module**, focusing on **functional testing** of third-party payment gateway integrations, refunds, and wallet features. The objective is to ensure the module works as intended and handles different

## 2. Scope of Testing

The following areas are **in-scope**:

- Integration with third-party payment gateways (e.g., Paytm, Google Pay).
- Refund processing for completed transactions.
- Wallet functionalities, including balance handling and partial payments.

**Out of scope:**

- Security testing (PCI DSS, encryption).
- Non-functional testing (performance, load, scalability).
- Cross-browser or cross-platform testing beyond Chrome.

---

## 3. Test Approach




Assignment 2: Design the automation framework structure using a chain-of-thought approach

Output: Analyze and review the generated results




Question 1

**Step 1:** Understanding the Scope of the Application

**Question 1:**
Which specific functionalities of the eCommerce application do you want to automate? For example:

- User authentication (login/logout)
- Product search and filtering
- Add to cart / checkout
- Order history / payment
- Admin portal functionalities

I need a clear list so I know which pages and modules we need in the Page Object Model.

Next

**Step 2:** Understanding Test Data & Environment

**Question 2:**
Do you want the framework to support **multiple environments** (like QA, Staging, Production) and configurable test data, or is it just a single environment with hardcoded test data?

This will help determine how we structure the **config file** and data handling in the POM framework.

next

**Question 3:**
Which **browsers** do you want to run the tests on (Chromium, Firefox, WebKit), and do you need **headless or headed mode** by default?

This will define the Playwright **browser launch settings** in the framework.

Chromium

next

**Step 4:** Test Reporting & Logging

**Question 4:**
What kind of **test reporting and logging** do you need in the framework? For example:

- Console logs only
- HTML / JSON / Allure reports
- Screenshots or video on failure

This will guide how we integrate reporting into the POM framework.

next

**Step 5:** Framework Features & CI/CD

**Question 5:**
Do you want the framework to support **CI/CD integration** (like GitHub Actions, Jenkins) and parallel execution, or is it just for local test runs?

This determines how we structure **test runners, scripts, and parallelization** in the POM framework.

Result:

```
ecommerce-automation/
│
├─ tests/                    # Test cases
│   ├─ addToCart.test.js
│   └─ checkout.test.js
│
├─ pages/                    # Page Object Model classes
│   ├─ BasePage.js
│   ├─ HomePage.js
│   ├─ ProductPage.js
│   ├─ CartPage.js
│   └─ CheckoutPage.js
│
├─ config/                   # Configuration files
│   └─ config.json
│
├─ utils/                    # Helper utilities (logging, data, screenshc
```


├─ utils/ # Helper utilities (logging, data, screenshc
│ └─ logger.js
├─ reports/ # HTML / JSON / Allure reports
├─ playwright.config.js # Playwright test configuration
└─ package.json