



Envoy at Square

Michael Puncel and Snow Pettersen

Who are we?



- Michael Puncel
 - Software Engineer on Traffic team for ~1 year
 - Before that I worked on our deployment system called P2 (https://github.com/square/p2)
- Snow Pettersen
 - Software Engineer on Traffic team for \sim 1 ½ years

Agenda



- Motivation
- Infrastructure Overview
- Design
 - Control Plane
 - Facilitating Migration
 - Security
 - Traffic Shaping
- Where we are & what's next

Motivation



- Simplify client/server libraries
- Distribute load balancing responsibilities
- Abstract infrastructure from app code
- Increase agility of infrastructure changes

Infrastructure Overview




- Primary bare-metal on-prem, some cloud as well
- Kubernetes-like deployment system
- Multi-tenant hosts with no network namespacing
- mTLS between applications
- Centos 6/7



Design







Control Plane

Snapshot Factory


Snapshot Cache (java-control-plane)

xDS server (java-control-plane)

IAM Registry




foo-envoy-1




IAM Registry






IAM Registry






IAM Registry






IAM Registry












































































































































Facilitating Migration




- Automatic sidecar deploy: "traffic-cli add-envoy"
- Provide client/server libraries in major languages
- Simplest possible clients, just send a particular host header to "egress" unix socket
- Preserve legacy service discovery and traffic shaping
- "vip to mesh" feature flag







































Client/Sidecar Contract



- Send requests to sidecar on unix socket at \$ENVOY_EGRESS_SOCKET workaround for not having network namespaces
- Format host header as "[production|staging].{app}.square"
- Developer only needs to know the name of the app they're talking to and staging/production

Offloading TLS to Proxy




- Take advantage of L7 Envoy features
- Enforce mTLS on both ends of every connection
- Use unix sockets with file permissions
 - Secure traffic from sniffing without requiring TLS in application
- Pass client cert details in HTTP header to support legacy access control



Traffic Shaping


Service Discovery Model





Service Discovery Model





Datacenter Priority Routing




Envoy in DC1

DC1

DC2


Datacenter Priority Routing






Virtual Datacenters






Virtual Datacenters






Locality Weighting






Cluster Targeting






Cluster Targeting






Cross-Datacenter Retries






Cross-Datacenter Retries





Cross-Datacenter Retries





Where are we now?



- Feature parity with legacy system
- Envoy partially rolled out
- 2000 Envoy instances deployed across 120 services
- Both on-prem and cloud

What's next?



- Finish migration
- Migrate to Kubernetes
- SPIFFE integration
- L7 Access Control
- Replace edge proxy
- Replace forward proxy



Thanks!

```
mpuncel@squareup.com / @mpuncel
```

snowp@squareup.com / @snowypeas