

Name: Abdurrahman Qureshi

Roll No: 242466

---

Practical No: 1

Date Of Performance: 10/07/2025

Aim: Implementation of HTML Web development

### THEORY:

What is HTML?

HTML (HyperText Markup Language) is the fundamental building block of the World Wide Web. It's a markup language used to:

- Create and structure content for web pages
- Define the meaning and structure of web content
- Enable the display of text, images, videos, and other multimedia

### Basic Concepts

#### 1. Markup Language

HTML is not a programming language but a markup language that uses tags to annotate text and other content for display in web browsers.

#### 2. Elements and Tags

HTML documents are made up of elements, which are represented by tags:

- Opening tag: <tagname>
- Content: The actual content to be displayed
- Closing tag: </tagname>

Example: <p>This is a paragraph.</p>

### 3. Document Structure

A basic HTML document has this structure:

```
<!DOCTYPE html>
<html>
  <head>
    <title>Page Title</title>
  </head>
  <body>
    <!-- Content goes here -->
  </body>
</html>
```

### Key Components

#### 1. DOCTYPE Declaration

<!DOCTYPE html> defines the document type and HTML version (HTML5 in this case).

#### 2. HTML Element

The <html> element is the root element that contains all other HTML elements.

#### 3. Head Section

The <head> contains meta-information about the document:

- <title>: Sets the browser tab title
- <meta>: Provides metadata like character set, viewport settings
- <link>: Links to external resources like CSS
- <script>: Contains or links to JavaScript code

#### 4. Body Section

The <body> contains all the visible content:

- Text elements (<h1> to <h6>, <p>, <span>, etc.)
- Media elements (<img>, <video>, <audio>)
- Structural elements (<div>, <section>, <header>, <footer>)
- Interactive elements (<a>, <button>, <form>)

### HTML Principles

1. Semantic HTML: Using elements that convey meaning about the content structure (like <article>, <nav>, <footer>)
2. Accessibility: Writing HTML that's accessible to all users, including those with disabilities

3. Separation of Concerns: Keeping content (HTML), presentation (CSS), and behavior (JavaScript) separate
4. Progressive Enhancement: Building from basic content to more complex features

## Evolution of HTML

- HTML 1.0 (1993): The first version
- HTML 2.0 (1995): Standardized features
- HTML 4.01 (1999): Added CSS support
- XHTML (2000): XML-based strict version
- HTML5 (2014): Current standard with multimedia, semantic elements, and APIs

CODE:

## index.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0" />
    <title>Document</title>
    <link rel="stylesheet"
href="index.css" />
  </head>
  <body>
    <main>
      <h1>
        You have been invited to a
        <pre class="title">birthday
party</pre>
      </h1>
      <form action="">
        <label for="name">
          <span>Name :</span>
          <input name="name"
type="text" placeholder="Enter name" />
        </label>
        <label for="time">
          <span>Time :</span>
          <input name="time"
type="text" placeholder="Enter time" />
        </label>
      </form>
    </main>
  </body>
</html>
```

```

        </label>
        <label for="place">
            <span>Place :</span>
            <input name="place"
type="text" placeholder="Enter place" />
        </label>
        <section>
            <button>Clear</button>
            <button>Submit</button>
        </section>
    </form>
    <a href="gifts.html">Send Gift
> </a>

</main>

    
</body>
</html>

```

gift.html

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8" />

    <meta name="viewport"
content="width=device-width, initial-
scale=1.0" />
```

```

        <title>My Wonderful Gifts</title>
        <link rel="stylesheet"
href="index.css" />
    </head>
    <body>
        <main>
            <h1>🎁 Gifts Received So Far 🎁</h1>
            <ul>
                <li>🥭 Mangoes</li>
                <li>🕒 Watch</li>
                <li>🧢 Cap</li>
                <li>👕 T-Shirt</li>
            </ul>
            <a href="index.html"> <
                Back</a>
        </main>
        
    </body>
</html>

```

## index.css

```

* {
    margin: 0;
    padding: 0;
}

body {
    font-family: system-
ui, -apple-system,
BlinkMacSystemFont, "Segoe
UI",
    Roboto, Oxygen,
Ubuntu, Cantarell, "Open
Sans", "Helvetica Neue",
    sans-serif;
    overflow-x: hidden;
    position: relative;
    display: flex;
    justify-content:
center;
    align-items: center;
    width: 100vw;
    height: 100vh;
}

h1,
h2,
h3,
h4,
h5,
h6 {
    font-weight: normal;
    text-align: center;
}

main {
    border-radius: 12px;
    display: flex;
    flex-direction:
column;
    gap: 2rem;
    color: #fff;

    padding: 2rem;
    background: rgba(255,
255, 255, 0.1);
    backdrop-filter:
blur(10px);
    -webkit-backdrop-
filter: blur(10px);
    border: 1px solid
rgba(255, 255, 255, 0.2);
    box-shadow: 0 4px 30px
rgba(0, 0, 0, 0.1);
}

form {
    display: flex;
    flex-direction:
column;
    gap: 1rem;
    width: inherit;
}

label {
    display: flex;
    flex-direction: row;
    align-items: center;
    gap: 0.5rem;
}

span {
    font-size: large;
    width: 20%;
}

input {
    width: 100%;
    border-radius: 5px;
    padding: 0.35rem;
    font-size: medium;
}

section {
    width: 100%;
    display: flex;
    gap: 1rem;
    justify-items: center;
    align-items: center;
}

button {
    width: 100%;
    border-radius: 5px;
    padding: 0.35rem;
    font-size: medium;
    cursor: pointer;
}

img {
    z-index: -1;
    width: 100vw;
    height: 100vh;
    position: absolute;
    object-fit: cover;
    inset: 0;
}

a {
    color: #fff;
    text-decoration: none;
}

li {
    list-style-type: none;
    font-size: larger;
}

.title {
    text-align: center;
    font-size: xx-large;
    font-family: cursive;
}

```

OUTPUT:

