```
Untitled.txt
            X
               Untitled.txt
   -1259.125
 2
 3 X = (1259)10 = (10011101011)2
   Y = (0.125)10 =
                       (0001)2
 5
   (10011101011.0001)2
   (1.00111010110001)2
 8
  SINGLE PRECISION FORMAT:
10 S = 1
11 E = 10 + 127 = 137 = (10001001)2
12
       00111010110001
13
14 S
           Ε
                             М
       10001001
                    00111010110001
15 1
```

```
Untitled.txt
            ×
 1 -10.125
 2
 3 X = (10)10
                     = (1010)2
   Y = (0.125)10 = (0001)2
 5
   (1010.0001)2
   (1.00100001)2
 8
   SINGLE PRECISION FORMAT:
10
   S
     = 1
   E = 3 + 127 = 130 = (10000010)2
11
   M = 00100001
12
13
14 S
         Ε
                  M
15 1 10000010 00100001
```

```
Untitled.txt
            X
              Untitled.txt
   -309.1875
 2
 3
  X = (309)10 = (100110101)2
  Y = (0.1875)10 = (0011)2
 5
   (100110101.0011)2
   (1.001101010011)2
 7
 8
   DOUBLE PRECISION FORMAT:
10 S = 1
11 E = 8 + 1023 = 1031 = (10000000111)2
   M = 001101010011
13
             E
                            M
14 S
15 1
       10000000111
                       001101010011
```

```
+
   Untitled.txt
             X
                Untitled.txt
                              Untitled.txt
   -20.25
 2
 3 X = (20)10
                          (10100)2
   Y = (0.25)10
                          (01)2
 5
 6 (10100.01)2
   (1.010001)2
 8
   SINGLE PRECISION FORMAT:
   S
        1
10
        4 + 127 = 131 = (10000010)2
11
        10000011
12
13
14 S
          E
                    M
   1 10000011 010001
15
```