Name: Abdur R. Qureshi

Roll No: 242466

Practical No: 1

Date Of Performance: 10/07/2025

Aim: Implementation of HTML Web development

THEORY:

What is HTML?

HTML (HyperText Markup Language) is the fundamental building block of the World Wide Web. It's a markup language used to:

- Create and structure content for web pages
- Define the meaning and structure of web content
- Enable the display of text, images, videos, and other multimedia

Basic Concepts

1. Markup Language

HTML is not a programming language but a markup language that uses tags to annotate text and other content for display in web browsers.

2. Elements and Tags

HTML documents are made up of elements, which are represented by tags:

- Opening tag: <tagname>
- Content: The actual content to be displayed
- Closing tag: </tagname>

Example: This is a paragraph.

3. Document Structure

A basic HTML document has this structure:

```
<!DOCTYPE html>
<html>
  <head>
<title>Page Title</title>
</head>
<body>
<!-- Content goes here -->
</body>
</html>
```

Key Components

1. DOCTYPE Declaration

<!DOCTYPE html> defines the document type and HTML version (HTML5 in this case).

2. HTML Element

The <html> element is the root element that contains all other HTML elements.

3. Head Section

The <head> contains meta-information about the document:

- <title>: Sets the browser tab title
- <meta>: Provides metadata like character set, viewport settings
- Link>: Links to external resources like CSS
- <script>: Contains or links to JavaScript code

4. Body Section

The <body> contains all the visible content:

- Text elements (<h1> to <h6>, , , etc.)
- Media elements (, <video>, <audio>)
- Structural elements (<div>, <section>, <header>, <footer>)
- Interactive elements (<a>, <button>, <form>)

HTML Principles

- 1. Semantic HTML: Using elements that convey meaning about the content structure (like <article>, <nav>, <footer>)
- 2. Accessibility: Writing HTML that's accessible to all users, including those with disabilities

- 3. Separation of Concerns: Keeping content (HTML), presentation (CSS), and behavior (JavaScript) separate
- 4. Progressive Enhancement: Building from basic content to more complex features

Evolution of HTML

- HTML 1.0 (1993): The first version
- HTML 2.0 (1995): Standardized features
- HTML 4.01 (1999): Added CSS support
- XHTML (2000): XML-based strict version
- HTML5 (2014): Current standard with multimedia, semantic elements, and APIs

CODE:

index.html

```
<!DOCTYPE html>
                                                                     </label>
<html lang="en">
                                                                     <label for="place">
    <head>
                                                                         <span>Place :</span>
        <meta charset="UTF-8" />
                                                                         <input name="place"</pre>
                                                    type="text" placeholder="Enter place" />
        <meta name="viewport"
content="width=device-width, initial-
                                                                     </label>
scale=1.0" />
                                                                     <section>
        <title>Document</title>
                                                                         <button>Clear</putton>
        <link rel="stylesheet"</pre>
                                                                         <button>Submit</button>
href="index.css" />
                                                                     </section>
    </head>
                                                                 </form>
    <body>
                                                                 <a href="gifts.html">Send Gift
        <main>
                                                    > </a>
            <h1>
                                                             </main>
                You have been invited to a
                                                             <img src="cake.jpg" alt=""</pre>
                birthday
                                                    srcset="" />
party
                                                        </body>
            </h1>
                                                    </html>
            <form action="">
                <label for="name">
                                                    gift.html
                    <span>Name :</span>
                    <input name="name"</pre>
type="text" placeholder="Enter name" />
                                                    <!DOCTYPE html>
                </label>
                                                    <html lang="en">
                <label for="time">
                                                        <head>
                    <span>Time :</span>
                                                             <meta charset="UTF-8" />
                    <input name="time"</pre>
                                                            <meta name="viewport"
type="text" placeholder="Enter time" />
                                                    content="width=device-width, initial-
                                                    scale=1.0" />
```

```
<title>My Wonderful Gifts</title>
                                                                                                  Book
           k rel="stylesheet"
                                                                                                  \nabla Headphones
href="index.css" />
                                                                                                  Chocolates
     </head>
                                                                                                  New York 
New York 

</
      <body>
                                                                                            <main>
                                                                                            <a href="index.html"> <</pre>
                 <h1>ff Gifts Received So Far
                                                                          Back</a>
₩</h1>
                                                                                      </main>
                 <l
                                                                                      <img src="cake.jpg"</pre>
                       Nangoes
                                                                          alt="Celebration cake" srcset="" />
                       \(\bar{O}\) Watch
                                                                                </body>
                                                                          </html>
                       Cap
                       T-Shirt
```

index.css

```
padding: 2rem;
                                                                      section {
* {
    margin: 0;
                                       background: rgba(255,
                                                                          width: 100%;
                                   255, 255, 0.1);
    padding: 0;
                                                                          display: flex;
}
                                       backdrop-filter:
                                                                          gap: 1rem;
                                   blur(10px);
                                                                          justify-items: center;
body {
                                       -webkit-backdrop-
                                                                          align-items: center;
    font-family: system-
                                   filter: blur(10px);
                                       border: 1px solid
ui, -apple-system,
BlinkMacSystemFont, "Segoe
                                   rgba(255, 255, 255, 0.2);
                                                                      button {
UI",
                                       box-shadow: 0 4px 30px
                                                                          width: 100%;
        Roboto, Oxygen,
                                   rgba(0, 0, 0, 0.1);
                                                                          border-radius: 5px;
Ubuntu, Cantarell, "Open
                                   }
                                                                          padding: 0.35rem;
Sans", "Helvetica Neue",
                                                                          font-size: medium;
        sans-serif;
                                   form {
                                                                          cursor: pointer;
    overflow-x: hidden;
                                       display: flex;
                                                                      }
    position: relative;
                                       flex-direction:
    display: flex;
                                   column;
                                                                      img {
    justify-content:
                                       gap: 1rem;
                                                                          z-index: -1;
center;
                                       width: inherit;
                                                                          width: 100vw;
    align-items: center;
                                   }
                                                                          height: 100vh;
    width: 100vw;
                                                                          position: absolute;
    height: 100vh;
                                   label {
                                                                          object-fit: cover;
}
                                       display: flex;
                                                                          inset: 0;
                                       flex-direction: row;
                                                                      }
h1,
                                       align-items: center;
h2,
                                       gap: 0.5rem;
                                                                      a {
h3,
                                   }
                                                                          color: #fff;
h4,
                                                                          text-decoration: none;
h5,
                                   span {
                                                                      }
                                       font-size: large;
    font-weight: normal;
                                       width: 20%;
                                                                      li {
    text-align: center;
                                                                          list-style-type: none;
}
                                                                          font-size: larger;
                                   input {
                                       width: 100%;
main {
    border-radius: 12px;
                                       border-radius: 5px;
                                                                      .title {
                                       padding: 0.35rem;
    display: flex;
                                                                          text-align: center;
    flex-direction:
                                       font-size: medium;
                                                                          font-size: xx-large;
                                   }
column;
                                                                          font-family: cursive;
    gap: 2rem;
                                                                      }
    color: #fff;
```

OUTPUT:



