


Lowest Utilized Practitioners

All 12 practitioners in the dataset fall below an 80% utilisation rate, with the bottom three averaging just **74.2%** — the lowest in the cohort. Utilisation is measured as delivered hours divided by available hours, sourced from `mart_practitioner_monthly`. [avanti_dev.gold.mart_practitioner_monthly](#)



	^A _C practitioner_name	^A _C discipline	1.2 avg_utilisation_pct	1.2 total_delivered_hours
1	Chloe Ferrari	Podiatry	74.2	1
2	Liam Brown	Podiatry	74.2	1,57
3	Emma Wilson	Physiotherapy	74.2	1
4	Daniel Singh	Occupational Therapy	74.7	95
5	Mohammed Okafor	Dietetics	74.8	94
6	Sophie Kaur	Dietetics	76.1	1,6
7	Aroha Taylor	Exercise Physiology	76.2	1,62
8	James Nguyen	Podiatry	76.6	1,62
9				

Show generated code

The three lowest-utilized practitioners are **Chloe Ferrari** (Podiatry), **Liam Brown** (Podiatry), and **Emma Wilson** (Physiotherapy), all tied at 74.2% average utilisation across their recorded history. They are closely followed by **Daniel Singh** (Occupational Therapy) at 74.7% and **Mohammed Okafor** (Dietetics) at 74.8%.

Notably, Daniel Singh and Mohammed Okafor have significantly fewer available hours (~1,283 hrs) compared to the full-time practitioners (~2,139 hrs), suggesting they may be part-time — yet their utilisation rates are still among the lowest. The gap between the lowest (74.2%) and highest (78.3%) is relatively narrow, indicating a systemic capacity challenge across the practitioner base rather than isolated underperformance.