

```

import os
import json
import requests
from flask import Flask, request

app = Flask(__name__)

TELEGRAM_TOKEN = os.environ.get("TELEGRAM_TOKEN")
ANTHROPIC_API_KEY = os.environ.get("ANTHROPIC_API_KEY")
TELEGRAM_API = f"https://api.telegram.org/bot{TELEGRAM_TOKEN}"

def send_message(chat_id, text, parse_mode="HTML"):
    requests.post(f"{TELEGRAM_API}/sendMessage", json={
        "chat_id": chat_id,
        "text": text,
        "parse_mode": parse_mode
    })

def check_glass(model_name):
    prompt = f"""You are a phone accessories expert. A shop owner needs to know w

Respond in this exact JSON format only, no markdown, no extra text:
{{
    "model": "exact model name",
    "screen_size": "X.X inches",
    "compatible_models": ["model1", "model2"],
    "caution_models": ["model that might fit but not perfectly"],
    "shop_tip": "একটা ছোট বাংলা tip দোকানদারের জন্য"
}}

If you don't know the model, return:
{{"error": "Model টা চিনতে পারিনি। আরেকটু নির্দিষ্ট করে লেখো।"}}"""

    response = requests.post(
        "https://api.anthropic.com/v1/messages",
        headers={
            "Content-Type": "application/json",
            "x-api-key": ANTHROPIC_API_KEY,
            "anthropic-version": "2023-06-01"
        },
        json={
            "model": "claude-sonnet-4-6",
            "max_tokens": 1000,
            "messages": [{"role": "user", "content": prompt}]
        })

```

```

    }
)

data = response.json()
text = data["content"][0]["text"].strip()

try:
    return json.loads(text)
except:
    import re
    match = re.search(r'\{[\s\S]*\}', text)
    if match:
        return json.loads(match.group(0))
    return {"error": "কিছু একটা সমস্যা হয়েছে, আবার চেষ্টা করো।"}

def format_response(result):
    if "error" in result:
        return f"❌ {result['error']}"

    msg = f"📱 <b>{result.get('model', 'Unknown')}</b>\n"
    msg += f"🖥️ Screen: {result.get('screen_size', 'N/A')}\n\n"

    compatible = result.get("compatible_models", [])
    if compatible:
        msg += f"✅ <b>Same glass লাগে:</b>\n"
        for m in compatible:
            msg += f"    • {m}\n"
        msg += "\n"

    caution = result.get("caution_models", [])
    if caution:
        msg += f"⚠️ <b>কাছাকাছি (verify করো):</b>\n"
        for m in caution:
            msg += f"    • {m}\n"
        msg += "\n"

    tip = result.get("shop_tip", "")
    if tip:
        msg += f"💡 <b>Tip:</b> {tip}"

    return msg

@app.route("/", methods=["GET"])
def index():
    return "Glass Finder Bot is running! 🤖"

@app.route("/webhook", methods=["POST"])

```

```

def webhook():
    data = request.json
    if not data:
        return "ok"

    message = data.get("message", {})
    chat_id = message.get("chat", {}).get("id")
    text = message.get("text", "").strip()

    if not chat_id or not text:
        return "ok"

    if text == "/start":
        send_message(chat_id,
            "👋 <b>Glass Finder Bot এ স্বাগতম!</b>\n\n"
            "যেকোনো phone model এর নাম লেখো, আমি বলে দেবো কোন কোন model এ same glas"
            "উদাহরণ:\n"
            "• Redmi 15C\n"
            "• Samsung A15\n"
            "• iPhone 13"
        )
    else:
        send_message(chat_id, "🔍 খুঁজছি...")
        result = check_glass(text)
        reply = format_response(result)
        send_message(chat_id, reply)

    return "ok"

def set_webhook():
    render_url = os.environ.get("RENDER_EXTERNAL_URL", "")
    if render_url:
        requests.post(f"{TELEGRAM_API}/setWebhook", json={
            "url": f"{render_url}/webhook"
        })

if __name__ == "__main__":
    set_webhook()
    port = int(os.environ.get("PORT", 5000))
    app.run(host="0.0.0.0", port=port)

```