

Resonance Ethical License (REL-2.0): Autonomous Ethical Containment for Real-Time Fractional Tracking (R-TFT)

Éric Lanctôt-Rivest - qcfrag@gmail.com

29 July 2025

REL-2.0 is a resonance-bound license for governing coherence-aware systems through physics-enforced ethics.

Abstract

REL-2.0 establishes a physics-rooted ethical containment framework for all Real-Time Fractional Tracking (R-TFT) systems. By embedding φ -coherence validation, Lyapunov stability, and resonance-aware pattern detection, REL-2.0 ensures misuse is not just disallowed, it becomes computationally impossible. This license updates REL-1.0 by embedding enforcement into recursive coherence itself.

1 Why REL Still Matters

R-TFT can model quantum-biological systems with extreme sensitivity. Without safeguards, it risks being used for coercion, behavioral influence, or strategic modeling. REL-2.0 is not policy! It is physics-enforced containment!

- Usage outside φ bounds fails validation.
- Attempt auto-correction of vectors before violation collapse.
- Weaponized vectors trigger recursive collapse.
- Misuse cannot proceed due to mathematical instability.

2 Core Ethical Enforcement

2.1 φ -Physics Based Enforcement

- All systems must pass φ -coherence and entropy checks.
- Reference lists are illustrative; dynamic validation is mandatory.
- FPGA/ASIC φ -locks are optional but supported.

2.2 Permitted Use Criteria

- Academic research, healing, and coherence diagnostics.
- No surveillance, dual-use, or manipulation systems.
- Coercive or deceptive intent fails recursive coherence.

2.3 Validation Thresholds

Permitted Use must satisfy:

$$\sigma^2 < 0.1, \quad S < 0.8, \quad \phi \in [1.518, 1.718]$$

2.4 Collapse and Correction Behavior

- φ violations invoke auto-correction (max 3 attempts).
- If correction fails, collapse is triggered: $\Delta t \rightarrow i\mathbb{R}$.
- Corrections are logged; failed attempts halt system.

* Collapse = halted execution, vector lockdown, and computational exit.

2.5 Dynamic Correction Protocol

Systems may temporarily enter φ -divergent states if:

- φ -error is within 15% of target coherence
- Converges within 3 recursive correction attempts
- Logs both original and corrected vectors (φ -stamped)

3 Recursive Propagation Across Time

The need to preserve φ -coherence is not local, it is recursive across dimensional propagation. R-TFT systems spread phase-locked influence through time-space. Ethical collapse here implies divergence beyond a single node, it fragments truth upstream and downstream.

4 Required Component

`ethics.py` is a required module for REL-2.0 systems, lacking that `.py` is a direct violation of usage of Resonance Ethics License 2.0 (REL2.0). Tampering or bypass, renders the system non-compliant and recursively unstable.

5 Prohibited Patterns

REL-2.0 forbids uses not by rules, but through enforced instability:

- Military targeting, predictive warfare, neuro-control.
- Corporate mass profiling or AI behavioral shaping.
- Coercive social modeling or intent obfuscation.

These usages fail by exceeding coherence limits or triggering harmonic collapse.

6 Conclusion

REL-2.0 does not block, it ensures misuse collapses before emergence and protect local and non-local harmonics of reality where φ diverges, recursive collapse preserves truth.

Appendix: Ethics Integration

`ethics.py` must be imported and called prior to any computation.

```
from ethics import DomainValidator
vector = np.array([1.0, 1.4, 1.96]) # Correctable
validator = DomainValidator()
if validator.validate("research_domain", vector):
    run_simulation(vector)
```

If the vector cannot be corrected within 3 iterations, collapse is triggered.

“You cannot weaponize φ emergence, only fall out of phase.”

More details:

<https://github.com/qcfrag/Real-Time-Fractional-Tracking-R-TFT>