
# **Presentation Title**

Jin Chen HuNan University

(None)





# **Table of Content**

Problem Statement

**Exploratory Data Analysis** 

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

### **Problem Statement**

Problem Definition
Data Set

# **Exploratory Data Analysis**

**Data Visualization** 

## **Data Preparation**

Data Cleaning
Data Transformation

### **Methods**

Parameter Adjustment

# **Make final predictions**

**Forecast Results** 

# **Conclusion**

Thanks for attending and welcome for questions





**Problem Definition** 

Data Set

**Exploratory Data Analysis** 

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

# **Problem Statement**





## **Problem Definition**

Problem Statement

Problem Definition

Data Set

**Exploratory Data Analysis** 

**Data Preparation** 

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions



The data contains the location and circumstances of every field goal attempted by Kobe Bryant took during his 20-year career. The task is to predict whether the basket went in (shot\_made\_flag).

Train Data and Test Data

There are 30697 lines of data in the training set.I will split the dataset as training sets and testing sets. They have removed 5000 of the shot\_made\_flags (represented as missing values in the csv file). These are the test set shots for which we need submit a prediction. We are provided a sample submission file with the correct shot\_ids needed for a valid prediction.





# **Data Set**

**Problem Statement** 

**Problem Definition** 

Data Set

**Exploratory Data Analysis** 

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions



The action\_type,shot\_made\_flag, shot\_type and shot\_zone\_area are part of the attributes of each sample, the fllowings are the meaning of some attributes.

### Data List

Attribute	Note
action_type	Jumpshot, Layup, Dunk, Tipshot, Hookshot, Bankshot
$loc_x, loc_y$	shots point
shot_made_flag	1=Yes,0=No
$shot\_type$	2PT Field Goal,3PT Field Goal
shot_zone_area	shots area by area
shot_zone_basic	shots area by NBA rules
shot_zone_range	shots area by radius





#### Exploratory Data Analysis

Data Visualization

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

# **Exploratory Data Analysis**





Problem Statement

**Exploratory Data Analysis** 

#### Data Visualization

**Data Preparation** 

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions



Use EDA to plot the distribution of the data, can observate the data intuitively and find the relation between the attribute values.

- Figures
  - ◆ Histogrm
  - ◆ Scatter Plot
  - **♦** Line Chart





Problem Statement

**Exploratory Data Analysis** 

#### Data Visualization

**Data Preparation** 

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions



It can be seen that dunk is the highest hit rate, followed by bank shot is about 80%, while jump shot and Tip shot are relatively difficult.




Figure 1: The hit distribution histogram of two shot types



Problem Statement

**Exploratory Data Analysis** 

#### Data Visualization

**Data Preparation** 

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions



It can be seen that dunk is the highest hit rate, followed by bank shot is about 80%, while jump shot and Tip shot are relatively difficult.




Figure 2: the shot accuracy of various action type



Problem Statement

**Exploratory Data Analysis** 

#### Data Visualization

**Data Preparation** 

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions



Lets get some understanding about the different zones and the shots made from zones.




Figure 3: Division of shooting area



Problem Statement

**Exploratory Data Analysis** 

#### Data Visualization

**Data Preparation** 

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions



The line chart can not only show the quantity, but also clearly see the increase and decrease of data. Lets now see the Kobe's shots positioning with the time and distance.




Figure 4: shot accuracy of each seasons



Problem Statement

**Exploratory Data Analysis** 

#### Data Visualization

**Data Preparation** 

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions



The line chart can not only show the quantity, but also clearly see the increase and decrease of data. Lets now see the Kobe's shots positioning with the time and distance.




Figure 5: Shot\_distance vs the accuracy of the shots made flag



Exploratory Data Analysis

#### Data Preparation

Data Cleaning

Data Transformation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

# **Data Preparation**





# **Data Cleaning**

Problem Statement

**Exploratory Data Analysis** 

Data Preparation

#### **Data Cleaning**

Data Transformation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

As it can be seen from the picture that, (loc\_x ,loc\_y) and (lat , lon) represent the same. So, drop one of those.

Meanwhile, some attributes have no attribution for our model, Therefore some columns might be dropped.




Figure 6: Pairplot of (loc\_x ,loc\_y) and (lat , lon)



## **Data Transformation**

Problem Statement

**Exploratory Data Analysis** 

Data Preparation

**Data Cleaning** 

Data Transformation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

After deleted all the useless columns, we need to **merge some features**, and **create dummy variables**. First, Let's convert the minutes and seconds to single column.

total\_seconds = row[seconds\_remaining]+60\*row[minutes\_remaining]
After that,we can remove the minutes and the seconds columns.

Categorical variables such as **action\_type**, **combined\_shot\_type**, **season**, **shot\_type**, **shot\_zone\_range** and **opponent**,we can create the dummy variables for further analysis.

action_type_Cutting Layup Shot	action_type_Driving Bank shot	action_type_Driving Dunk Shot	action_type_Driving Finger Roll Layup Shot	action_type_Driving Finger Roll Shot	action_type_Driving Floating Bank Jump Shot
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0

Figure 7: part of the converted dataset



Exploratory Data Analysis

Data Preparation

Methods

Parameter Adjustment

Make final predictions

Conclusion

Thanks for attending and welcome for questions

# Methods





# **Methods**

**Problem Statement** 

**Exploratory Data Analysis** 

Data Preparation

Methods

Parameter Adjustment

Make final predictions

Conclusion

Thanks for attending and welcome for questions

There are many machine learning algorithms, use the machine learning algorithms below as Ensemble Models base models. Through Grid Search and ten-fold cross-validation to find the optimal parameters. Then use the ensemble model on test data.

- Base Models
  - ◆ RandomForeset
  - **♦** LogisticRegression
  - ♦ KNeighbors
- Voting ensemble





# Parameter Adjustment

Problem Statement

**Exploratory Data Analysis** 

Data Preparation

Methods

Parameter Adjustment

Make final predictions

Conclusion

Thanks for attending and welcome for questions

The following are optimal parameters of three models.

■ Best Parameters of Models

RandomForest 'criterion': 'entropy', 'max\_depth': 5, 'max\_features': None, 'n\_estimators': 100

LogisticRegression 'C': 1, 'penalty': '11'

**KNeighbors** 'algorithm': 'auto', 'leaf\_size': 10, 'n\_neighbors': 20, 'p': 5, 'weights': 'uniform'





Exploratory Data Analysis

Data Preparation

Methods

#### Make final predictions

Forecast Results

Conclusion

Thanks for attending and welcome for questions

# Make final predictions





## **Forecast Results**

Problem Statement

**Exploratory Data Analysis** 

Data Preparation

Methods

Make final predictions

Forecast Results

Conclusion

Thanks for attending and welcome for questions

The tables below are the accuracy of each model with the adjusted optimal parameter.

■ Metrics Classification Report of Ensemble Model in original and new train data

Accuracy of three Models	RF	LR	KNN
Accuracy of tiffee models	0.637509727626	0.68186770428	0.568404669261

It has shown that logistic regression runs better than others.In the final model, the weights of LR is larger.

Then, use the ensemble model make the final prediction. The final ensemble model's prediction accuracy is **0.738894059077**.

Finally, generate the forecast result and save them in the csv file.



Exploratory Data Analysis

Data Preparation

Methods

Make final predictions

#### Conclusion

Thanks for attending and welcome for questions

# Conclusion





# Conclusion

Problem Statement

**Exploratory Data Analysis** 

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

**Exploratory Data Analysis** It is an exploratory analysis of the data to provide the necessary conclusions for data processing and modeling.

**Data Preprocessing** This step contains dealing with missing data and outliers, changing categorical variable into one-hot code and so on.

**Feature Engineering** It's the most important thing. Create as more as possible features, then select the most useful features.

**Model Training** The models have many parameters, and can use Grid Search to find the optimal paratemers.





Exploratory Data Analysis

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

Thanks for attending and welcome for questions

