Flip00 Project Final Presentation

Jin Chen HuNan University

November 28, 2019



Overview

Problem Statement

Exploratory Data Analysis

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

Problem Statement

Problem Definition

Data Set

Exploratory Data Analysis

Data Visualization

Data Preparation

Data Cleaning

Data Transformation

Methods

Parameter Adjustment

Make final predictions

Forecast Results

Conclusion

Thanks for attending and welcome for questions



Problem Definition

Data Set

Exploratory Data Analysis

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

Problem Statement



Problem Definition

Problem Statement

Problem Definition

Data Set

Exploratory Data Analysis

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

The data contains the location and circumstances of every field goal attempted by Kobe Bryant took during his 20-year career. The task is to predict whether the basket went in (shot_made_flag).

Train Data and Test Data

There are 30697 lines of data in the training set. I will split the dataset as training sets and testing sets. They have removed 5000 of the shot_made_flags (represented as missing values in the csv file). These are the test set shots for which we need submit a prediction. We are provided a sample submission file with the correct shot_ids needed for a valid prediction.



Data Set

Problem Statement

Problem Definition

Data Set

Exploratory Data Analysis

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions



The action_type,shot_made_flag, shot_type and shot_zone_area are part of the attributes of each sample, the fllowings are the meaning of some attributes.

Data List

Attribute	Note
action_type	Jumpshot, Layup, Dunk, Tipshot, Hookshot, Bankshot
loc_x ,loc_y	shots point
shot_made_flag	1=Yes,0=No
shot_type	2PT Field Goal,3PT Field Goal
shot_zone_area	shots area by area
shot_zone_basic	shots area by NBA rules
shot_zone_range	shots area by radius



Exploratory Data Analysis

Data Visualization

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

Exploratory Data Analysis



Problem Statement

Exploratory Data Analysis

Data Visualization

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions



Use EDA to plot the distribution of the data, can observate the data intuitively and find the relation between the attribute values.

- Figures
 - Histogrm
 - Scatter Plot
 - Line Chart



Problem Statement

Exploratory Data Analysis

Data Visualization

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for



It can be seen that dunk is the highest hit rate, followed by bank shot is about 80%, while jump shot and Tip shot are relatively difficult.




Figure 1: The hit distribution histogram of two shot types



Problem Statement

Exploratory Data Analysis

Data Visualization

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for



It can be seen that dunk is the highest hit rate, followed by bank shot is about 80%, while jump shot and Tip shot are relatively difficult.




Figure 2: the shot accuracy of various action type



Problem Statement

Exploratory Data Analysis

Data Visualization

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for



Lets get some understanding about the different zones and the shots made from zones.




Figure 3: Division of shooting area



Problem Statement

Exploratory Data Analysis

Data Visualization

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for



The line chart can not only show the quantity, but also clearly see the increase and decrease of data. Lets now see the William in the chart can not only show the quantity, but also clearly see the increase and decrease of data. Lets now see the Kobe's shots positioning with the time and distance.




Figure 4: shot accuracy of each seasons



Problem Statement

Exploratory Data Analysis

Data Visualization

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for



The line chart can not only show the quantity, but also clearly see the increase and decrease of data. Lets now see the Kobe's shots positioning with the time and distance.




Figure 5: Shot_distance vs the accuracy of the shots made flag



Exploratory Data Analysis

Data Preparation

Data Cleaning

Data Transformation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

Data Preparation



Data Cleaning

Problem Statement

Exploratory Data Analysis

Data Preparation

Data Cleaning

Data Transformation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

As it can be seen from the picture that, (loc_x ,loc_y) and (lat , lon) represent the same. So, drop one of those.

Meanwhile, some attributes have no attribution for our model, Therefore some columns might be dropped.




Figure 6: Pairplot of (loc_x ,loc_y) and (lat , lon)



Data Transformation

Problem Statement

Exploratory Data Analysis

Data Preparation

Data Cleaning

Data Transformation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

After deleted all the useless columns, we need to **merge some features**, and **create dummy variables**. First, Let's convert the minutes and seconds to single column.

total_seconds = row[seconds_remaining]+60*row[minutes_remaining]
After that,we can remove the minutes and the seconds columns.

Categorical variables such as **action_type**, **combined_shot_type**, **season**, **shot_type**, **shot_zone_range** and **opponent**,we can create the dummy variables for further analysis.

action_type_Cutting Layup Shot	action_type_Driving Bank shot	action_type_Driving Dunk Shot	action_type_Driving Finger Roll Layup Shot	action_type_Driving Finger Roll Shot	action_type_Driving Floating Bank Jump Shot
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	1	0	0	0

Figure 7: part of the converted dataset



Exploratory Data Analysis

Data Preparation

Methods

Parameter Adjustment

Make final predictions

Conclusion

Thanks for attending and welcome for questions

Methods



Methods

Problem Statement

Exploratory Data Analysis

Data Preparation

Methods

Parameter Adjustment

Make final predictions

Conclusion

Thanks for attending and welcome for questions

There are many machine learning algorithms, use the machine learning algorithms below as Ensemble Model's base models. Through Grid Search and ten-fold cross-validation to find the optimal parameters. Then use the ensemble model on test data.

- Base Models
 - **♦** RandomForeset
 - ◆ LogisticRegression
 - ♦ KNeighbors
- Voting ensemble



Parameter Adjustment

Problem Statement

Exploratory Data Analysis

Data Preparation

Methods

Parameter Adjustment

Make final predictions

Conclusion

Thanks for attending and welcome for questions

The following are optimal parameters of three models.

Best Parameters of Models

RandomForest 'criterion': 'entropy', 'max_depth': 5, 'max_features': None,

'n_estimators': 100

LogisticRegression 'C': 1, 'penalty': '11'

KNeighbors 'algorithm': 'auto', 'leaf_size': 10, 'n_neighbors': 20, 'p': 5, 'weights':

'uniform'



Exploratory Data Analysis

Data Preparation

Methods

Make final predictions

Forecast Results

Conclusion

Thanks for attending and welcome for questions

Make final predictions



Forecast Results

Problem Statement

Exploratory Data Analysis

Data Preparation

Methods

Make final predictions

Forecast Results

Conclusion

Thanks for attending and welcome for

The tables below are the accuracy of each model with the adjusted optimal parameter.

■ Metrics Classification Report of Ensemble Model in original and new train data

Accuracy of three Models							
	\mathbf{RF}	LR	KNN				
Best Score	0.637509727626	0.68186770428	0.568404669261				

It has shown that logistic regression runs better than others.In the final model, the weights of LR is larger.

Then, use the ensemble model make the final prediction. The final ensemble model's prediction accuracy is **0.738894059077**.

Finally, generate the forecast result and save them in the csv file.



Exploratory Data Analysis

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

Conclusion



Conclusion

Problem Statement

Exploratory Data Analysis

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

Exploratory Data Analysis It is an exploratory analysis of the data to provide the necessary conclusions for data processing and modeling.

Data Preprocessing This step contains dealing with missing data and outliers, changing categorical variable into one-hot code and so on.

Feature Engineering It's the most important thing. Create as more as possible features, then select the most useful features.

Model Training The models have many parameters, and can use Grid Search to find the optimal paratemers.



Exploratory Data Analysis

Data Preparation

Methods

Make final predictions

Conclusion

Thanks for attending and welcome for questions

Thanks for attending and welcome for questions