

```
qmcgaw-cloudflare-dns-server
date,stream,content
2019-10-17 08:13:02,stdout,
=====

2019-10-17 08:13:02,stdout, Unbound exit with status 137

2019-10-17 08:13:02,stdout,
=====

2019-10-17 08:13:02,stdout,

2019-10-17 08:13:02,stdout,Killed

2019-10-17 08:13:02,stdout,[1571299982] unbound[57:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:13:02,stdout,[1571299982] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:13:02,stdout,[1571299982] unbound[57:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:13:02,stdout,[1571299982] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:13:01,stdout,[1571299981] unbound[57:0] notice: Start
of unbound 1.9.4.

2019-10-17 08:13:01,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"

2019-10-17 08:13:00,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:13:00,stdout,NSA hostnames blocking is on

2019-10-17 08:13:00,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted

2019-10-17 08:12:59,stdout,Malicious hostnames and ips blocking is
on

2019-10-17 08:12:59,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:12:59,stdout,Verbosity level set to 5 on 5

2019-10-17 08:12:59,stdout,Caching is off

2019-10-17 08:12:59,stdout,Unbound listening UDP port: 53

2019-10-17 08:12:59,stdout,Unbound DNS server: securedns

2019-10-17 08:12:59,stdout,Unbound version: 1.9.4
```

```
2019-10-17 08:12:59,stdout,Running as nonrootuser
2019-10-17 08:12:59,stdout,
2019-10-17 08:12:59,stdout, == by github.com/qdm12 - Quentin McGaw
==
2019-10-17 08:12:59,stdout,
=====
2019-10-17 08:12:59,stdout,
=====
2019-10-17 08:12:59,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===
2019-10-17 08:12:59,stdout,
=====
2019-10-17 08:12:59,stdout,
=====
2019-10-17 08:12:33,stdout,
=====
2019-10-17 08:12:33,stdout, Unbound exit with status 137
2019-10-17 08:12:33,stdout,
=====
2019-10-17 08:12:33,stdout,
2019-10-17 08:12:33,stdout,Killed
2019-10-17 08:12:32,stdout, [1571299952] unbound[57:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:12:32,stdout, [1571299952] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:12:32,stdout, [1571299952] unbound[57:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:12:32,stdout, [1571299952] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:12:32,stdout, [1571299952] unbound[57:0] notice: Start
of unbound 1.9.4.
2019-10-17 08:12:32,stdout, "Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"
```

2019-10-17 08:12:31,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:12:31,stdout,NSA hostnames blocking is on

2019-10-17 08:12:31,stdout,152222 malicious hostnames and 16879 malicious IP addresses blacklisted

2019-10-17 08:12:30,stdout,Malicious hostnames and ips blocking is on

2019-10-17 08:12:30,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:12:30,stdout,Verbosity level set to 5 on 5

2019-10-17 08:12:30,stdout,Caching is off

2019-10-17 08:12:30,stdout,Unbound listening UDP port: 53

2019-10-17 08:12:30,stdout,Unbound DNS server: securedns

2019-10-17 08:12:30,stdout,Unbound version: 1.9.4

2019-10-17 08:12:30,stdout,Running as nonrootuser

2019-10-17 08:12:30,stdout,

2019-10-17 08:12:30,stdout, == by github.com/qdm12 - Quentin McGaw ==

2019-10-17 08:12:30,stdout,
=====

2019-10-17 08:12:30,stdout,
=====

2019-10-17 08:12:30,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER ===

2019-10-17 08:12:30,stdout,
=====

2019-10-17 08:12:30,stdout,
=====

2019-10-17 08:12:16,stdout,
=====

2019-10-17 08:12:16,stdout, Unbound exit with status 137

2019-10-17 08:12:16,stdout,
=====

2019-10-17 08:12:16,stdout,

2019-10-17 08:12:16,stdout,Killed

2019-10-17 08:12:16,stdout,[1571299936] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:12:16,stdout,[1571299936] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:12:16,stdout,[1571299936] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:12:16,stdout,[1571299936] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:12:16,stdout,[1571299936] unbound[56:0] notice: Start
of unbound 1.9.4.

2019-10-17 08:12:16,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16, :
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"

2019-10-17 08:12:15,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:12:14,stdout,NSA hostnames blocking is on

2019-10-17 08:12:14,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted

2019-10-17 08:12:13,stdout,Malicious hostnames and ips blocking is
on

2019-10-17 08:12:13,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:12:13,stdout,Verbosity level set to 5 on 5

2019-10-17 08:12:13,stdout,Caching is off

2019-10-17 08:12:13,stdout,Unbound listening UDP port: 53

2019-10-17 08:12:13,stdout,Unbound DNS server: securedns

2019-10-17 08:12:13,stdout,Unbound version: 1.9.4

2019-10-17 08:12:13,stdout,Running as nonrootuser

2019-10-17 08:12:13,stdout,

2019-10-17 08:12:13,stdout, == by github.com/qdm12 - Quentin McGaw
==

2019-10-17 08:12:13,stdout,
=====

2019-10-17 08:12:13,stdout,

```
=====  
2019-10-17 08:12:13,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER  
===  
2019-10-17 08:12:13,stdout,  
=====  
2019-10-17 08:12:13,stdout,  
=====  
2019-10-17 08:12:06,stdout,  
=====  
2019-10-17 08:12:06,stdout, Unbound exit with status 137  
2019-10-17 08:12:06,stdout,  
=====  
2019-10-17 08:12:06,stdout,  
2019-10-17 08:12:06,stdout,Killed  
2019-10-17 08:12:06,stdout,[1571299926] unbound[56:0] debug:  
creating tcp4 socket 0.0.0.0 53  
2019-10-17 08:12:06,stdout,[1571299926] unbound[56:0] debug:  
creating udp4 socket 0.0.0.0 53  
2019-10-17 08:12:06,stdout,[1571299926] unbound[56:0] debug:  
creating tcp4 socket 0.0.0.0 53  
2019-10-17 08:12:06,stdout,[1571299926] unbound[56:0] debug:  
creating udp4 socket 0.0.0.0 53  
2019-10-17 08:12:06,stdout,[1571299926] unbound[56:0] notice: Start  
of unbound 1.9.4.  
2019-10-17 08:12:06,stdout,"Unbound private addresses:  
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:  
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96  
"  
2019-10-17 08:12:05,stdout,8146 NSA hostnames blacklisted  
2019-10-17 08:12:04,stdout,NSA hostnames blocking is on  
2019-10-17 08:12:04,stdout,152222 malicious hostnames and 16879  
malicious IP addresses blacklisted  
2019-10-17 08:12:03,stdout,Malicious hostnames and ips blocking is  
on  
2019-10-17 08:12:03,stdout,Verbosity details level set to 4 on 4
```

```
2019-10-17 08:12:03,stdout,Verbosity level set to 5 on 5
2019-10-17 08:12:03,stdout,Caching is off
2019-10-17 08:12:03,stdout,Unbound listening UDP port: 53
2019-10-17 08:12:03,stdout,Unbound DNS server: securedns
2019-10-17 08:12:03,stdout,Unbound version: 1.9.4
2019-10-17 08:12:03,stdout,Running as nonrootuser
2019-10-17 08:12:03,stdout,
2019-10-17 08:12:03,stdout, == by github.com/qdm12 - Quentin McGaw
==

2019-10-17 08:12:03,stdout,
=====

2019-10-17 08:12:03,stdout,
=====

2019-10-17 08:12:03,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===

2019-10-17 08:12:03,stdout,
=====

2019-10-17 08:12:03,stdout,
=====

2019-10-17 08:11:59,stdout,
=====

2019-10-17 08:11:59,stdout, Unbound exit with status 137

2019-10-17 08:11:59,stdout,
=====

2019-10-17 08:11:59,stdout,
2019-10-17 08:11:59,stdout,Killed

2019-10-17 08:11:59,stdout, [1571299919] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:11:59,stdout, [1571299919] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:11:59,stdout, [1571299919] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:11:59,stdout, [1571299919] unbound[56:0] debug:
```

creating udp4 socket 0.0.0.0 53

2019-10-17 08:11:59,stdout,[1571299919] unbound[56:0] notice: Start of unbound 1.9.4.

2019-10-17 08:11:59,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"

2019-10-17 08:11:58,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:11:58,stdout,NSA hostnames blocking is on

2019-10-17 08:11:58,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted

2019-10-17 08:11:56,stdout,Malicious hostnames and ips blocking is
on

2019-10-17 08:11:56,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:11:56,stdout,Verbosity level set to 5 on 5

2019-10-17 08:11:56,stdout,Caching is off

2019-10-17 08:11:56,stdout,Unbound listening UDP port: 53

2019-10-17 08:11:56,stdout,Unbound DNS server: securedns

2019-10-17 08:11:56,stdout,Unbound version: 1.9.4

2019-10-17 08:11:56,stdout,Running as nonrootuser

2019-10-17 08:11:56,stdout,

2019-10-17 08:11:56,stdout, == by github.com/qdm12 - Quentin McGaw
==

2019-10-17 08:11:56,stdout,
=====

2019-10-17 08:11:56,stdout,
=====

2019-10-17 08:11:56,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===

2019-10-17 08:11:56,stdout,
=====

2019-10-17 08:11:56,stdout,
=====

2019-10-17 08:11:54,stdout,

```
=====
2019-10-17 08:11:54,stdout, Unbound exit with status 137
2019-10-17 08:11:54,stdout,
=====
2019-10-17 08:11:54,stdout,
2019-10-17 08:11:54,stdout,Killed
2019-10-17 08:11:54,stdout,[1571299914] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:11:54,stdout,[1571299914] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:11:54,stdout,[1571299914] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:11:54,stdout,[1571299914] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:11:54,stdout,[1571299914] unbound[56:0] notice: Start
of unbound 1.9.4.
2019-10-17 08:11:54,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"
2019-10-17 08:11:53,stdout,8146 NSA hostnames blacklisted
2019-10-17 08:11:53,stdout,NSA hostnames blocking is on
2019-10-17 08:11:53,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted
2019-10-17 08:11:51,stdout,Malicious hostnames and ips blocking is
on
2019-10-17 08:11:51,stdout,Verbosity details level set to 4 on 4
2019-10-17 08:11:51,stdout,Verbosity level set to 5 on 5
2019-10-17 08:11:51,stdout,Caching is off
2019-10-17 08:11:51,stdout,Unbound listening UDP port: 53
2019-10-17 08:11:51,stdout,Unbound DNS server: securedns
2019-10-17 08:11:51,stdout,Unbound version: 1.9.4
2019-10-17 08:11:51,stdout,Running as nonrootuser
```



```
2019-10-17 08:11:51,stdout,
2019-10-17 08:11:51,stdout, == by github.com/qdm12 - Quentin McGaw
==
2019-10-17 08:11:51,stdout,
=====
2019-10-17 08:11:51,stdout,
=====
2019-10-17 08:11:51,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===
2019-10-17 08:11:51,stdout,
=====
2019-10-17 08:11:51,stdout,
=====
2019-10-17 08:11:49,stdout,
=====
2019-10-17 08:11:49,stdout, Unbound exit with status 137
2019-10-17 08:11:49,stdout,
=====
2019-10-17 08:11:49,stdout,
2019-10-17 08:11:49,stdout,Killed
2019-10-17 08:11:49,stdout,[1571299909] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:11:49,stdout,[1571299909] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:11:49,stdout,[1571299909] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:11:49,stdout,[1571299909] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:11:49,stdout,[1571299909] unbound[56:0] notice: Start
of unbound 1.9.4.
2019-10-17 08:11:49,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"
2019-10-17 08:11:48,stdout,8146 NSA hostnames blacklisted
2019-10-17 08:11:48,stdout,NSA hostnames blocking is on
```

2019-10-17 08:11:48,stdout,152222 malicious hostnames and 16879 malicious IP addresses blacklisted

2019-10-17 08:11:46,stdout,Malicious hostnames and ips blocking is on

2019-10-17 08:11:46,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:11:46,stdout,Verbosity level set to 5 on 5

2019-10-17 08:11:46,stdout,Caching is off

2019-10-17 08:11:46,stdout,Unbound listening UDP port: 53

2019-10-17 08:11:46,stdout,Unbound DNS server: securedns

2019-10-17 08:11:46,stdout,Unbound version: 1.9.4

2019-10-17 08:11:46,stdout,Running as nonrootuser

2019-10-17 08:11:46,stdout,

2019-10-17 08:11:46,stdout, == by github.com/qdm12 - Quentin McGaw ==

2019-10-17 08:11:46,stdout,
=====

2019-10-17 08:11:46,stdout,
=====

2019-10-17 08:11:46,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER ===

2019-10-17 08:11:46,stdout,
=====

2019-10-17 08:11:46,stdout,
=====

2019-10-17 08:11:45,stdout,
=====

2019-10-17 08:11:45,stdout, Unbound exit with status 137

2019-10-17 08:11:45,stdout,
=====

2019-10-17 08:11:45,stdout,

2019-10-17 08:11:45,stdout,Killed

2019-10-17 08:11:45,stdout,[1571299905] unbound[57:0] debug:

```
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:11:45,stdout,[1571299905] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:11:45,stdout,[1571299905] unbound[57:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:11:45,stdout,[1571299905] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:11:44,stdout,[1571299904] unbound[57:0] notice: Start
of unbound 1.9.4.

2019-10-17 08:11:44,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"

2019-10-17 08:11:43,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:11:43,stdout,NSA hostnames blocking is on

2019-10-17 08:11:43,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted

2019-10-17 08:11:42,stdout,Malicious hostnames and ips blocking is
on

2019-10-17 08:11:42,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:11:42,stdout,Verbosity level set to 5 on 5

2019-10-17 08:11:42,stdout,Caching is off

2019-10-17 08:11:42,stdout,Unbound listening UDP port: 53

2019-10-17 08:11:42,stdout,Unbound DNS server: securedns

2019-10-17 08:11:42,stdout,Unbound version: 1.9.4

2019-10-17 08:11:42,stdout,Running as nonrootuser

2019-10-17 08:11:42,stdout,

2019-10-17 08:11:42,stdout, == by github.com/qdm12 - Quentin McGaw
==

2019-10-17 08:11:42,stdout,
=====

2019-10-17 08:11:42,stdout,
=====

2019-10-17 08:11:42,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
```

===

2019-10-17 08:11:42,stdout,
=====

2019-10-17 08:11:42,stdout,
=====

2019-10-17 08:11:40,stdout,
=====

2019-10-17 08:11:40,stdout, Unbound exit with status 137

2019-10-17 08:11:40,stdout,
=====

2019-10-17 08:11:40,stdout,

2019-10-17 08:11:40,stdout,Killed

2019-10-17 08:11:40,stdout,[1571299900] unbound[57:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:11:40,stdout,[1571299900] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:11:40,stdout,[1571299900] unbound[57:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:11:40,stdout,[1571299900] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:11:40,stdout,[1571299900] unbound[57:0] notice: Start
of unbound 1.9.4.

2019-10-17 08:11:40,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16, :
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"

2019-10-17 08:11:38,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:11:38,stdout,NSA hostnames blocking is on

2019-10-17 08:11:38,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted

2019-10-17 08:11:37,stdout,Malicious hostnames and ips blocking is
on

2019-10-17 08:11:37,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:11:37,stdout,Verbosity level set to 5 on 5

2019-10-17 08:11:37,stdout,Caching is off

```
2019-10-17 08:11:37,stdout,Unbound listening UDP port: 53
2019-10-17 08:11:37,stdout,Unbound DNS server: securedns
2019-10-17 08:11:37,stdout,Unbound version: 1.9.4
2019-10-17 08:11:37,stdout,Running as nonrootuser
2019-10-17 08:11:37,stdout,
2019-10-17 08:11:37,stdout, == by github.com/qdm12 - Quentin McGaw
==
2019-10-17 08:11:37,stdout,
=====
2019-10-17 08:11:37,stdout,
=====
2019-10-17 08:11:37,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===
2019-10-17 08:11:37,stdout,
=====
2019-10-17 08:11:37,stdout,
=====
2019-10-17 08:11:35,stdout,
=====
2019-10-17 08:11:35,stdout, Unbound exit with status 137
2019-10-17 08:11:35,stdout,
=====
2019-10-17 08:11:35,stdout,
2019-10-17 08:11:35,stdout,Killed
2019-10-17 08:11:35,stdout,[1571299895] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:11:35,stdout,[1571299895] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:11:35,stdout,[1571299895] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:11:35,stdout,[1571299895] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:11:35,stdout,[1571299895] unbound[56:0] notice: Start
```

of unbound 1.9.4.

```
2019-10-17 08:11:35,stdout,"Unbound private addresses:  
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,  
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96  
"
```

```
2019-10-17 08:11:34,stdout,8146 NSA hostnames blacklisted
```

```
2019-10-17 08:11:34,stdout,NSA hostnames blocking is on
```

```
2019-10-17 08:11:34,stdout,152222 malicious hostnames and 16879  
malicious IP addresses blacklisted
```

```
2019-10-17 08:11:32,stdout,Malicious hostnames and ips blocking is  
on
```

```
2019-10-17 08:11:32,stdout,Verbosity details level set to 4 on 4
```

```
2019-10-17 08:11:32,stdout,Verbosity level set to 5 on 5
```

```
2019-10-17 08:11:32,stdout,Caching is off
```

```
2019-10-17 08:11:32,stdout,Unbound listening UDP port: 53
```

```
2019-10-17 08:11:32,stdout,Unbound DNS server: securedns
```

```
2019-10-17 08:11:32,stdout,Unbound version: 1.9.4
```

```
2019-10-17 08:11:32,stdout,Running as nonrootuser
```

```
2019-10-17 08:11:32,stdout,
```

```
2019-10-17 08:11:32,stdout, == by github.com/qdm12 - Quentin McGaw  
==
```

```
2019-10-17 08:11:32,stdout,  
=====
```

```
2019-10-17 08:11:32,stdout,  
=====
```

```
2019-10-17 08:11:32,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER  
===
```

```
2019-10-17 08:11:32,stdout,  
=====
```

```
2019-10-17 08:11:32,stdout,  
=====
```

```
2019-10-17 08:10:47,stdout,  
=====
```

```
2019-10-17 08:10:47,stdout, Unbound exit with status 137
```

```
2019-10-17 08:10:47,stdout,
=====
2019-10-17 08:10:47,stdout,
2019-10-17 08:10:47,stdout,Killed
2019-10-17 08:10:47,stdout,[1571299847] unbound[57:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:10:47,stdout,[1571299847] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:10:47,stdout,[1571299847] unbound[57:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:10:47,stdout,[1571299847] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:10:47,stdout,[1571299847] unbound[57:0] notice: Start
of unbound 1.9.4.
2019-10-17 08:10:47,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"
2019-10-17 08:10:46,stdout,8146 NSA hostnames blacklisted
2019-10-17 08:10:46,stdout,NSA hostnames blocking is on
2019-10-17 08:10:46,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted
2019-10-17 08:10:45,stdout,Malicious hostnames and ips blocking is
on
2019-10-17 08:10:45,stdout,Verbosity details level set to 4 on 4
2019-10-17 08:10:45,stdout,Verbosity level set to 1 on 5
2019-10-17 08:10:45,stdout,Caching is off
2019-10-17 08:10:45,stdout,Unbound listening UDP port: 53
2019-10-17 08:10:45,stdout,Unbound DNS server: cleanbrowsing
2019-10-17 08:10:45,stdout,Unbound version: 1.9.4
2019-10-17 08:10:45,stdout,Running as nonrootuser
2019-10-17 08:10:45,stdout,
2019-10-17 08:10:45,stdout, == by github.com/qdm12 - Quentin McGaw
```

==

2019-10-17 08:10:45,stdout,
=====

2019-10-17 08:10:45,stdout,
=====

2019-10-17 08:10:45,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===

2019-10-17 08:10:45,stdout,
=====

2019-10-17 08:10:45,stdout,
=====

2019-10-17 08:10:31,stdout,
=====

2019-10-17 08:10:31,stdout, Unbound exit with status 137

2019-10-17 08:10:31,stdout,
=====

2019-10-17 08:10:31,stdout,

2019-10-17 08:10:31,stdout,Killed

2019-10-17 08:10:31,stdout,[1571299831] unbound[57:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:10:31,stdout,[1571299831] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:10:31,stdout,[1571299831] unbound[57:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:10:31,stdout,[1571299831] unbound[57:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:10:30,stdout,[1571299830] unbound[57:0] notice: Start
of unbound 1.9.4.

2019-10-17 08:10:30,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"

2019-10-17 08:10:29,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:10:29,stdout,NSA hostnames blocking is on

2019-10-17 08:10:29,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted

2019-10-17 08:10:28,stdout, Malicious hostnames and ips blocking is on

2019-10-17 08:10:28,stdout, Verbosity details level set to 4 on 4

2019-10-17 08:10:28,stdout, Verbosity level set to 1 on 5

2019-10-17 08:10:28,stdout, Caching is off

2019-10-17 08:10:28,stdout, Unbound listening UDP port: 53

2019-10-17 08:10:28,stdout, Unbound DNS server: cleanbrowsing

2019-10-17 08:10:28,stdout, Unbound version: 1.9.4

2019-10-17 08:10:28,stdout, Running as nonrootuser

2019-10-17 08:10:28,stdout,

2019-10-17 08:10:28,stdout, == by github.com/qdm12 - Quentin McGaw ==

2019-10-17 08:10:28,stdout,
=====

2019-10-17 08:10:28,stdout,
=====

2019-10-17 08:10:28,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER ===

2019-10-17 08:10:28,stdout,
=====

2019-10-17 08:10:28,stdout,
=====

2019-10-17 08:10:21,stdout,
=====

2019-10-17 08:10:21,stdout, Unbound exit with status 137

2019-10-17 08:10:21,stdout,
=====

2019-10-17 08:10:21,stdout,

2019-10-17 08:10:21,stdout, Killed

2019-10-17 08:10:21,stdout, [1571299821] unbound[56:0] debug: creating tcp4 socket 0.0.0.0 53

2019-10-17 08:10:21,stdout, [1571299821] unbound[56:0] debug:

```
creating udp4 socket 0.0.0.0 53

2019-10-17 08:10:21,stdout,[1571299821] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:10:21,stdout,[1571299821] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:10:20,stdout,[1571299820] unbound[56:0] notice: Start
of unbound 1.9.4.

2019-10-17 08:10:20,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"

2019-10-17 08:10:19,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:10:19,stdout,NSA hostnames blocking is on

2019-10-17 08:10:19,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted

2019-10-17 08:10:18,stdout,Malicious hostnames and ips blocking is
on

2019-10-17 08:10:18,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:10:18,stdout,Verbosity level set to 1 on 5

2019-10-17 08:10:18,stdout,Caching is off

2019-10-17 08:10:18,stdout,Unbound listening UDP port: 53

2019-10-17 08:10:18,stdout,Unbound DNS server: cleanbrowsing

2019-10-17 08:10:18,stdout,Unbound version: 1.9.4

2019-10-17 08:10:18,stdout,Running as nonrootuser

2019-10-17 08:10:18,stdout,

2019-10-17 08:10:18,stdout, == by github.com/qdm12 - Quentin McGaw
==

2019-10-17 08:10:18,stdout,
=====

2019-10-17 08:10:18,stdout,
=====

2019-10-17 08:10:18,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===

2019-10-17 08:10:18,stdout,
```

```
=====
2019-10-17 08:10:18,stdout,
=====

2019-10-17 08:10:14,stdout,
=====

2019-10-17 08:10:14,stdout, Unbound exit with status 137

2019-10-17 08:10:14,stdout,
=====

2019-10-17 08:10:14,stdout,

2019-10-17 08:10:14,stdout,Killed

2019-10-17 08:10:14,stdout,[1571299814] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:10:14,stdout,[1571299814] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:10:14,stdout,[1571299814] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:10:14,stdout,[1571299814] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:10:13,stdout,[1571299813] unbound[56:0] notice: Start
of unbound 1.9.4.

2019-10-17 08:10:13,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"

2019-10-17 08:10:12,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:10:12,stdout,NSA hostnames blocking is on

2019-10-17 08:10:12,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted

2019-10-17 08:10:11,stdout,Malicious hostnames and ips blocking is
on

2019-10-17 08:10:11,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:10:11,stdout,Verbosity level set to 1 on 5

2019-10-17 08:10:11,stdout,Caching is off

2019-10-17 08:10:11,stdout,Unbound listening UDP port: 53
```

```
2019-10-17 08:10:11,stdout,Unbound DNS server: cleanbrowsing
2019-10-17 08:10:11,stdout,Unbound version: 1.9.4
2019-10-17 08:10:11,stdout,Running as nonrootuser
2019-10-17 08:10:11,stdout,
2019-10-17 08:10:11,stdout, == by github.com/qdm12 - Quentin McGaw
==
2019-10-17 08:10:11,stdout,
=====
2019-10-17 08:10:11,stdout,
=====
2019-10-17 08:10:11,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===
2019-10-17 08:10:11,stdout,
=====
2019-10-17 08:10:11,stdout,
=====
2019-10-17 08:10:08,stdout,
=====
2019-10-17 08:10:08,stdout, Unbound exit with status 137
2019-10-17 08:10:08,stdout,
=====
2019-10-17 08:10:08,stdout,
2019-10-17 08:10:08,stdout,Killed
2019-10-17 08:10:08,stdout,[1571299808] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:10:08,stdout,[1571299808] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:10:08,stdout,[1571299808] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:10:08,stdout,[1571299808] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:10:08,stdout,[1571299808] unbound[56:0] notice: Start
of unbound 1.9.4.
2019-10-17 08:10:08,stdout,"Unbound private addresses:
```

127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16, :
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"

2019-10-17 08:10:06,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:10:06,stdout,NSA hostnames blocking is on

2019-10-17 08:10:06,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted

2019-10-17 08:10:05,stdout,Malicious hostnames and ips blocking is
on

2019-10-17 08:10:05,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:10:05,stdout,Verbosity level set to 1 on 5

2019-10-17 08:10:05,stdout,Caching is off

2019-10-17 08:10:05,stdout,Unbound listening UDP port: 53

2019-10-17 08:10:05,stdout,Unbound DNS server: cleanbrowsing

2019-10-17 08:10:05,stdout,Unbound version: 1.9.4

2019-10-17 08:10:05,stdout,Running as nonrootuser

2019-10-17 08:10:05,stdout,

2019-10-17 08:10:05,stdout, == by github.com/qdm12 - Quentin McGaw
==

2019-10-17 08:10:05,stdout,
=====

2019-10-17 08:10:05,stdout,
=====

2019-10-17 08:10:05,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===

2019-10-17 08:10:05,stdout,
=====

2019-10-17 08:10:05,stdout,
=====

2019-10-17 08:10:03,stdout,
=====

2019-10-17 08:10:03,stdout, Unbound exit with status 137

2019-10-17 08:10:03,stdout,
=====

2019-10-17 08:10:03,stdout,
2019-10-17 08:10:03,stdout,Killed
2019-10-17 08:10:03,stdout,[1571299803] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:10:03,stdout,[1571299803] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:10:03,stdout,[1571299803] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:10:03,stdout,[1571299803] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:10:03,stdout,[1571299803] unbound[56:0] notice: Start
of unbound 1.9.4.
2019-10-17 08:10:03,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"
2019-10-17 08:10:02,stdout,8146 NSA hostnames blacklisted
2019-10-17 08:10:02,stdout,NSA hostnames blocking is on
2019-10-17 08:10:02,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted
2019-10-17 08:10:01,stdout,Malicious hostnames and ips blocking is
on
2019-10-17 08:10:01,stdout,Verbosity details level set to 4 on 4
2019-10-17 08:10:01,stdout,Verbosity level set to 1 on 5
2019-10-17 08:10:01,stdout,Caching is off
2019-10-17 08:10:01,stdout,Unbound listening UDP port: 53
2019-10-17 08:10:01,stdout,Unbound DNS server: cleanbrowsing
2019-10-17 08:10:01,stdout,Unbound version: 1.9.4
2019-10-17 08:10:01,stdout,Running as nonrootuser
2019-10-17 08:10:01,stdout,
2019-10-17 08:10:01,stdout, == by github.com/qdm12 - Quentin McGaw
==
2019-10-17 08:10:01,stdout,

```
=====  
2019-10-17 08:10:01,stdout,  
=====  
2019-10-17 08:10:01,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER  
===  
2019-10-17 08:10:01,stdout,  
=====  
2019-10-17 08:10:00,stdout,  
=====  
2019-10-17 08:09:58,stdout,  
=====  
2019-10-17 08:09:58,stdout, Unbound exit with status 137  
2019-10-17 08:09:58,stdout,  
=====  
2019-10-17 08:09:58,stdout,  
2019-10-17 08:09:58,stdout,Killed  
2019-10-17 08:09:58,stdout,[1571299798] unbound[57:0] debug:  
creating tcp4 socket 0.0.0.0 53  
2019-10-17 08:09:58,stdout,[1571299798] unbound[57:0] debug:  
creating udp4 socket 0.0.0.0 53  
2019-10-17 08:09:58,stdout,[1571299798] unbound[57:0] debug:  
creating tcp4 socket 0.0.0.0 53  
2019-10-17 08:09:58,stdout,[1571299798] unbound[57:0] debug:  
creating udp4 socket 0.0.0.0 53  
2019-10-17 08:09:58,stdout,[1571299798] unbound[57:0] notice: Start  
of unbound 1.9.4.  
2019-10-17 08:09:58,stdout,"Unbound private addresses:  
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16, :  
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96  
"  
2019-10-17 08:09:57,stdout,8146 NSA hostnames blacklisted  
2019-10-17 08:09:57,stdout,NSA hostnames blocking is on  
2019-10-17 08:09:57,stdout,152222 malicious hostnames and 16879  
malicious IP addresses blacklisted  
2019-10-17 08:09:55,stdout,Malicious hostnames and ips blocking is  
on
```

2019-10-17 08:09:55,stdout,Verbosity details level set to 4 on 4
2019-10-17 08:09:55,stdout,Verbosity level set to 1 on 5
2019-10-17 08:09:55,stdout,Caching is off
2019-10-17 08:09:55,stdout,Unbound listening UDP port: 53
2019-10-17 08:09:55,stdout,Unbound DNS server: cleanbrowsing
2019-10-17 08:09:55,stdout,Unbound version: 1.9.4
2019-10-17 08:09:55,stdout,Running as nonrootuser
2019-10-17 08:09:55,stdout,
2019-10-17 08:09:55,stdout, == by github.com/qdm12 - Quentin McGaw
==
2019-10-17 08:09:55,stdout,
=====
2019-10-17 08:09:55,stdout,
=====
2019-10-17 08:09:55,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===
2019-10-17 08:09:55,stdout,
=====
2019-10-17 08:09:55,stdout,
=====
2019-10-17 08:09:54,stdout,
=====
2019-10-17 08:09:54,stdout, Unbound exit with status 137
2019-10-17 08:09:54,stdout,
=====
2019-10-17 08:09:54,stdout,
2019-10-17 08:09:54,stdout,Killed
2019-10-17 08:09:54,stdout,[1571299794] unbound[56:0] debug:
creating tcp4 socket 0.0.0.0 53
2019-10-17 08:09:54,stdout,[1571299794] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53
2019-10-17 08:09:54,stdout,[1571299794] unbound[56:0] debug:

creating tcp4 socket 0.0.0.0 53

2019-10-17 08:09:54,stdout,[1571299794] unbound[56:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:09:54,stdout,[1571299794] unbound[56:0] notice: Start
of unbound 1.9.4.

2019-10-17 08:09:54,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16, :
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"

2019-10-17 08:09:52,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:09:52,stdout,NSA hostnames blocking is on

2019-10-17 08:09:52,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted

2019-10-17 08:09:51,stdout,Malicious hostnames and ips blocking is
on

2019-10-17 08:09:51,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:09:51,stdout,Verbosity level set to 1 on 5

2019-10-17 08:09:51,stdout,Caching is off

2019-10-17 08:09:51,stdout,Unbound listening UDP port: 53

2019-10-17 08:09:51,stdout,Unbound DNS server: cleanbrowsing

2019-10-17 08:09:51,stdout,Unbound version: 1.9.4

2019-10-17 08:09:51,stdout,Running as nonrootuser

2019-10-17 08:09:51,stdout,

2019-10-17 08:09:51,stdout, == by github.com/qdm12 - Quentin McGaw
==

2019-10-17 08:09:51,stdout,
=====

2019-10-17 08:09:51,stdout,
=====

2019-10-17 08:09:51,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===

2019-10-17 08:09:51,stdout,
=====

2019-10-17 08:09:51,stdout,

```
=====
2019-10-17 08:09:49,stdout,
=====

2019-10-17 08:09:49,stdout, Unbound exit with status 137

2019-10-17 08:09:49,stdout,
=====

2019-10-17 08:09:49,stdout,

2019-10-17 08:09:49,stdout,Killed

2019-10-17 08:09:49,stdout,[1571299789] unbound[58:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:09:49,stdout,[1571299789] unbound[58:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:09:49,stdout,[1571299789] unbound[58:0] debug:
creating tcp4 socket 0.0.0.0 53

2019-10-17 08:09:49,stdout,[1571299789] unbound[58:0] debug:
creating udp4 socket 0.0.0.0 53

2019-10-17 08:09:49,stdout,[1571299789] unbound[58:0] notice: Start
of unbound 1.9.4.

2019-10-17 08:09:49,stdout,"Unbound private addresses:
127.0.0.1/8,10.0.0.0/8,172.16.0.0/12,192.168.0.0/16,169.254.0.0/16,:
:1/128,fc00::/7,fe80::/10,::ffff:0:0/96
"

2019-10-17 08:09:48,stdout,8146 NSA hostnames blacklisted

2019-10-17 08:09:48,stdout,NSA hostnames blocking is on

2019-10-17 08:09:48,stdout,152222 malicious hostnames and 16879
malicious IP addresses blacklisted

2019-10-17 08:09:46,stdout,Malicious hostnames and ips blocking is
on

2019-10-17 08:09:46,stdout,Verbosity details level set to 4 on 4

2019-10-17 08:09:46,stdout,Verbosity level set to 1 on 5

2019-10-17 08:09:46,stdout,Caching is off

2019-10-17 08:09:46,stdout,Unbound listening UDP port: 53

2019-10-17 08:09:46,stdout,Unbound DNS server: cleanbrowsing

2019-10-17 08:09:46,stdout,Unbound version: 1.9.4
```

2019-10-17 08:09:46,stdout,Running as nonrootuser

2019-10-17 08:09:46,stdout,

2019-10-17 08:09:46,stdout, == by github.com/qdm12 - Quentin McGaw
==

2019-10-17 08:09:46,stdout,
=====

2019-10-17 08:09:46,stdout,
=====

2019-10-17 08:09:46,stdout, === CLOUDFLARE DNS OVER TLS CONTAINER
===

2019-10-17 08:09:46,stdout,
=====

2019-10-17 08:09:46,stdout,
=====