
Lab Report #5


Task 1. Add a CHECK constraint to passenger table to provide that passengers must be at least 10 years old.

Query & Result:




Task 2. Add a CHECK constraint to accept values in booking price not more than 50000tg and less than 0tg.

Query & Result:




Task 3. Add a CHECK constraint to accept the luggage weight between 1 and 23 kg.

Query & Result:




Task 4. Add a CHECK constraint to ensure that all values in airport_name must have at least 10 characters.

Query & Result:




Task 5. Add UNIQUE constraint to some columns in each table in database.

Query & Result:




Task 6. Add a CHECK constraint to ensure that male passengers must be at least 18 years old and female passengers must be 19 years old.

Query & Result:



Task 7. Add a CHECK constraint to add rule as follow (use column country_of_citizenship): Passengers from Kazakhstan must be at least 18 years old. Passengers from France must be at least 17 years old. Passengers from other countries must be at least 19 years old.


Query & Result:



Task 8. Add a ticket_discount column to table booking and a CHECK constraint to apply some discount based on ticket price and created time: the constraint

applies a 5% discount for tickets created after 2024-01-01, and 10% discount for tickets created before 2024-01-01.

Query & Result:



Task 9. Modify the booking table so that the booking status column has a default value of 'Confirmed'. Then insert a new booking without specifying booking status.

SQL Query:

```
ALTER TABLE booking
ALTER COLUMN status SET DEFAULT 'Confirmed';

INSERT INTO booking (flight_id, passenger_id, booking_platform,
created_at, updated_at, ticket_price)
VALUES (1, 1, 'Website', now(), now(), 25000);

SELECT * FROM booking ORDER BY booking_id DESC LIMIT 1;
```


The status column is left out of the INSERT entirely, so PostgreSQL fills it in automatically with the new default, 'Confirmed'. The final SELECT just shows the inserted row to confirm it worked.

Query Result:

[Insert full-page screenshot of the query and its result here]

Task 10. Modify the appropriate date column in the database so that when a new record is inserted, the date is automatically set to the current date.

Query & Result:


pgAdmin 4
Object Tools Edit View Window Help
Пн, 12 окт. 12:24
pgAdmin 4
Object Explorer
Servers
airport_lab/zamanbek@PostgreSQL 18*
airport_lab/zamanbek@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
1 ALTER TABLE booking
2 ALTER COLUMN created_at SET DEFAULT now();
Data Output
Messages
Notifications
ALTER TABLE
Query returned successfully in 37 msec.
Total rows:
Query complete 00:00:00.037
Query returned successfully in 37 msec.
LF
Ln 2, Col 43