CompeteNow: a Tournament Organization Platform

Milestone: Implementation in MySQL
Group 24

Charles Schatmeyer
716-713-1492
schatmeyer.c@northeastern.edu

Percentage of Effort Contributed by Student1: 100%

Signature of Student 1:

Submission Date: 10/23/2024

Code:

```sql
DROP database if exists competition;
CREATE DATABASE IF NOT EXISTS competition;

USE competition;

CREATE TABLE IF NOT EXISTS user (
    userID int NOT NULL UNIQUE AUTO_INCREMENT PRIMARY KEY,
    name varchar(50) NOT NULL,
    location text,
    gender varchar(75) NOT NULL,
    email text,
    age int
);

CREATE TABLE IF NOT EXISTS team_manager (
    teamManagerID int NOT NULL UNIQUE,
    foreign key (teamManagerID) references user (userID) on update cascade on
delete cascade
);

CREATE TABLE IF NOT EXISTS player (
    playerID int NOT NULL UNIQUE,
    foreign key (playerID) references user (userID) on update cascade on delete
cascade
);

CREATE TABLE IF NOT EXISTS venue_manager (
    venueManagerID int NOT NULL UNIQUE,
    foreign key (venueManagerID) references user (userID) on update cascade on
delete cascade
);

CREATE TABLE IF NOT EXISTS spectator (
    spectatorID int NOT NULL UNIQUE,
    foreign key (spectatorID) references user (userID) on update cascade on
delete cascade
);

CREATE TABLE IF NOT EXISTS tournament_organizer (
    tournamentOrganizerID int NOT NULL UNIQUE,
    foreign key (tournamentOrganizerID) references user (userID) on update
cascade on delete cascade
);
```

```sql
CREATE TABLE IF NOT EXISTS venue (
    venueID int NOT NULL UNIQUE AUTO_INCREMENT PRIMARY KEY,
    size text,
    name text,
    hours text,
    location text,
    venueManager int NOT NULL,
    foreign key (venueManager) references venue_manager (venueManagerID) on
update cascade on delete cascade
);

CREATE TABLE IF NOT EXISTS sport (
    sportID int NOT NULL UNIQUE AUTO_INCREMENT PRIMARY KEY,
    name text
);

CREATE TABLE IF NOT EXISTS spectator_follows (
    sport int NOT NULL,
    spectator int NOT NULL,
    foreign key (sport) references sport (sportID) on update cascade on delete
cascade,
    foreign key (spectator) references spectator (spectatorID) on update cascade
on delete cascade
);

CREATE TABLE IF NOT EXISTS tournament (
    tournamentID int NOT NULL UNIQUE AUTO_INCREMENT PRIMARY KEY,
    prize text,
    name text,
    location text,
    organizer int,
    sport int,
    foreign key (organizer) references tournament_organizer
(tournamentOrganizerID) on update cascade,
    foreign key (sport) references sport (sportID) on update cascade
);

CREATE TABLE IF NOT EXISTS team (
    teamID int NOT NULL UNIQUE AUTO_INCREMENT PRIMARY KEY,
    name text,
    location text,
    manager int NOT NULL,
    foreign key (manager) references team_manager (teamManagerID) on update
cascade on delete cascade
);
```

```sql
CREATE TABLE IF NOT EXISTS team_player (
    teamID int NOT NULL,
    playerID int NOT NULL,
    foreign key (teamID) references team (teamID) on update cascade on delete
cascade,
    foreign key (playerID) references player (playerID) on update cascade on
delete cascade
);

CREATE TABLE IF NOT EXISTS match_gen (
    matchID int NOT NULL UNIQUE AUTO_INCREMENT PRIMARY KEY,
    time text,
    scoreAlpha int,
    scoreBeta int,
    venueID int,
    tournamentID int NOT NULL,
    foreign key (venueID) references venue (venueID) on update cascade,
    foreign key (tournamentID) references tournament (tournamentID) on update
cascade on delete cascade
);

CREATE TABLE IF NOT EXISTS teams_match (
    matchID int not null UNIQUE,
    teamAlpha int not null,
    teamBeta int not null,
    foreign key (matchID) references match_gen (matchID) on update cascade on
delete cascade,
    foreign key (teamAlpha) references team (teamID) on update cascade on delete
cascade,
    foreign key (teamBeta) references team (teamID) on update cascade on delete
cascade
);

CREATE TABLE IF NOT EXISTS individuals_match (
    matchID int not null UNIQUE,
    playerAlpha int not null,
    playerBeta int not null,
    foreign key (matchID) references match_gen (matchID) on update cascade on
delete cascade,
    foreign key (playerAlpha) references player (playerID) on update cascade on
delete cascade,
    foreign key (playerBeta) references player (playerID) on update cascade on
delete cascade
);
```

Diagram:

Data:

```sql
-- Generated with Mockaroo and ChatGPT

USE competition;

-- User
insert into user (userID, name, location, gender, email, age) values (1,
'Jamima Colbourn', 'Alabama', 'Female', 'jcolbourn0@miibeian.gov.cn', 37);
insert into user (userID, name, location, gender, email, age) values (2,
'Jonathon Westmancoat', 'Washington', 'Male', 'jwestmancoat1@bbc.co.uk', 81);
insert into user (userID, name, location, gender, email, age) values (3,
'Theadora Duckit', 'Ohio', 'Female', 'tduckit2@trellian.com', 20);
insert into user (userID, name, location, gender, email, age) values (4,
'Berkeley Pears', 'Iowa', 'Male', 'bpears3@amazonaws.com', 61);
insert into user (userID, name, location, gender, email, age) values (5, 'Chic
Wasbrough', 'Indiana', 'Male', 'cwasbrough4@ustream.tv', 74);
insert into user (userID, name, location, gender, email, age) values (6,
'Bradan Edgeworth', 'Florida', 'Male', 'bedgeworth5@infoseek.co.jp', 15);
insert into user (userID, name, location, gender, email, age) values (7, 'Rose
Maliphant', 'Georgia', 'Female', 'rmaliphant6@un.org', 36);
insert into user (userID, name, location, gender, email, age) values (8, 'Leroy
Simmons', 'Alabama', 'Male', 'lsimmons7@alibaba.com', 80);
insert into user (userID, name, location, gender, email, age) values (9,
'Missie Deverill', 'Connecticut', 'Female', 'mdeverill8@etsy.com', 47);
insert into user (userID, name, location, gender, email, age) values (10,
'Lorry Mansour', 'Texas', 'Female', 'lmansour9@tinyurl.com', 71);
insert into user (userID, name, location, gender, email, age) values (11,
'Vicki de Glanville', 'Texas', 'Female', 'vdea@wikimedia.org', 59);
insert into user (userID, name, location, gender, email, age) values (12, 'Gale
Tewnion', 'Texas', 'Male', 'gtewnionb@pen.io', 54);
insert into user (userID, name, location, gender, email, age) values (13,
'Kathi Gimenez', 'Minnesota', 'Female', 'kgimenezc@nymag.com', 50);
insert into user (userID, name, location, gender, email, age) values (14,
'Merrill Heed', 'California', 'Male', 'mheedd@sun.com', 43);
insert into user (userID, name, location, gender, email, age) values (15,
'Lucita Coomes', 'South Dakota', 'Female', 'lcoomese@arizona.edu', 63);
insert into user (userID, name, location, gender, email, age) values (16,
'Hubert Seiffert', 'Minnesota', 'Male', 'hseiffertf@reddit.com', 23);
insert into user (userID, name, location, gender, email, age) values (17,
'Vannie Davydzenko', 'Texas', 'Genderfluid', 'vdavydzenkog@sitemeter.com', 52);
insert into user (userID, name, location, gender, email, age) values (18,
'Billy Mudie', 'Oklahoma', 'Female', 'bmudieh@timesonline.co.uk', 56);
insert into user (userID, name, location, gender, email, age) values (19,
'Portia Vallack', 'District of Columbia', 'Female', 'pvallacki@ning.com', 67);
insert into user (userID, name, location, gender, email, age) values (20,
'Vanya Franken', 'California', 'Female', 'vfrankenj@auda.org.au', 53);
insert into user (userID, name, location, gender, email, age) values (21,
'Jefferson Vaugham', 'Florida', 'Male', 'jvaughamk@abc.net.au', 10);
```

```sql
insert into user (userID, name, location, gender, email, age) values (22, 'Garv
Levinge', 'Florida', 'Male', 'glevingel@tinypic.com', 17);
insert into user (userID, name, location, gender, email, age) values (23, 'Kit
Leach', 'Georgia', 'Male', 'kleachm@twitpic.com', 48);
insert into user (userID, name, location, gender, email, age) values (24,
'Frazier Blandamere', 'Texas', 'Male', 'fblandameren@fc2.com', 36);
insert into user (userID, name, location, gender, email, age) values (25,
'Genia Maleham', 'Arkansas', 'Female', 'gmalehamo@ted.com', 70);
insert into user (userID, name, location, gender, email, age) values (26,
'Teddy Apark', 'Indiana', 'Male', 'taparkp@businesswire.com', 57);
insert into user (userID, name, location, gender, email, age) values (27,
'Kathryne Horning', 'Georgia', 'Female', 'khorningq@themeforest.net', 15);
insert into user (userID, name, location, gender, email, age) values (28,
'Innis Sudy', 'New York', 'Male', 'isudyr@slashdot.org', 90);
insert into user (userID, name, location, gender, email, age) values (29, 'Kev
Olley', 'Oregon', 'Male', 'kolleys@washingtonpost.com', 12);
insert into user (userID, name, location, gender, email, age) values (30,
'Lynnea Tireman', 'Massachusetts', 'Female', 'ltiremant@gov.uk', 18);
insert into user (userID, name, location, gender, email, age) values (31,
'Marnie Grinston', 'Florida', 'Agender', 'mgrinstonu@nature.com', 84);
insert into user (userID, name, location, gender, email, age) values (32,
'Jolene Kenealy', 'Texas', 'Female', 'jkenealyv@blinklist.com', 62);
insert into user (userID, name, location, gender, email, age) values (33,
'Kaylyn Volant', 'Arizona', 'Female', 'kvolantw@digg.com', 31);
insert into user (userID, name, location, gender, email, age) values (34,
'Jeffie Scutching', 'Connecticut', 'Male', 'jscutchingx@loc.gov', 47);
insert into user (userID, name, location, gender, email, age) values (35,
'Corella Dabbes', 'South Dakota', 'Female', 'cdabbesy@nih.gov', 40);
insert into user (userID, name, location, gender, email, age) values (36,
'Malina Grocott', 'Arizona', 'Female', 'mgrocottz@webeden.co.uk', 66);
insert into user (userID, name, location, gender, email, age) values (37,
'Kirbee Fivey', 'Pennsylvania', 'Female', 'kfivey10@photobucket.com', 20);
insert into user (userID, name, location, gender, email, age) values (38,
'Krishna Row', 'Minnesota', 'Male', 'krow11@blogs.com', 17);
insert into user (userID, name, location, gender, email, age) values (39,
'Ahmad Deluce', 'Virginia', 'Male', 'adeluce12@ow.ly', 42);
insert into user (userID, name, location, gender, email, age) values (40,
'Fulton Hindge', 'New Hampshire', 'Male', 'fhindge13@hp.com', 63);
insert into user (userID, name, location, gender, email, age) values (41,
'Barnabas Covolini', 'Massachusetts', 'Agender', 'bcovolini14@people.com.cn',
45);
insert into user (userID, name, location, gender, email, age) values (42,
'Ogdon Strachan', 'Texas', 'Male', 'ostrachan15@godaddy.com', 64);
insert into user (userID, name, location, gender, email, age) values (43,
'Sharia Parzizek', 'New York', 'Female', 'sparzizek16@taobao.com', 21);
insert into user (userID, name, location, gender, email, age) values (44,
'Adora Lembrick', 'Massachusetts', 'Female', 'alembrick17@imgur.com', 57);
insert into user (userID, name, location, gender, email, age) values (45,
'Granville Elderidge', 'Ohio', 'Male', 'gelderidge18@tripadvisor.com', 86);
```

```sql
insert into user (userID, name, location, gender, email, age) values (46, 'Arty Marston', 'North Carolina', 'Male', 'amarston19@ucla.edu', 22);
insert into user (userID, name, location, gender, email, age) values (47, 'Lesly Bransgrove', 'Virginia', 'Female', 'lbransgrove1a@aol.com', 23);
insert into user (userID, name, location, gender, email, age) values (48, 'Melisenda Reed', 'Ohio', 'Polygender', 'mreed1b@booking.com', 21);
insert into user (userID, name, location, gender, email, age) values (49, 'Gideon Shuttell', 'Michigan', 'Male', 'gshuttell1c@zimbio.com', 77);
insert into user (userID, name, location, gender, email, age) values (50, 'Pattie Conew', 'South Carolina', 'Male', 'pconew1d@wordpress.org', 80);
insert into user (userID, name, location, gender, email, age) values (51, 'Deerdre Lammas', 'Texas', 'Female', 'dlammas1e@mlb.com', 13);
insert into user (userID, name, location, gender, email, age) values (52, 'Pearla Cusiter', 'Missouri', 'Female', 'pcusiter1f@cmu.edu', 51);
insert into user (userID, name, location, gender, email, age) values (53, 'Abie Dawid', 'Tennessee', 'Male', 'adawid1g@xing.com', 47);
insert into user (userID, name, location, gender, email, age) values (54, 'Jud Roe', 'Pennsylvania', 'Male', 'jroe1h@illinois.edu', 81);
insert into user (userID, name, location, gender, email, age) values (55, 'Ashley Enefer', 'Texas', 'Female', 'aenefer1i@netvibes.com', 66);
insert into user (userID, name, location, gender, email, age) values (56, 'Analiese Bathoe', 'Pennsylvania', 'Female', 'abathoe1j@gravatar.com', 15);
insert into user (userID, name, location, gender, email, age) values (57, 'Odille Truter', 'Hawaii', 'Female', 'otruter1k@shop-pro.jp', 20);
insert into user (userID, name, location, gender, email, age) values (58, 'Ginevra Picot', 'Maryland', 'Female', 'gpicot1l@uiuc.edu', 46);
insert into user (userID, name, location, gender, email, age) values (59, 'Benyamin Pavek', 'Texas', 'Male', 'bpavek1m@dot.gov', 58);
insert into user (userID, name, location, gender, email, age) values (60, 'Jaye Jovicevic', 'Tennessee', 'Male', 'jjovicevic1n@liveinternet.ru', 55);
insert into user (userID, name, location, gender, email, age) values (61, 'Emmett Laban', 'Florida', 'Male', 'elaban1o@altervista.org', 57);
insert into user (userID, name, location, gender, email, age) values (62, 'Pippa Starmore', 'Tennessee', 'Female', 'pstarmore1p@answers.com', 53);
insert into user (userID, name, location, gender, email, age) values (63, 'Granger Palfreman', 'Texas', 'Non-binary', 'gpalfreman1q@1und1.de', 37);
insert into user (userID, name, location, gender, email, age) values (64, 'Lia Prendergrass', 'Nevada', 'Female', 'lprendergrass1r@networksolutions.com', 72);
insert into user (userID, name, location, gender, email, age) values (65, 'Ursala O''Longain', 'California', 'Female', 'uolongain1s@nih.gov', 22);
insert into user (userID, name, location, gender, email, age) values (66, 'Baudoin Sehorsch', 'Oklahoma', 'Male', 'bsehorsch1t@intel.com', 19);
insert into user (userID, name, location, gender, email, age) values (67, 'Ancell Fitzsymonds', 'Texas', 'Male', 'afitzsymonds1u@usda.gov', 25);
insert into user (userID, name, location, gender, email, age) values (68, 'Rodge Polleye', 'California', 'Male', 'rpolleye1v@issuu.com', 55);
insert into user (userID, name, location, gender, email, age) values (69, 'Christin Rogerson', 'Texas', 'Female', 'crogerson1w@opensource.org', 41);
```

```sql
insert into user (userID, name, location, gender, email, age) values (70, 'Mei
Caunter', 'Illinois', 'Female', 'mcaunter1x@geocities.com', 48);
insert into user (userID, name, location, gender, email, age) values (71, 'Rae
MacCostye', 'Illinois', 'Female', 'rmaccostye1y@opera.com', 73);
insert into user (userID, name, location, gender, email, age) values (72,
'Geneva Rogister', 'Texas', 'Female', 'grogister1z@deviantart.com', 41);
insert into user (userID, name, location, gender, email, age) values (73,
'Terra Perillio', 'Tennessee', 'Non-binary', 'tperillio20@usnews.com', 31);
insert into user (userID, name, location, gender, email, age) values (74,
'Hulda Elsmore', 'Indiana', 'Female', 'helsmore21@oaic.gov.au', 22);
insert into user (userID, name, location, gender, email, age) values (75,
'Beverlee Colbron', 'California', 'Female', 'bcolbron22@google.fr', 15);
insert into user (userID, name, location, gender, email, age) values (76, 'Etta
Stogill', 'Illinois', 'Female', 'estogill23@instagram.com', 35);
insert into user (userID, name, location, gender, email, age) values (77,
'Monty Paradise', 'Tennessee', 'Male', 'mparadise24@businessweek.com', 48);
insert into user (userID, name, location, gender, email, age) values (78,
'Merrill Jewer', 'New Jersey', 'Female', 'mjewer25@xing.com', 54);
insert into user (userID, name, location, gender, email, age) values (79, 'Lou
Parades', 'Washington', 'Male', 'lparades26@multiply.com', 75);
insert into user (userID, name, location, gender, email, age) values (80,
'Saraann Quennell', 'South Carolina', 'Non-binary',
'squennell27@cocolog-nifty.com', 80);
insert into user (userID, name, location, gender, email, age) values (81,
'Ronna Allabush', 'Texas', 'Female', 'rallabush28@vistaprint.com', 64);
insert into user (userID, name, location, gender, email, age) values (82, 'Darb
Euston', 'Florida', 'Male', 'deuston29@angelfire.com', 54);
insert into user (userID, name, location, gender, email, age) values (83, 'Sher
Burnet', 'Florida', 'Female', 'sburnet2a@bing.com', 64);
insert into user (userID, name, location, gender, email, age) values (84,
'Poppy Fernier', 'Mississippi', 'Female', 'pfernier2b@4shared.com', 27);
insert into user (userID, name, location, gender, email, age) values (85, 'Yves
Feaveryear', 'Connecticut', 'Male', 'yfeaveryear2c@dyndns.org', 72);
insert into user (userID, name, location, gender, email, age) values (86,
'Simmonds Kupisz', 'New York', 'Male', 'skupisz2d@ning.com', 10);
insert into user (userID, name, location, gender, email, age) values (87,
'Barbabra Capon', 'California', 'Female', 'bcapon2e@wikipedia.org', 22);
insert into user (userID, name, location, gender, email, age) values (88, 'Evey
Shewsmith', 'New Jersey', 'Female', 'eshewsmith2f@mapy.cz', 43);
insert into user (userID, name, location, gender, email, age) values (89,
'Danice Betteridge', 'Georgia', 'Female', 'dbetteridge2g@moonfruit.com', 31);
insert into user (userID, name, location, gender, email, age) values (90,
'Gradeigh Hackwell', 'California', 'Male', 'ghackwell2h@eepurl.com', 23);
insert into user (userID, name, location, gender, email, age) values (91,
'Cathie Stocks', 'Louisiana', 'Polygender', 'cstocks2i@mashable.com', 33);
insert into user (userID, name, location, gender, email, age) values (92,
'Viviyan Pedder', 'Virginia', 'Non-binary', 'vpedder2j@narod.ru', 36);
insert into user (userID, name, location, gender, email, age) values (93, 'Che
Jorat', 'New Mexico', 'Genderqueer', 'cjorat2k@trellian.com', 66);
```

```sql
insert into user (userID, name, location, gender, email, age) values (94,
'Tarah Poynser', 'Virginia', 'Female', 'tpoynser2l@va.gov', 31);
insert into user (userID, name, location, gender, email, age) values (95, 'Dick
Karpfen', 'Arkansas', 'Male', 'dkarpfen2m@statcounter.com', 26);
insert into user (userID, name, location, gender, email, age) values (96,
'Wernher Arch', 'Michigan', 'Male', 'warch2n@mozilla.org', 28);
insert into user (userID, name, location, gender, email, age) values (97,
'Morissa Laundon', 'Montana', 'Female', 'mlaundon2o@mit.edu', 76);
insert into user (userID, name, location, gender, email, age) values (98, 'Flo
Janney', 'Texas', 'Female', 'fjanney2p@hc360.com', 44);
insert into user (userID, name, location, gender, email, age) values (99,
'Teriann Mucklestone', 'Louisiana', 'Female', 'tmucklestone2q@about.me', 80);
insert into user (userID, name, location, gender, email, age) values (100,
'Odella Brogini', 'Texas', 'Female', 'obrogini2r@rakuten.co.jp', 21);

-- Team Manager
INSERT INTO team_manager (teamManagerID) VALUES (1), (2), (11), (12), (21),
(22),
                                                (31), (32), (41), (42), (51),
(52);

-- Player
INSERT INTO player (playerID) VALUES (1), (2), (3), (4), (6), (7),
                                     (8), (10), (11), (12), (13), (15),
                                     (17), (18), (19), (20), (21), (23),
                                     (24), (25), (26), (28), (29), (30),
                                     (31), (32), (34), (35), (36), (37),
                                     (38), (40), (41), (42), (44), (45),
                                     (46), (47), (48), (50), (51), (52),
                                     (53), (54), (55), (57), (58), (59),
                                     (60), (61), (63), (64), (65), (66),
                                     (67), (69), (70), (71), (72), (73),
                                     (75), (76), (77), (78), (79), (81),
                                     (82), (83), (84), (85), (87), (88),
                                     (89), (90), (91), (93), (94), (95);

-- Venue Manager
INSERT INTO venue_manager (venueManagerID) VALUES (8), (90), (96), (97), (98),
(99), (100);

-- Spectator
INSERT INTO spectator (spectatorID) VALUES (5), (6), (9), (15), (16), (19),
                                           (25), (26), (29), (35), (36), (39),
                                           (45), (46), (49), (55), (56), (59),
                                           (65), (66), (69), (75), (76), (79),
                                           (85), (86), (89), (95), (96), (99);

-- Tournament Organizer
```

```sql
INSERT INTO tournament_organizer (tournamentOrganizerID) VALUES (2), (10),
(20), (50), (60);

-- Venue
INSERT INTO venue (venueID, size, name, hours, location, venueManager) VALUES
(1, 'Large', 'Stadium A', '9AM - 9PM', 'Location A', 8),
(2, 'Medium', 'Arena B', '10AM - 6PM', 'Location B', 8),
(3, 'Small', 'Gym C', '7AM - 8PM', 'Location C', 8),
(4, 'Large', 'Field D', '9AM - 9PM', 'Location D', 90),
(5, 'Medium', 'Court E', '8AM - 8PM', 'Location E', 90),
(6, 'Large', 'Stadium F', '10AM - 6PM', 'Location F', 96),
(7, 'Small', 'Arena G', '7AM - 7PM', 'Location G', 96),
(8, 'Medium', 'Hall H', '9AM - 9PM', 'Location H', 96),
(9, 'Large', 'Stadium I', '10AM - 10PM', 'Location I', 96),
(10, 'Small', 'Gym J', '8AM - 6PM', 'Location J', 96),
(11, 'Large', 'Arena K', '9AM - 9PM', 'Location K', 97),
(12, 'Medium', 'Stadium L', '10AM - 8PM', 'Location L', 97),
(13, 'Small', 'Field M', '7AM - 7PM', 'Location M', 97),
(14, 'Large', 'Court N', '9AM - 9PM', 'Location N', 98),
(15, 'Medium', 'Gym O', '8AM - 8PM', 'Location O', 98),
(16, 'Large', 'Stadium P', '10AM - 6PM', 'Location P', 99),
(17, 'Small', 'Arena Q', '9AM - 7PM', 'Location Q', 99),
(18, 'Medium', 'Court R', '7AM - 9PM', 'Location R', 99),
(19, 'Large', 'Field S', '10AM - 10PM', 'Location S', 99),
(20, 'Small', 'Gym T', '8AM - 8PM', 'Location T', 100);

-- Sport
INSERT INTO sport (sportID, name) VALUES
(1, 'Tennis'),
(2, 'Boxing'),
(3, 'Ping Pong'),
(4, 'Soccer'),
(5, 'Baseball'),
(6, 'Basketball'),
(7, 'Hockey'),
(8, 'Football');

-- Spectator Follows
INSERT INTO spectator_follows (sport, spectator) VALUES
(55, 4), (25, 6), (76, 1), (49, 1), (66, 7), (25, 1), (39, 6), (49, 3),
(6, 5), (79, 8), (85, 3), (56, 4), (49, 3), (19, 8), (65, 1), (15, 2),
(76, 6), (29, 3), (16, 3), (45, 2), (79, 6), (46, 8), (85, 5), (49, 5),
(5, 5), (69, 1), (66, 2), (89, 1), (16, 7), (89, 7), (59, 8), (16, 8),
(76, 2), (75, 4), (76, 5), (25, 1), (5, 8), (25, 5), (69, 1), (16, 5),
(69, 5), (99, 4), (29, 2), (6, 3), (99, 5), (9, 5), (85, 2), (19, 4),
(66, 1), (76, 3), (65, 8), (75, 7), (36, 7), (89, 4), (9, 6), (5, 4),
(15, 8), (96, 3), (59, 8), (76, 5), (35, 6), (55, 5), (99, 1), (19, 5),
(19, 3), (65, 1), (39, 4), (46, 5), (65, 4), (19, 1), (55, 1), (96, 4),
(26, 1), (35, 8), (45, 2), (76, 2), (16, 2), (69, 1), (69, 8), (36, 4),
```

```sql
(56, 5), (26, 7), (79, 8), (45, 8), (39, 7), (6, 1), (76, 2), (59, 1),
(79, 1), (9, 5), (25, 7), (95, 1), (5, 5), (39, 5), (35, 2), (19, 1),
(56, 6), (15, 8), (96, 1), (16, 5);

-- Tournament
INSERT INTO tournament (tournamentID, prize, name, location, organizer, sport)
VALUES
(1, '10,000', 'Championship 1', 'City A', 2, 1),
(2, '5,000', 'Tournament B', 'City B', 2, 2),
(3, '7,000', 'Tournament C', 'City C', 2, 3),
(4, '15,000', 'Championship D', 'City D', 2, 4),
(5, '12,000', 'Cup E', 'City E', 2, 5),
(6, '10,000', 'League F', 'City F', 2, 6),
(7, '6,000', 'Cup G', 'City G', 10, 7),
(8, '8,000', 'League H', 'City H', 10, 8),
(9, '14,000', 'Tournament I', 'City I', 20, 1),
(10, '9,000', 'Cup J', 'City J', 20, 2),
(11, '11,000', 'League K', 'City K', 20, 3),
(12, '13,000', 'Tournament L', 'City L', 20, 4),
(13, '16,000', 'Championship M', 'City M', 20, 5),
(14, '18,000', 'Tournament N', 'City N', 20, 6),
(15, '10,000', 'Cup O', 'City O', 20, 7),
(16, '20,000', 'League P', 'City P', 20, 8),
(17, '22,000', 'Championship Q', 'City Q', 20, 1),
(18, '25,000', 'Tournament R', 'City R', 20, 2),
(19, '30,000', 'League S', 'City S', 20, 3),
(20, '35,000', 'Cup T', 'City T', 50, 4);

-- Team
INSERT INTO team (teamID, name, location, manager) VALUES
(1, 'Team A', 'California', 12),
(2, 'Team B', 'Texas', 51),
(3, 'Team C', 'Florida', 22),
(4, 'Team D', 'New York', 31),
(5, 'Team E', 'Illinois', 42),
(6, 'Team F', 'Ohio', 2),
(7, 'Team G', 'Georgia', 41),
(8, 'Team H', 'Michigan', 32),
(9, 'Team I', 'North Carolina', 12),
(10, 'Team J', 'Virginia', 21),
(11, 'Team K', 'Washington', 11),
(12, 'Team L', 'Arizona', 51),
(13, 'Team M', 'Tennessee', 42),
(14, 'Team N', 'Indiana', 2),
(15, 'Team O', 'Missouri', 31),
(16, 'Team P', 'Maryland', 32),
(17, 'Team Q', 'Wisconsin', 52),
(18, 'Team R', 'Colorado', 41),
(19, 'Team S', 'Minnesota', 22),
```

```sql
(20, 'Team T', 'South Carolina', 12);

-- Team Player
INSERT INTO team_player (teamID, playerID) VALUES
(12, 25), (18, 17), (8, 28), (18, 17), (1, 1), (18, 87), (4, 88), (20, 91),
(2, 37), (14, 58), (6, 10), (4, 41), (10, 61), (15, 88), (5, 44), (9, 73),
(5, 93), (2, 54), (20, 94), (11, 70), (5, 58), (7, 84), (7, 30), (7, 46),
(20, 46), (19, 15), (20, 72), (7, 2), (7, 84), (8, 3), (9, 94), (8, 21),
(20, 59), (20, 58), (15, 77), (4, 89), (5, 25), (19, 95), (3, 25), (18, 20),
(13, 47), (1, 10), (18, 34), (6, 17), (16, 46), (6, 29), (18, 24), (6, 26),
(3, 18), (16, 52), (4, 75), (10, 23), (14, 58), (8, 65), (4, 57), (15, 32),
(19, 48), (5, 76), (11, 47), (18, 90), (2, 66), (5, 7), (12, 55), (14, 57),
(6, 93), (5, 95), (16, 71), (12, 60), (19, 72), (17, 76), (5, 34), (4, 17),
(5, 51), (3, 18), (16, 2), (10, 87), (10, 76), (12, 58), (8, 93), (5, 2),
(17, 50), (15, 59), (11, 21), (1, 2), (3, 10), (5, 79), (19, 24), (13, 38),
(16, 37), (18, 76), (11, 23), (14, 78), (2, 17), (13, 41), (6, 48), (15, 75),
(20, 55), (12, 94), (2, 44), (20, 87), (1, 1), (20, 36), (15, 76), (5, 65),
(5, 79), (8, 89), (8, 87), (15, 51), (15, 8), (12, 40), (18, 57), (16, 55),
(17, 37), (19, 90), (1, 4), (5, 60), (1, 67), (3, 47), (13, 17), (10, 35);

-- Match
INSERT INTO match_gen (matchID, time, scoreAlpha, scoreBeta, venueID,
tournamentID)
VALUES
(1, '2024-11-01 10:00', 2, 1, 1, 1),
(2, '2024-11-01 12:00', 3, 2, 2, 2),
(3, '2024-11-02 14:00', 1, 1, 3, 3),
(4, '2024-11-02 16:00', 4, 3, 4, 4),
(5, '2024-11-03 10:00', 0, 0, 5, 5),
(6, '2024-11-03 12:00', 2, 3, 6, 6),
(7, '2024-11-04 14:00', 1, 2, 7, 7),
(8, '2024-11-04 16:00', 3, 1, 8, 8),
(9, '2024-11-05 10:00', 4, 4, 9, 9),
(10, '2024-11-05 12:00', 5, 2, 10, 10),
(11, '2024-11-06 14:00', 1, 1, 11, 11),
(12, '2024-11-06 16:00', 3, 2, 12, 12),
(13, '2024-11-07 10:00', 0, 0, 13, 13),
(14, '2024-11-07 12:00', 2, 3, 14, 14),
(15, '2024-11-08 14:00', 4, 3, 15, 15),
(16, '2024-11-08 16:00', 1, 2, 16, 16),
(17, '2024-11-09 10:00', 3, 4, 17, 17),
(18, '2024-11-09 12:00', 0, 1, 18, 18),
(19, '2024-11-10 14:00', 5, 2, 19, 19),
(20, '2024-11-10 16:00', 4, 4, 20, 20);

-- Teams Match
INSERT INTO teams_match (matchID, teamAlpha, teamBeta)
VALUES
(4, 7, 8),
```

```sql
(5, 9, 10),
(6, 11, 12),
(7, 13, 14),
(8, 15, 16),
(12, 2, 4),
(13, 5, 7),
(14, 6, 8),
(15, 9, 11),
(16, 10, 12),
(20, 18, 20);

-- Individuals Match
INSERT INTO individuals_match (matchID, playerAlpha, playerBeta)
VALUES
(1, 21, 22),
(2, 23, 24),
(3, 25, 26),
(9, 27, 28),
(10, 29, 30),
(11, 31, 32),
(17, 33, 34),
(18, 35, 36),
(19, 37, 38);
```