# SQL Statement:

```sql
select categoryid, sum(quantity*unit) as TotalQuantity, quantity*price as TotalSales
from orderdetails as d, products as p
where d.productid = p.productid
group by d.productid
having TotalQuantity>=2000;
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

# Result:

Number of Records: 43

| CategoryID | TotalQuantity | TotalSales |
|------------|---------------|------------|
| 1 | 8184 | 380 |
| 2 | 5136 | 440 |
| 2 | 4644 | 1387.75 |
| 7 | 6080 | 209.25 |
| 3 | 10816 | 610.75 |
| 6 | 6620 | 1170 |
| 3 | 3180 | 3240 |
| 3 | 3528 | 100 |
| 3 | 23200 | 1561.5 |
| 3 | 9000 | 1097.5 |
| 7 | 4725 | 912 |
| 6 | 8400 | 1237.9 |
| 4 | 5496 | 250 |

| | | |
|---|---|---|
| 4 | 158000 | 62.5 |
| 1 | 2640 | 280 |
| 1 | 8856 | 360 |
| 8 | 4752 | 475 |
| 1 | 2868 | 5270 |
| 1 | 199500 | 756 |
| 8 | 6144 | 919.9999999999 |
| 5 | 2464 | 140 |
| 1 | 2176 | 1150 |
| 2 | 3560 | 311.2 |
| 3 | 4320 | 800 |
| 7 | 8150 | 2120 |
| 6 | 12048 | 491.99999999999994 |
| 6 | 4480 | 74.5 |
| 6 | 5712 | 504 |
| 5 | 6456 | 76 |
| 5 | 4032 | 292.5 |
| 8 | 3720 | 397.5 |
| 4 | 6450 | 1360 |
| 2 | 2544 | 456 |
| 3 | 15600 | 739.5 |
| 2 | 3135 | 351.2 |
| 5 | 3340 | 299.25 |
| 2 | 5600 | 315.75 |
| 2 | 2160 | 510 |
| 1 | 3936 | 315 |
| 4 | 3360 | 430 |

| 4 | 6480 | 174 |
| 1 | 3456 | 232.5 |
| 1 | 99000 | 270 |

# The Try-SQL Editor ?
## at w3schools.com

## Your Database:

| Tablename | Records |
| --- | --- |
| Customers | 91 |
| Categories | 8 |
| Employees | 10 |
| OrderDetails | 518 |
| Orders | 196 |
| Products | 77 |
| Shippers | 3 |
| Suppliers | 29 |

Restore Database

ADVERTISEMENT