

Progress Notes

Updated Jun 22, 2026

Progress Notes by Stacy S at 06/22/26 1050

OCCUPATIONAL THERAPY ASSESSMENT NOTE

Narrative

Pt eagreeable to stand today after she gets to chair with slide board. CGA for bed mobility and sit balances. Min 1 to use slide board to chair with cues and board placement,. Pt has c/o nausea reports from Ozempic and states cannot breath O2 88% after sliding to chair. She stopped moving fully onto center of chair asking for bedpan stood dep 75% 2 to clear half of bottom for placement of bedpan. Pt requiring much extra time and admission staff form Envive came into room to speak with pt while on bedpan . Pt left with Tech and nurse to complete hygiene in chair. Alarm pad under pt needs plugged in after staff done with hygiene assist.

Recommendations

Recommendation: Pt would benefit from continued therapy at a facility level
Equipment Recommended: Rolling walker, Reacher, Sock aid, Long-handled sponge
Barriers to discharge: Decreased cognition/safety awareness, Does not have assist needed for safe mobility/balance, Unable to complete basic hygiene

This discharge disposition is recommended by OT based on this assessment; however, ultimate discharge disposition will be decided collaboratively with patient, caregivers, and multidisciplinary team.

Outcome Measure

Daily Activity Raw Score : 15

Daily Activity T-Scale Score: 34.69

Assessment

Assessment: Decreased ADL status, Decreased UE ROM, Decreased UE strength, Decreased activity tolerance, Decreased self-care trans, Decreased high-level ADLs, Decreased safe judgement during ADL

Plan

OT Frequency: 6x/week

Treatment Interventions: ADL retraining, Functional transfer training, UE strengthening/ROM, Activity tolerance, Patient/Family training, Equipment eval/education,

Compensatory technique education, Energy conservations/work simplification, Breathing techniques, Safety education, HEP

Prior Level of Function

Self Care (New): Needed some help

Indoor Mobility (Ambulation) (New): Needed some help

Stairs (New): Not applicable

Functional Cognition (New): Independent

Who do you live with?: Adult Child (son)

Permanent Residence: Home

Home Layout: One level, Ramped entrance

ADL Assistance

Eating Assistance: Setup or clean-up assistance

Oral Hygiene/Grooming Assistance: Supervision or touching assistance, With extra time

Shower/Bathe self: Substantial/Maximal assistance

UE Dressing Assistance: Partial/moderate assistance, Less than 25% assist needed

LE Dressing Assistance: Substantial/Maximal assistance

Toilet Hygiene: Dependent

Putting on/Taking off footwear: Dependent

Functional Transfers

Rolling left and right: Supervision or touching assistance (CGA)

Lying to sitting on side of bed: Supervision or touching assistance (CGA)

Sitting to lying: Up in chair after treatment

Sit to Stand: Dependent, Less than 75% assist needed, Assist of 2, Adaptive Equipment

Chair/bed to chair transfer: Partial/moderate assistance, Less than 25% assist needed

Balance

Sitting - Static: Supervision or touching assistance

Sitting - Dynamic: Supervision or touching assistance (CGA)

Standing - Static: Dependent, Less than 75% assist needed, Assist of 2

Standing - Dynamic: Unable to assess

Cognition

Overall Cognitive Status: (anxious)

Following Commands: Follows one step commands with repetition, Follows one step commands with increased time

UE Assessment

RUE Assessment

RUE Shoulder: AROM WFL

RUE Elbow: AROM WFL

RUE Wrist: AROM WFL

RUE Hand: AROM WFL

RUE Strength

RUE Overall Strength: 4-/5

LUE Assessment

LUE Shoulder: AROM WFL

LUE Elbow: AROM WFL

LUE Wrist: AROM WFL

LUE Hand: AROM WFL

LUE Strength

LUE Overall Strength: 4-/5

Vision Assessment

Current Vision: Wears glasses only for reading

Stacy A Sawyer-Gaslin, OTR