




@DESIGN.D3SDV(SCH\_1):PAGE EC NO. 42W7622 20061220 L11403 MLB-1 NV EXT SVT LOGIC SCHEMATICS 1 / 97 47. CDC CONNECTOR TITLE PAGE CARDBUS CONTROLLER(1/2) 48. **EC HISTORY** CARDBUS CONTROLLER(2/2) CARDBUS/EXC SLOT CARDBUS/EXC PWR CTRL 49. CPU(1/3) 50. VER 2.27 CPU(2/3) 51. CPU(3/3) GBE LAN SW 52. ITP CÓN/LARGE PTH HOLE/EMI **FINGER** GBE NINEVEH(1/2) 53. JANUARY/31/2007 CRESTLINE(1/7) : HOST I/F BLANK PAGE CRESTLINE(2/7) CRESTLINE(3/7) 54. DDR2-A 55. **GBE MAGNETICS** DDR2-B 56. 57. 58. RJ11/RJ45 CRESTLINE (4/7) CRESTLINE (5/7) CRESTLINE (6/7) CONNECTOR PEG/DMI 10. MINI PCI SLOT **GRAPHICS** 11. ËËPROM/FLASH/SHARED VCC 12. DOCKING CONNECTOR H8S/2116B (1/2) 59. CRESTLINE (7/7) : GI POWER FOR CRESTLINE GND 13. 60. 14. H8S/2116B (2/2) KEYBOARD CONNECTOR 61. 15. DDR2 SODIMM-A 62. DDR2 SODIMM-B 16. 63. TOUCH PAD CONNECTOR DDR2 TERMINATION 17. DDR2 DECOUPLING CLOCK GEN(ICS954309) NV NB8M-GS : PEG I/I 64. MISC G/A (PMH7) 18. SUPER I/O (PC87385) WIRELESS DISABLE 65. 66. (PC87385) 19. 20. : PEG 1/F 67. LEGACY IO INTERFACE NV NB8M-GS 21. LVDS/CRT/TV/TMDS 68. BLANK PAGE NV NB8M-GS CLK/GPIO 22. THERMAL SENSOR 69. 23. NV NB8M-GS : ANALOG POWER 70. **I2CBUS/SMBUS** 24. NV NB8M-GS VCC 96. POWER MOMITOR NV NB8M-GS 25. : GND 71. FAN CONTROL PTH FOR SCREW HOLES 97. 26. DYNAMIC MEMORY TERMINATION 72. **G-SENSOR** 27. VRAM FOR ATI M6X CHANNEL-A **EMC DECOUPLING** 73. LCD CONNECTOR EXT CRT INTERFACE RGB SWITCH DC-IN 28. 74. 75. 30. PATA I/F 76. **BATTERY CHARGER (MAX8765)** PU CHARGE SELECTOR BATTERY INPUT BATTERY MONITOR POWER SEQUENCE 31. ICH8-M(1/4) DMI/PCI/LPC/AC97 77. ICH8-M(2/4) ICH8-M(3/4) ATA/USB/PM 32. 78. PCI EXPRESS 33. 79. : VCC/GND ICH8-M(4/4) 34. 80. FWH,RTC BATTERY SATA HDD CONN 81. DC-DC VCC3M/VCC5M (MAX8774) 35. DC-DC VCCCPUCORE (ADP3207) VCCCPUCORE DECOUPLING 82. 36. BAY I/F CONN 83. 37. 84. 85. USB POWER/CONN DC-DC VCC1R05M 38. DC-DC VCCGFXCORE(MAX1993) 39. AUDIO AD1981HD 86. AUDIO MISC DC-DC VCC1R8M/VCC0R9A (MAX8632) 40. DC-DC VCC1R05B/VCC1R5M DC-DC VCC1R25AMT (VT322) LOAD SW AMT 41. INT MIC 87. AUDIO (MAX1540) HP & EXT MIC CONN 88. AUDIO 42. EXT MIC AMP 43. 89. AUDIO DESIGNER 06/01/06 44. **AUDIO SPEAKER** 90. **PWRG** 42W7622 CHECKED 06/01/06 HDP AMP MAX9789A(1/2) 45. AUDIO 91. RINKAI-1 MLB-1 SVT APPROVED 92. LOAD SW VIDEO 06/01/06 AUDIO HDP AMP MISC(2/2) LOAD SW AUX1,AUX2 LOAD SW B&UBAY MAX POWER CTRL 93. 94. TITLE PAGE 42W7622 LENOVO CONFIDENTIAL











































	A   B	C	] [	)   E	F		G   H	J	K	L	M DATE 200	N     EC NO.   E1220   L11403	P PART NO. 42W7622	Q
													DEVELOPMENT NO.	17 / 97
+									vcci Δ					
8		16.5Mc 16.5Rc	15.5Mc 15.5Ac	9.6M> 8.6N> N	M CKE<30> 0		56 1/16W 5% 1 2 56 1/16W 5% R778  2 56 1/16W 5% 1 0005 1 0 2			•				8
		10.001	10.011	5.515 (N)	1 2 3		R784 VV 1005	56 1/16W 5% 1 2 R790 1005	56 1/16W 5% 1 2 R797 1005					
		16.4M< 16.3B<	15.4M< 15.3A<	9.4M> 8.4N> N	M_ODT<30> 0		56 1/16W 5% 56 1/16W 5% 1005 1 2 2 1005 1 1005 1 1005 1 1005 1 1005 1 1005 1 1005 1 1005 1 1005	56 1/16W 5% 1 2 R232 2 1005	561/16W5%					
7			15.5A<	15.4M< 8.6N> M_A	BS<20> 0		56 1/16W 5% 1 2 56 1/16W 5% R190 1 005 1 2		R254 1005					7
					2		R203 ¥ ¥ 1005	R233 V V 1005						
6				15.4M< 8.5N> N N N N N N N N N N N N N N N N N N			56 1/16W 5% 56 1/16W 5% 7783 7 1005 1 2 1005	56 1/16W 5% 1 2 R794 1005						6
			16.5B<	16.4M< 9.6M> M	B_BS<20> 0		56 1/16W 5% 56 1/16W 5% R192 1005 1 2 2 R204 1005	56 1/16W 5% 1 2 R236 1005						
5				16.4M< 9.5M> N 16.4B< 9.5M> N 16.4B< 9.5M> N 16.4B< 9.5M> N 16.4B< 16.4B	M_B_RAS M_B_CAS M_R_WE		56 1/16W 5% 56 1/16W 5% R194 1005 1 2 R205							
		16.4M< 16.4B<		9.5M> 8.5N> N			56 1/16W 5%	R238 V V 1005						5
					$\frac{2}{3}$		R14 V 1005	756 1/16W 5% 1 2 1005	56 1/16W 5% 1 2 R796 2 1005					_
4			15.5M< 15.5A<	13.9E> 8.8N> M	A_A<140> 0		756 1/16W 5% 56 1/16W 5% 779 1005 1 2 1005 1 005 1 005 1 005 1 10	56 1/16W 5% 1 2 R791 1005	56 1/16W 5% 1 2 R798 2					4
					4 5 6 7		2 56 1/16W 5% R780 1005 1 2 2 R786 71005	56 1/16W 5% 1 2 1005	R798 V 1005  56 1/16W 5% 2  R799 V 2 1005					
,					8 9 10		P791 V 2 56 1/16W 5%	56 1/16W 5% 1 2 R777 1005	R799 V 1005  56 1/16W 5% 1 2  R793 V 1005					2
					14	3 4	860 1/16W 5% R787 V 1005 R800 R800 R206 1/16W 5% R206 V 1005	1 56 1/16W <sub>2</sub> 5% R71 1005	K/93 1 1005					
-			16.5M< 16.5B<	13.8E> 9.8M> M	B A<140> 0	. R	56 1/16W 5% 1 2 56 1/16W 5% 195 1005 1 2	56 1/16W 5%	56 1/16W 5%					
2					3 4 5 6 7	R	56 1/16W 5% 7005 11/16W 5% 7005 11/1	R239 1005	1 2 R268 1005					2
					8 9 10	R	197 V V 1005 1 2 2 1005	56 1/16W 5% 1 2 R248 1005	56 1/16W 5%					
,					1:		198 2 56 1/16W 5% R230 R230 2 1005		1 R276 \( \sum_{1005}^2 \)					
'											DESIGNER	K.Y 06/01/06	PART NO. 42W7622	
+											CHECKED	Y.I 06/01/06 T.S 06/01/06	TITLE MLB-1 S	:VT
0		1									CLASS	T.S 06/01/06  CUMENT IS THE PROPERTY OF USE IS AUTHORIZED ONLY FOR TO A REQUEST FOR QUOTATION	DDR-2 TERMII	NATION 0
	42W7622									1	OR FOR LENOVO.ALI TO THE LE	THE PERFORMANCE OF WORK FOR QUESTIONS MUST BE REFERRED NOVO PURCHASING DEPARTMENT.	LENOVO CONFIL	
	A B	C		) E	F		G H	J	K		M	N	Р	Q










































9	A   B	C	D   E   F	G   H	J   K	DATE EC NO. 20061220 L11403	P Q PART NO. 42W7622  DEVELOPMENT NO. Q.M. 33 / 97
8							8
6			57.7L PCIE WWAN RXP 57.6L PCIE WWAN RXN 57.2L PCIE WLAN RXP 57.2L PCIE WLAN RXN	P26 PERP PERP PERP PERP PERP PERP PERP PER	N28	10V PCIE WWAN TXP CSUD 57.7L< PCIE WWAN TXN CSUD 57.7L< S PCIE WLAN TXP CSUD 57.3L< PCIE WLAN TXP CSUD 57.3L< S PCIE WLAN TXN CSUD 57.2L<	6
5			67.5Nb PCIE BAY DEVICE RXP PCIE BAY DEVICE RXN  50.4Mb PCIE EXC_RXP  50.4Mb PCIE EXC_RXP  50.5Mb PCIE EXC_RXP  50.5Mb PCIE DOCK RX1P  FOIS DOCK RX1N  53.6Fb GLAN RXP  GLAN RXP  GLAN RXN	KZ6	PETNA	PCIE EXC 1XN	5
4							4
3							3
2							2
						CHECKED Y.I 06/01/06	1 ART NO. 42W7622  ITLE MLB-1 SVT  ICH8-M(3/4):PCI EXPRESS 0
0	42W7622 A B	C	D E F	G H	J K	THIS DOCUMENT IS THE PROPERTY OF LENOVOLITS USE IS AUTHORIZED ONLY FOR MEDICAL PROPERTY OF LENOVOLITS USE IS AUTHORIZED ONLY FOR SECOND PERFORMENCE OF WORK FOR LENOVOLUTION MUST BE REFERRED TO THE LENOVOLUTION MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.	LENOVO CONFIDENTIAL P 0








_	A   B   C   D   E   F	G
		DATE EC NO. PART NU.  20061220 L11403 42W7622
		DEVELOPMENT NO. QIM
		36 / 97
1		
3		
		VCC3B
		vccзв Д
	VCC5B	В
-		J1 HAS1_22SFB12_51K
	32.68> SATAO_TXP 32.58> SATAO_TXN	S1 S1
	32.68b SATAO TXP 32.58b SATAO TXN	\$2   \$1   \$2   \$2   \$2   \$2   \$2   \$2
	32.68< COUT SATAO RXN 32.68< COUT SATAO RXP	S6 S7 ss sr
1		P1
		P2
	64.7A< COUT -HDD_DTCT	PS
		P8 P8 P9
		P8
		NC P13 P12 P13 NC P14 P14 P14 P15 P16
	2125 S S S S S S S S S S S S S S S S S S S	a   up
4		
	000 NO_AS 000 NO_AS 000 NO_AS 000 NO_AS	N
	8 8	
		GND =
+		<del>ৢ</del>
		DESIGNER K.Y 06/01/06 PART NO. 42W7622
1		CHECKED Y.I 06/01/06 TITLE MI R-1 SVT
		CLASS T.S 06/01/06 SATA HDD CONN
	ANIAROS.	THIS DECOMENT IS THE PROPERTY OF LESSON TO SEE SHAPE AND ANY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVO ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PUCK-ASING DEPARTMENT.  LENOVO CONFIDENTIAL
	42W7622	
	A B C D E F	G H J J K L M N P Q





















































































	A   B	C D E	F   G   H   J   K	L	M         N         P           DATE         EC NO.         PART NO.	Q
9						V7622 9
					DEVELOPMENT	NO. Q/M 66 / 97
_						
8						8
						_
7						7
-						-
6			VCC3M			6
			WIRELESS DISABLE SW  JSS1210-0712EC S1			
-			S1 R869 T_393771 100K 1/16W 5%			
5			R869 100K 1/16W 2	61.4P<		5
Э			\(\sigma_{-}\)			5
			ONO_ASM			
-			GND S S S S S S S S S S S S S S S S S S S			
4			L			4
			GND			
_			<del>-</del>			
3						3
2						2
_						
1						1
					DESIGNER K.Y 06/01/06 PART NO. 42W76:	22
_					CHECKED Y.I 06/01/06	
0					ATTROVED 1.3 06/01/06	ESS DISABLE SW
0						0
	42W7622				THIS DOCUMENT IS THE PROPERTY OF LENOVOITS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PREPROPANCE OF WORK FOR LENOVO ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PROPENSING DEPARTMENT.	CONFIDENTIAL
	A B	C D E	F G H J K	L	M N P	Q















42W7622


В


THIS DOCUMENT IS THE PROPERTY OF LENOVOLTS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION OR FOR THE PERFORMANCE OF WORK FOR LENOVOALL QUESTIONS MUST BE REFERRED TO THE LENOVO PURCHASING DEPARTMENT.


М


LENOVO CONFIDENTIAL



















































CN22 . @DEGIGN.D3DV(GCn_I).FNGE8	
A   B   C   D   E   F   G   H   J   K   L	M N P Q    DATE   EC NO.   PART NO.
VCC5M $\wedge$ VCC1R5M	20061220 L11403 42W7622
	DEVELOPMENT NO. QAM 92 / 97
1000 1000 1000 1000 1000 1000 1000 100	
VCC1R2VIDEO  O GND  O G	
$\frac{8}{8}$ GND	
80.2G> 1R2VIDEO_ON 7	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
NC Sign of the state of the sta	
See 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
SN SN − 1 10% SN − 1	
GND	
GND VCC1R8M	
VCC3M PCC3WDF0	
Δ	
LOGIC LOGIC	
9 TV VCC1R8VIDEO	
S	
2 2 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
GRD GRD TO TAKE THE T	
80.5H> VCC3VIDEO_ON 2 W1	
VIDEO DRIV	
C23	PART NO.
0.022UF C11  10% 28V 1005 -  1005 -  0.022UF C11 0.022UF C11 10%	CHECKED Y.I 06/01/06 42W7622
10% ————————————————————————————————————	APPROVED T.S 06/01/06 TITLE MLB-1 SVT  CLASS T.S 06/01/06 LOAD SW VIDEO
	THIS DOCUMENT IS THE PROPERTY OF LENOVOLTS USE IS AUTHORIZED ONLY FOR RESPONDING TO A REQUEST FOR QUOTATION LENOVO-ALL QUESTIONS MUST BE REFERRED TO THE LENOVO PUCHASING DEPARTMENT.
42W7622 = = = = = = = = = = = = = = = = = =	
A B C D E F G H J K L	M N P Q







Δ	B	l C	l D	l E l	l F I	G	l H	.i	K	1 1	М	ı	N I	Р	l Q	
					· ·				1 1	, -		DATE 20061220	EC NO. L11403	PART NO.	/7622	
												20001220	211400	DEVELOPMENT N		9
															96 /	97
																8
_							VCC3B									
							<sup>36</sup>									
							100 1005									
					∨ссзв Д		ASM									
						U44 NO_ASM	OND OASI									
		91.3B< 82.4	J> CPUSENS	E_CSREF	+ \	NO_ASM AX4460EUT	₹			CPU_PWR_MONI	TOR	92.54	2M- 60.20			6
		91.2B< 82.4	U)> CPUSENS	E_CSCOMP	4 SHDN GND	s.	5-<				. (001	⊃ 82.5A> 9	3M> 60.3C<			
					GND GND	*	SM									
					= OND	5	NOON 0000 0000									5
						%	lew.									
_						*	ASM ASM									
						GN.	III DOS TITEM NO ASM									
						-	<del>_</del>									4
																3
																2
-																-
														PART NO.		'
											DESIG		06/01/06 06/01/06	42W762	2	
											_	OVED T.S	06/01/06	TITLE MLB		
											CLASS THIS LENOV		06/01/06 S THE PROPERTY OF AUTHORIZED ONLY FOR		R MOMITOR	0
42W7	7622										RESPO OR F LENOV TO TH	ONDING TO A REFORM THE PERFO /O.ALL QUESTIC HE LENOVO PURI	S THE PROPERTY OF AUTHORIZED ONLY FOR COUEST FOR QUOTATION RMANCE OF WORK FOR NS MUST BE REFERRED CHASING DEPARTMENT.	LENOVO C	ONFIDENTIAL	
Α	В	С	D	Е	F	G	Н	J	K	L	M		N	P	Q	



	A B C D E F G H J K L M DATE	N EC NO.	P PART NO.	Q
9			DEVELOPMENT NO. Q/M	9
				1
8	8			8
_				<u> </u>
_				_
7				1
_				
6	6			6
	VCC3B VCC3WAN △			
	—			
5	5 Q211 \( \frac{1}{2} \) \( \f			5
	YJP1608-R001 1MILLI-OHM10A 1608			
_	- 47 - 17 - 17 - 17 - 17 - 17 - 17 - 17			F
4	덫 │ > <sup>™</sup> 성 호 │ NO_ASM 10K <b>&gt;</b> R1251			4
+	¥ Ñ× oup			"
_	NO_ASM  NO_ASM  NO_ASM			
	32.7N WWAN_ON 2 1SS400G NO_ASM ON_2 1SS400G NO_ASM ON_ASM ON_AS			
3	3 51.3A< 45.0A< 41.8B< 88.5A< 80.6N> BON 2 55400G OND			3
2				2
_	$\dashv$			-
1				
1		00/04/00	PART NO.	
_	DESIGNER K.Y  CHECKED Y.I	06/01/06 06/01/06	42W7501	IBM
	APPROVED T.S	06/01/06	TITLE MLB-1 SVT	
0	CLASS T.S  THUS TROUGHENT I  BUS TROUGHENT I  BUS TROUGHENT II	06/01/06 IS THE PROPERTY OF AUTHORIZED ONLY FOR	LOAD SW VCC3KDD	0
	RESPONDING TO A RE RESPONDING TO A RESPONDING T	IS THE PROPERTY OF AUTHORIZED ONLY FOR EQUEST FOR QUOTATION ORMANCE OF WORK FOR ONS MUST BE REFERRED SING DEPARTMENT.	LENOVO CONFIDENTIA	AL
	A B C D E F G H J K L M	N		Q