
LCFC Confidential

NM-A221 Rev1.0 Schematic

Intel Crescent Bay Processor with DDRIIIL + Wild Cat Point PCH
AMD Opal-XT/ Jet-XT

2013-09-07 Rev1.0

Security Classification	LC F	t Data	Title				
Issued Date	2013/09/07	Deciphered Date	2014/09/07	COVER PAG	E	LCFC	
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETARY PR RMATION. THIS SHEET MAY NOT BE TRA AUTHORIZED BY LC FUTURE CENTER N LOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CUS NEITHER THIS SHEET NOR	IT OF LC FUTURE CENTER.	Custom	AITE		Rev 1.0
				Date: Thursday, Nov	ember 06, 2014 S	heet 1 of	81



High Speed I/O port Voltage Rails (O --> Means ON , X --> Means OFF) +5VS +3VS Power Plane +1.5VS +VCCSA +V1.5S VCCP +3VALW +CPU CORE +VGA_CORE +1.5V B+ +GFX_CORE +5VALW +1.8VS +1.05VS State +0.75VS +3.3VS VGA +1.5VS VGA +1.05VS_VGA S0 0 0 0 0 s3 0 0 0 X S5 S4/AC Only X 0 0 X S5 S4 0 X X X Battery only S5 S4 AC & Battery X X X X don't exist **SMBUS Control Table** WLAN WiMAX Thermal PCH SOURCE LAN BATT IT8586E SODIMM Charger Module Sensor PCH_SML0_CLK PCH_SML0_DAT X \boldsymbol{X} \boldsymbol{X} X \boldsymbol{X} \boldsymbol{X} X \boldsymbol{X} +3V PCH +3V_PCH PCH_SML1CLK PCH_SML1DATA \boldsymbol{X} X X \boldsymbol{X} \boldsymbol{X} \boldsymbol{X} \boldsymbol{X} +3V PCH +3VS +3VS +3VS EC_SMB_CK1 EC_SMB_DA1 IT8586E \boldsymbol{X} \boldsymbol{X} X X X X \boldsymbol{X} \boldsymbol{X} +3VL +3VL +3VL

V +3VS

X

X

V +3V_PCH

V +3VS X

X

I/0	High Speed Signal	Configuration	Port assignment
1	USB3 1	USB3 1	On MB USB
2	USB3 2	USB3 2	On MB USB
3	PCIE 1 / USB3 3	NC	NC
4	PCIE 2 / USB3 4	USB3 4	Docking USB
5	PCIE 3	PCIE 3	WLAN
6	PCIE 4	PCIE 4	LAN
7	PCIE 5 LO	PCIE 5 L0	GPU
8	PCIE 5 L1	PCIE 5 L1	GPU
9	PCIE 5 L2	PCIE 5 L2	GPU
10	PCIE 5 L3	PCIE 5 L3	GPU
11	PCIE 6 LO / SATA 3	PCIE 6	Cardreader
12	PCIE 6 L1 / SATA 2	SATA 2	mSATA
13	PCIE 6 L2 / SATA 1	SATA 1	ODD
14	PCIE 6 L3 / SATA 0	SATA 0	HDD

BOM Structure Table						
BOM Structure	NOTE					
PCB@	For PCB load BOM					
3G@	3G function(Option with TS@)					
TPM @	Trusted Platform Module (TPM)					
NM14 @	14" SKU ID					
NM15 @	15" SKU ID					
UMA @	UMA SKU ID					
DIS@	Optimus SKU ID					
<i>X</i> 76@	GPU VRAM Setting					
M2G @	Micron 256Mx16 VRAM					
M1 G@	Micron 128Mx16 VRAM					
S2G@	Samsung 256Mx16 VRAM					
S1G@	Samsung 128Mx16 VRAM					
ME@	ME Connector					
TS@	Touch screen function					
DEBUG@	For debug					
BYPASS@	For bypass					
MIRROR@	For mirror function					
NVPRO@	For Non-VPRO function					
VPRO@	For VPRO function					
X76_S2G0 S2G0	For Samsung 2G VRAM					

	Title	
	HSW13 4030U HSW15 4210U HSW13 4005U NM-A221 SR1EN@ SR1EF@ SR1EF@ SR1EF@ DEB@ SA000810100 SA000066Y20 SA00005Y220 DAZ0TS00100	
-	HSW I3 4030U HSW I5 4210U HSW I3 4005U NM-A221	
-		4
\dashv	SA000072H00 SA000072P00 SA000072K00 SA000072N00 UC1	
\dashv	BDW-i3-2G BDW-i3-2G BDW-i5-2G BDW-3805U-1.9G QG23@ QH17@ QG24@	
\dashv		
\dashv	UC1 UC1 UC1 UC1 UC1	
\dashv	BDW-3205U-1.5G BDW-3755U-1.7G BDW-17-2.2G QGZ6@ QGZ5@ QH15@ SA000072J00 SA000072L00	\mathbb{H}
-		
-	UC1 UC1 UC1	
\dashv	WGI218LM-QQJY-B1_QFN48_6X6 SA00005TP10	
-		
\dashv	UL1 VPRO@	3
-		
	K4W2G1646Q-BC1A H5TC2G63FFR-11C MT41J128M16JT-093G:K X7603901004	
_		
	ZZZ10 X76_S1G@ ZZZ11 X76_H1G@ ZZZ12 X76_M1G@	
_	K4W4G1646D-BC1A H5TC4G63AFR-11C MT41J256M16HA-093G:E X7603901003 X7603901001 X7603901002	•
	ZZZ7 X76_S2G@ ZZZ8 X76_H2G@ ZZZ9 X76_M2G@	
	GAUUUU000UU	
	JET M2 XT JET@ SA000066500	
	GEAH@ SA000066W00	2
	UV1 Haswell-CL8064701477600 QEAH D0 2.0G QEAH@	
	ONDUCTOR TO UCT	
	OEAR@ Haswell-ULT-CL8064701477400_SR1ED SA00005YZ00 SR1ED@ SA00005YW10	
	Haswell-CL8064701478404 QEAR D0 QEAR@	
	UC1	
	Broadwell-ULT-CL8065801675027_QG228A000811000 QG22@ SA000067100 UC1	
	Broadwell-1.6GHz 15W 2+2U 1333 DDR ES2 QGHa@	
	UC1	
	Broadwell-ULT-CL8065801674128_QG21SA000811100 QG21@ SA000067H00 UC1	
	Broadwell-1.6GHz ULV 15W 2+2U 1600 DDR ES2 QGHB@	1
	UC1 (
	\$A00005VY10 UC1	
-	Broadwell-1.8GHz 15W 2+2U 1600 DDR ES2 QGH9@ SR160@	

SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON	HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1 (Power On Suspend)	LOW	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)	LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)	LOW	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)	LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF

X

PCH_SMBCLK PCH_SMBDATA PCH

+3V_PCH

X

 \boldsymbol{X}

Security Classification LC Future Center Secret Data

Issued Date 2013/09/07 Deciphered Date 2014/09/07

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF I.C FUTURE CENTER. AND CROIT SCHEDENTIAL. AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF DEPARTMENT EXCEPT AS AUTHORIZED BY I.C FUTURE CENTER NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIS DEARTY WITHOUT PRIOR WRITTEN CONSENT OF I.C FUTURE CENTER.

NOTE LIST

Resize | Document Number Custom |
Date: Thursday, Nove


AITE1 NM-A221

Thursday, November 06, 2014 | Sheet 3 of 81


Hot plug detect for IFP link E

VGA and GDDR5 Voltage Rails (N13Px GPIO)

			itago Italio (ITTOT X OT 10)
GPIO	I/O	ACTIVE	Function Description
GPIO0	OUT	-	GPU VID4
GPIO1	OUT	-	GPU VID3
GPIO2	OUT	-	VGA_BL_PWM
GPIO3	OUT	-	VGA_ENVDD
GPIO4	OUT	-	VGA_ENBKL
GPIO5	OUT	-	GPU VID1
GPIO6	OUT	-	GPU VID2
GPIO7	OUT	-	DPRSLPVR_VGA
GPIO8	I/O	-	Thermal Catastrophic Over Temperature
GPIO9	OUT	-	GPIO9
GPIO10	OUT	-	Memory VREF Control
GPIO11	OUT	-	GPU VID0
GPIO12	IN		AC Power Detect Input (10K pull High)
GPIO13	OUT	-	GPU VID5
GPIO14	OUT	-	FB_CLAMP_TOGGLE_REQ#
GPIO15	IN	N/A	(100K pull low)
GPIO16	OUT	-	FRMLCK#
GPIO17	IN	N/A	
GPIO18	IN	-	dGPU_HDMI_HPD
GPIO19	IN	-	HPD_IRQ



1. all power rail ramp up time should be larger than 40us



^{1.}all GPU power rails should be turned off within 10ms 2. Optimus system VDD33 avoids drop down earlier than NVDD and FBVDDQ

Performance Mode P0 TDP at Tj = 102 C* (GDDR5)

	GPU (4)	Mem (1,5)	NVCLK /MCLK		NVVDD)	FB\ (1.3	VDD (5V)	FBVE (GPU (1.35)	+Mem)	PCI E (1.05) (6)	xpress V)	I/O ar PLLV (1.8V	DD	I/O ar PLLV (1.05)	'DD	Oth (3.3	
Products	(W)	(W)	(MHz)	(V)	(A)	(W)	(A)	(W)	(A)	(W)	(mA)	(W)	(mA)	(W)	(mA)	(W)	(mA)	(W)
N13X 128bit 1GB GDDR5	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD

Physical		Logical	Logical	Logical	Logical
Strapping pin	Power Rail	Strapping Bit3	Strapping Bit2	Strapping Bit1	Strapping Bit0
ROM_SCLK	+3VS_VGA	PCI_DEVID[4]	SUB_VENDOR	SLOT_CLK_CFG	PEX_PLL_EN_TERM
ROM_SI	+3VS_VGA	RAM_CFG[3]	RAM_CFG[2]	RAM_CFG[1]	RAM_CFG[0]
ROM_SO	+3VS_VGA	FB[1]	FB[0]	SMB_ALT_ADDR	VGA_DEVICE
STRAP0	+3VS_VGA	USER[3]	USER[2]	USER[1]	USER[0]
STRAP1	+3VS_VGA	3GIO_PAD_CFG_ADR[3]	3GIO_PAD_CFG_ADR[2]	3GIO_PAD_CFG_ADR[1]	3GIO_PAD_CFG_ADR[0]
STRAP2	+3VS_VGA	PCI_DEVID[3]	PCI_DEVID[2]	PCI_DEVID[1]	PCI_DEVID[0]
STRAP3	+3VS_VGA	SOR3_EXPOSED	SOR2_EXPOSED	SOR1_EXPOSED	SORO_EXPOSED
STRAP4	+3VS_VGA	RESERVED	PCIE_SPEED_ CHANGE_GEN3	PCIE_MAX_SPEED	DP_PLL_VDD33V

	Device ID
N13P-GT (28nm)	0x0FDB

GPU FB Memory (GDDR5)

K4G10325FG-HC04

	setting	I2C Slave addrees ID
SMB_ALT_ADDR (ROM_SO Bit 1)	0	0×9E
	1	0x9C

GPU	ROM_SO	ROM_SCLK	STRAP0	STRAP1	STRAP2	STRAP3	STRAP4	L
		PU 25K	PU 45K	PD 35K	PD 10K	PU 5K	PD 10K	Master
N13P-GT1 28nm		PU 25K	PU 45K	PD 35K	PD 10K	PD 5K	PD 10K	Slave

N13P-GT

ROM_SI


	32MX32	PD 45K	
Hynix 2500MHz	H5GQ1H24BFR-T2C		
2500FM12	32Mx32	PD 35K	
Samsung 2500MHz	K4G20325FD-FC04		
	64Mx32	PD 30K	
Hynix 2500MHz	H5GQ2H24MFR-T2C		
2500MRZ	64Mx32	PD 25K	
			,


Security Classification	LC Future Center Secret Data			
Issued Date	2013/09/07	Deciphered Date	2014/09/07]

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF LC FUTURE CENTER, AND CONTAINS CONFIDENTIAL.
AND TRADE SECRET INFORMATION, THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RA



Thursday, November 06, 2014 | Sheet 4 of







PU/PD Res. For CPU-XDP SIGNAL, Place R Closer to CPU




XDP PU/PD portion need to check agian.

Security Classification	LC F	uture Center Secre	t Data	Title			
Issued Date	2013/09/07	Deciphered Date	2014/09/07	BDW_DDI	/EDP/XDP	LCFC	
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETARY PR RMATION. THIS SHEET MAY NOT BE TRA AUTHORIZED BY LC FUTURE CENTER N LOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CUS IEITHER THIS SHEET NOR		Size Document Numbe Custom		l NM-A 221	Rev 1.0







INTVRMEN


- 1. INTVRMEN, should always be pull high
- * H Integrated VRM enable (Default)

<62> ME_FLASH

- L Integrated VRM disable
- 2. Internal Voltage Regulator Enable: This signal enables the internal 1.05 V regulators.


33_0804_8P4R_5% \$D30000370T RC44 1 2 0_0402_5%

Security Classification	LC F	Future Center Secret Data		Title		_	-	
Issued Date	2013/09/07	Deciphered Date	2014/09/07	RI	C/HDA/SATA/PCIe/JTA	LC	FC	
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETARY PI RMATION. THIS SHEET MAY NOT BE TRA AUTHORIZED BY LC FUTURE CENTER IN ELOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CU: NEITHER THIS SHEET NOR		g Size Cust	Document Number om AITE1 Thursday, November 06, 2014 Sh		221 of 8	Rev 1.0












Security Classification	LCF	Future Center Secre	t Data	Title			
Issued Date	2013/09/07	Deciphered Date	2014/09/07		BDW_CLOCK/PM	LCFC	
AND TRADE SECRET INFO	RING DRAWING IS THE PROPRIETARY PI PRMATION. THIS SHEET MAY NOT BE TRA BAUTHORIZED BY LC FUTURE CENTER IN CLOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CUS NEITHER THIS SHEET NOR		Size Cusi	AITE.	L NM-A221	Rev 1.0







2. Vender fine tune recommend value. (Pass Through Mode)
3. Vendor recommend use PU 4.7K ohm. (10/1)
Intel Spec is PU 2.2K ohm

PCH MUX CLK RC115 1 2 4.7K 0402 5%

PCH VGA CLK RC31 1 2 2.47K 0402 5%

PCH VGA DAT RC40 1 2 2.2K 0402 5%

PCH VGA DAT RC40 1 2 2.2K 0402 5%

PCH VGA DAT RC55 1 2 100K 0402 5%


PCH VGA HPD RC158 1 2 100K 0402 5%

ENBKL RC156 1 2 100K 0402 5%

, 鉱板Vih anf Vil

1. **數VENDOR紅板**PU

Tmeet SPEC value.





DDPB_CTRLDATA: Port B Detected DDPC_CTRLDATA: Port C Detected


★ 1: Port B or C is detected 0: Port B or C is not detected


Internal PD 15K~40K, nominal 20K


Security Classification	LC Future Center Secret Data			Title			
Issued Date	2013/09/07	Deciphered Date	2014/09/07	BDW_el	DP SBAND/DDPx 🛚	LCFC	
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETARY F RMATION. THIS SHEET MAY NOT BE TF AUTHORIZED BY LC FUTURE CENTER LOSED TO ANY THIRD PARTY WITHOU	VANSFERED FROM THE CUS NEITHER THIS SHEET NOR		Custom	nt Number AITE1 Thursday, November 06, 2014 Shi		Rev 1.0


































216-0855000 A0 FCBGA962

Security Classification LC Future Center Secret Data


Issued Date 2012/07/01 Deciphered Date 2014/07/01

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF LC FUTURE CENTER, AND CONTAINS CONFIDENTIAL DEPARTMENT EXCEPT AS AUTHORIZED BY IC. FUTURE CENTER THIS SHEET NOR THE INFORMATION IT CONTAINS CONFIDENTIAL DATE OF THE PROPRIETARY WITHOUT PRIOR WRITTEN CONSENT OF LC FUTURE CENTER. THIS SHEET NOR THE INFORMATION IT CONTAINS CON






Memory Partition A - Upper 32 bits



THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF LC FUTURE CENTER. AND CONTAINS CONDIDENTIAL AND ITAGIS ESCRET INFORMATION. THIS SHEET MAN OFTOE TRANSFERRED FROM THE USTOYOY OF THE COMPETENT DIVISION OF RAD DEPARTMENT EXCEPT AS AUTHORIZED BY LC FUTURE CENTER NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF LC FUTURE CENTER.


AITE1 NM-A221
per 06, 2014 | Sheet 26 of

Memory Partition A - Lower 32 bits



AITE1 NM-A221 er 06, 2014 | Sheet 27 of


Memory Partition A - Upper 32 bits




AITE1 NM-A221 er 06, 2014 | Sheet 28 of

+1.05VS to +0.95VS_VGA

+1.5VS to +1.5VS_VGA



+3VS to +3VS_VGA



Security Classification	LCF	LC Future Center Secret Data		Title	
Issued Date	2012/12/05	Deciphered Date	2014/12/05	XXXX	LCFC LCFC
AND TRADE SECRET INFOR	NG DRAWING IS THE PROPRIETARY PROP MATION. THIS SHEET MAY NOT BE TRANS AUTHORIZED BY LC FUTURE CENTER NEIT OSED TO ANY THIRD PARTY WITHOUT PRI	FERED FROM THE CUSTOD HER THIS SHEET NOR THE	Y OF THE COMPETENT DIVISION OF R&D INFORMATION IT CONTAINS	Size Document Custom	Number AITE1 NM-A221 Thursday November 06 2014 Sheef 29 of 81

BLANK

Security Classification LC Future Center Secret Data

Issued Date 2013/09/07 Deciphered Date 2014/09/07

THIS SHEET FOR FENCINEERING DRAWING IS THE PROPRIETARY PROPERTY OF LC FUTURE CENTER AND CONTAINS CONFIDENTIAL AND TRADE SEGRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF REDPARTMENT EXCEPT AS AUTHORIZED BY UC FUTURE CENTER NETHER THIS SHEET NOT THE INFORMATION IT CONTAINS

MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF LC FUTURE CENTER.

Date: Thursday.

BLANK


Security Classification LC Future Center Secret Data

Issued Date 2013/09/07 Deciphered Date 2014/09/07

THIS SHEET FOR FENCINEERING DRAWING IS THE PROPRIETARY PROPERTY OF LC FUTURE CENTER AND CONTAINS CONFIDENTIAL AND TRADE SEGRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF REDPARTMENT EXCEPT AS AUTHORIZED BY UC FUTURE CENTER NETHER THIS SHEET NOT THE INFORMATION IT CONTAINS

MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF LC FUTURE CENTER.

Date: Thursday.



BLANK (Move to sub board)

Security Classification LC Future Center Secret Data

Issued Date 2013/09/07 Deciphered Date 2014/09/07


THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF LC FUTURE CENTER. AND CONTAINS CONFIDENTIAL AND DRADE SCREET HAS CONFIDENTIAL FOR TRANSFERENCE PROPRY THE CITY OF LC FUTURE CENTER. AND CONFIDENTIAL OF TRANSFERENCE PROPRY THE CITY OF COMMERCENT DRAWING DRADE SCREET MAY VIEW FRANKSERPED PROPRY THE CITY OF THE COMMERCENT DRAWING DRADE SCREET AND CONFIDENTIAL OF TRANSFERENCE PROPRY THE CITY OF THE COMMERCENT DRAWING DRADE SCREET AND CONFIDENTIAL OF TRANSFERENCE PROPRY THE CITY OF THE COMMERCENT DRAWING DRADE SCREET AND CONFIDENTIAL OF TRANSFERENCE PROPRY THE CITY OF THE COMMERCENT DRAWING DRAWI

RABIZE Document Number Custom
Date:


AITE1 NM-A221 Rev 1.0

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF LC FUTURE CENTER. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERD FROM THE CUSTORY OF THE COMPETENT DIVISION OF DEPARTMENT EXCEPT AS AUTHORIZED BY LC FUTURE CENTER. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIED PARTY WITHOUT PRIOR WRITTEN CONSENT OF LC FUTURE CENTER.


Thursday, November 06, 2014 | Sheet 33 of



Security Classification	LC Future Center Secret		Future Center Secret Data				
Issued Date	2013/09/07	Deciphered Date	2014/09/07	XXXX		LCFC	
AND TRADE SECRET INFOR	MG DRAWING IS THE PROPRIETARY PROP IMATION. THIS SHEET MAY NOT BE TRANS AUTHORIZED BY LC FUTURE CENTER NEIT OSED TO ANY THIRD PARTY WITHOUT PRI	FERED FROM THE CUSTOD HER THIS SHEET NOR THE	Y OF THE COMPETENT DIVISION OF R&D INFORMATION IT CONTAINS LC FUTURE CENTER.	Size Document Number Custom	AITE1		Rev 1.0




РС Веер



Speaker OUT

SPK CONN.




	CA25 1	EMC@ 2 470P 0402 50V7-K	SPK_L1CON
	CA26 1	EMC@ 2 470P 0402 50V7-K	SPK L2+ CON
	CA27 1	EMC@ 2 470P 0402 50V7-K	SPK_R1CON
	CA28 1	EMC@ 2 470P 0402 50V7-K	SPK_R2+_CON
4			
•	EMI	parts	•

EXT. MIC/LINE IN Apple --> EXT_MIC_A, HGNDB Nokia --> EXT_MIC_B, HGNDA




HeadPhone/LINE OUT




CA31, CA32 change to 4.7U for Quality requirement

+3	vs P
-	
	RA18 5.11K_0402_1%
JSENSE JSENSE	DAGO O A GOVERNO AN INCLUDE COM
<35> JSENSE	RAZU 2 2 1 20K 0402 1% JSENSE_CON <54> RAZI 2 1 39.2K 0402 1%

Security Classification	LCF	Future Center Secret Data		Title				
Issued Date	2013/09/07	Deciphered Date	2014/09/07	XXXX		XXXX		LCFC =
AND TRADE SECRET INFO	RING DRAWING IS THE PROPRIETARY PI RMATION. THIS SHEET MAY NOT BE TR AUTHORIZED BY LC FUTURE CENTER IN LOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CU NEITHER THIS SHEET NOR	NT OF LC FUTURE CENTER.	Custom	AITE1	L NM-A221		





Security Classification LC Future Center Secret Data 2013/09/07 2014/09/07 Deciphered Date

ATTE1 NM-A221

Thursday, November 06, 2014 | Sheet 39 of 81

In SAMED LORGE AND ACTION OF THE PROPRIET ARY PROPERTY OF LC FUTURE CENTER. AND CONTAINS CONFIDENTIAL.

AND TRADE SECRET IN FORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RE

BETT AND TRADE SECRET IN FORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RE

BETT AND TRADE SECRET AND ACTION OF THE CONTAINS

Custom


MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF LC FUTURE CENTER.


Date: Thursday, 1

Thursday, 1


USB30 RP --> BLANK


POWER SWITCH














Security Classification	LC F	uture Center Secre	t Data	Title USB3 PORT1-BACK		_ 7	
Issued Date	2013/09/07	Deciphered Date	2014/09/07			LCFC	
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETARY PR RMATION. THIS SHEET MAY NOT BE TRA AUTHORIZED BY LC FUTURE CENTER N LOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CUS IEITHER THIS SHEET NOR	IT OF LC FUTURE CENTER.	Bize Cust	Document Number		Rev 1.0




CLT1	CLT2	CLT3	ILIM_SEL	MOD	
0	0	0	х	DCH	OUT held low
1	1	1	1	CDP	Data Connected and Port Power Mgt. Function Active
1	1	1	0	SDP2	Data Connected
1	1	0	х	SDP1	Data Connected
0	1	0	х	SDP1	Data Connected
1	0	0	х	DCP_Short	Device Forced to stay in DCP BC 1.2 charging mode
1	0	1	х	DCP_Divider	Device Forced to stay in DCP Divider 1 Charging Mode
0	1	1	х	DCP_Auto	Data Disconnected and Port Power Mgt. Function Active
0	0	1	х	DCP_Auto	Data Disconnected and Power Wake Function Active

Security Classification	LC F	Future Center Secre	t Data	Title			
Issued Date	2013/09/07	Deciphered Date	2014/09/07	US	B3 PORT2-FRONT(AOU) 🥻	LCFC	
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETARY PI RMATION. THIS SHEET MAY NOT BE TRA AUTHORIZED BY LC FUTURE CENTER IN ELOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CUS NEITHER THIS SHEET NOR		g Size Cust	Document Number pm ATTE1 Thursday, November 96/20140 Shi	NM-A221	Rev 1.0







Security Classification LC Future Center Secret Data 2013/09/07 2014/09/07 Deciphered Date

HDMI RP --> BLANK

AITE1 NM-A221

Thursday, November 06, 2014 | Sheet | 45 | of | 81

In SAMED LORGE AND ACTION OF THE PROPRIET ARY PROPERTY OF LC FUTURE CENTER. AND CONTAINS CONFIDENTIAL.

AND TRADE SECRET IN FORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RE

BETT AND TRADE SECRET IN FORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RE


BETT AND TRADE SECRET AND ACTION OF THE CONTAINS


Custom


MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF LC FUTURE CENTER.


Date: Thursday, 1

Thursday, 1











Track point






Security Classification		LC Future Center Secre	t Data	Title				
Issued Date	2013/09/07	Deciphered Date	2014/09/07	X	XXXX		LCFC	
AND TRADE SECRET INFO	THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF LC FUTURE CENTER AND CONTAINS CONFIDENTIAL NAD TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF REPER DESCRIPTION OF THE CUSTODY OF THE HIS SHEET NOT THE INFORMATION TO CONTAINS REV REV 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.							
MAY BE USED BY OR DISC	YE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF LC FUTURE CENTER.				Thursday, November 06, 201		49 of	81

FAN CONN.




FingerPrint CONN.



PWR BTN/LID SW CONN.

For 14" on board For 15" on Sub/B


ON/OFF Switch --> 簿 'Sub/B




Lid Switch --> 簿 'Sub/B


Security Classification	L	C Future Center Secre	et Data	Title	
Issued Date	2013/09/07	Deciphered Date	2014/09/07	XXXX	LCFC
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETAR RMATION. THIS SHEET MAY NOT BE AUTHORIZED BY LC FUTURE CENTE CLOSED TO ANY THIRD PARTY WITH	TRANSFERED FROM THE CU R NEITHER THIS SHEET NOR		OF R&BIZE Document Number Custom	er

KB CONN







RTC CONN.



Security Classification	LCF	Future Center Secre	t Data	Title			
Issued Date	2013/09/07	Deciphered Date	2014/09/07	ີ x	XXX	LCFC	
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETARY PI RMATION. THIS SHEET MAY NOT BE TRA AUTHORIZED BY LC FUTURE CENTER IN LOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CUS NEITHER THIS SHEET NOR		R&Bize D Custom	ocument Number AITE1 Thursday, November 06, 2014, ISI		Rev 1.0

TYPE-B NGFF SLOT FOR WWAN/SSD 3.2H CONNECTOR






TYCO_2199230-8

Security Classification	LCI	LC Future Center Secret Data						
Issued Date	2013/09/07	Deciphered Date	2014/09/07	1				

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF LC FUTURE CENTER AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RED



For Edge 15" Audio board CONNECTOR



Security Classification	LC F	uture Center Secre	t Data	Title		
Issued Date	2013/09/07	Deciphered Date	2014/09/07	SUB-AUDIO JACK C	ONN.	
AND TRADE SECRET INFO	RING DRAWING IS THE PROPRIETARY PI RIMATION. THIS SHEET MAY NOT BE TR IS AUTHORIZED BY LC FUTURE CENTER I SLOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CUS NEITHER THIS SHEET NOR			ITE1	NM-

Thermal Sensor

Thermal Sensor placed near by VRAM




Address 1001 101xb Internal pull up 1.2K to 1.5V R for initial thermal shutdown temp

Close to U1




Close to +VCC_CORE Close JDIMM1&JDIMM2





	Title			
		XXXX	LCFC	
TIAL NOF R	Size Cust	Document Number om	AITE1 NM-A221 1.	

Security Classification	LC F	uture Center Secre	et Data	Title			
Issued Date	2013/09/07	Deciphered Date	2014/09/07	XXXX	•	LCFC	
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETARY PR RMATION. THIS SHEET MAY NOT BE TR AUTHORIZED BY LC FUTURE CENTER N LOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CU IEITHER THIS SHEET NOR		Custom	AITE1	NM-A22	Rev 1.0
				Date: Thur	sday, November 06, 2014 She	et 55 of	81



Security Classification LC Future Center Secret Data

Issued Date 2013/09/07 Deciphered Date 2014/09/07

THIS SHEET OF ENIGNEEPING DRAWNING IS THE PROPRIETARY PROPERTY OF LC FUTURE CENTER. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF REPARAMENT ACCEPT AS AUTHORIZED BY LC FUTURE CENTER NETHER FIRE SHEET NOT HE INFORMATION IT CONTAINS CUSTOM MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF LC FUTURE CENTER.

| Disclosure | Disclo

 Security Classification
 LC Future Center Secret Data


 Issued Date
 2013/09/07
 Deciphered Date
 2014/09/07


THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF LC FUTURE CENTER AND CONTAINS CONFIDENTIAL


AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RE


Title


Security Classification	LC F	uture Center Secre	et Data	Title	
Issued Date	2013/09/07	Deciphered Date	2014/09/07	XXXX	LCFC
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETARY PR RMATION. THIS SHEET MAY NOT BE TRA AUTHORIZED BY LC FUTURE CENTER N LOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CUS IEITHER THIS SHEET NOR		Size Document Number Custom	AITE1 NM-A221 Rev 1.0












Security Classification	LC F	LC Future Center Secret Data					
Issued Date	2013/09/07	Deciphered Date	2014/09/07	XXXX		LCFC	
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETARY PR RMATION. THIS SHEET MAY NOT BE TRA AUTHORIZED BY LC FUTURE CENTER N LOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CUS IEITHER THIS SHEET NOR	IT OF LC FUTURE CENTER.	Size D Custom	ocument Number		Rev 1.0



Screw Hole



PCB Fedical Mark PAD




Center Zero

Security Classification	LC Future Center Secret Data				
Issued Date	2013/09/07	Deciphered Date	2014/09/07	İ	
THIS SHEET OF ENGINEER AND TRADE SECRET INFO	RING DRAWING IS THE PROPRIETARY PI	ROPERTY OF LC FUTURE ANSFERED FROM THE CU	CENTER. AND CONTAINS CONFIDENTIAL STODY OF THE COMPETENT DIVISION OF R	Bize	





XXXX

AITE1 NM-A221 Rev. 1.0





PRT8 under CPU botten side : CPU thermal protection at 93 +-3 degree C Recovery at 56 +-3 degree C







Security Classification	LC Future Center Secret Data			Title	•		
Issued Date	2013/08/05	Deciphered Date	2014/12/31	BATTERY CONN/OTP LCFC		LCFC	
AND TRADE SECRET INFO DEPARTMENT EXCEPT AS	RING DRAWING IS THE PROPRIETARY P RMATION. THIS SHEET MAY NOT BE TR AUTHORIZED BY LC FUTURE CENTER I LOSED TO ANY THIRD PARTY WITHOUT	ANSFERED FROM THE CUS NEITHER THIS SHEET NOR		Se Size Custorr	Document Number ATTE1		Rev 1.0











Security Classification	LC Future Center Secret Data		Title				
Issued Date	2013/08/05	Deciphered Date	2014/12/31		+1.35V/+0.675VS	LCFC	
DEPARTMENT EXCEPT AS AUTHORIZED BY LC FUTURE CENTER NEITHER THIS SHEET NOT HE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF LC FUTURE CENTER.			Size Custom	AITE.	1 NM-A221	Rev 1.0	





























Gordon SDV LOGIC SCHEMATICS

1.COVER PAGE

2.BLOCK DIAGRAM

3.NOTE LIST

4.VGA NOTE

5.BDW DDI/EDP/XDP

6.BDW DDR3L INT

7.BDW RTC/HDA/SATA/PCIe/JTAG

8.BDW CLOCK/PM

9.BDW LPC/SPI/SM BUS

10.BDW SYS PM

11.BDW eDP SBAND/DDPx

12.BDW GPIO/SIO

13.BDW PCIE/USB BUS

14.BDW (Power)

15.BDW (Power2)

16.BDW (VSS)

17.BDW (OTHER)

18.DDR3L DIMM1

19.DDR3L DIMM2

20.Opal & Jet PCIE

21.Opal & Jet GPIO

22. Opal & Jet Core Power

23.Opal & Jet DP Power/GND

24.Opal & Jet MEM Interface

25.Opal & Jet DDR3 VRAM U

26.Opal & Jet DDR3 VRAM L

27.Opal 22 TO 24 VRAM U2

28.Opal 23 TO 25 VRAM L2

29. Opal & Jet swich power

30.BLANK

31.BLANK

32.CARDREADER IC/CONN.

33.DP RP --> BLANK

34.DOCKING/ DCIN CONN

35.CX20751

36.HP/MIC JACK/Speaker

37.SATA HDD/ODD CONN.

38.eDP/CMOS CONN.

39.USB30 RP --> BLANK

40.USB3 PORT1-BACK

41.USB3 PORT2-FRONT(AOU)

42.MUX IC

43.DP TO VGA

44.VGA CONN.

45.HDMI RP --> BLANK

46.HDMI CONN.

47.GBE LAN PHY

48.RJ45 CONN.

49.CP/TPOINTCONN.

50.PBTN/LID/FP/FAN CONN.

51.KB/RTC/TOUCH PAN CONN.

52.WWAN/WLAN NGFF CONN.

53.SUB CONN. --> BLANK

54.SUB-AUDIO JACK CONN.

55.THERMAL SENSOR

56.G SENSOR/TPM

57.BLANK

58.BLANK

59.BLANK

60.BLANK

61.DC V TO VS/ V-PCH/VM

62.EC | IT8586E/FX

63.PLM/SCREW HOLE

64.BLANK

65.DCIN / Vin Detector

66.BATTERY CONN/OTP

67.CHARGER(BQ24780)

68.3V/5VALW(RT6585B)

69.+1.35V/+0.675V(RT8231A)

70.+1.05VS(SYX198DQNC)

NMA-221 VER 0.1 Nov/13/2013

71.+1.5VS(SYX198DQNC)

72.+1.8VS VGA(RT8068A)

73.+VCC CORE(NCP81101MNTXG)

74.+VCC CORE2

75.PROCESSOR DECOUPLING

76.+VGA CORE(ISL62771)

77.+0.95VS VGA(RT8068A)

78.+1.05VM(RT8068A)

79.PWR-PIR

80.HW PIR

