SAMSUNG PROPRIETARY

THIS DOCUMENT CONTAINS CONFIDENTIAL PROPRIETARY INFORMATION THAT IS SAMSUNG ELECTRONICS CO'S PROPERTY. NOT DISCLOSE TO OR DUBLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY SAMSUNG.

SCALA2-AMD

CPU :ZACATE

Chip Set :HUDSON-M1

GFX : SEYMOUR-S3

Remarks : AMD Brazos Platform

Model Name : SCALA2-AMD

PBA Name : MAIN

PCB Code : BA41-01533A (GCE)

BA41-01534A (NY)

BA41-01532A (HAN)

Dev. Step : MP

Revision : 1.0

T.R. Date : 2011.03.11

| Design | CHECK | APPROVAL |
|-------------|---------|----------|
| Cun jia jun | Lei Guo | BC LEE |
| | | |

■ Owner: SEC IT Solution N/P LAB Signature: wanni

sheet01 : Cover sheet31 : MICOM

sheet02 : BLOCK DIAGRAM sheet32 : MICOM Glue Logic (KBD / TP) sheet03 : BOARD INFORMATION sheet33 : TOUCHPAD

sheet04: POWER DIAGRAM sheet34: TOUCHPAD sheet05: POWER RAILS sheet35: Audio - HP/MIC sheet06: POWER SEQUENCE sheet36: Audio - HP/MIC sheet37: LAN (Realtek 8111F)

sheet08: Thermal Sensor sheet38: WLAN

sheet09: CPU sheet39: SATA interface sheet10: CPU sheet40: SATA ODD SUB sheet11: CPU sheet41: 3-in-1 card

sheet12 : DDR3 SODIMM #0 sheet42 : USB/POWER SW SUB BD

sheet13: DDR3 SODIMM #1 sheet43: USB connector sheet14: FCH-HUDSON sheet44: Power - charger

sheet15: FCH-HUDSON sheet16: FCH-HUDSON sheet46: Power - P1.05V (Chipset Power)

sheet17 : FCH-HUDSON sheet47 : Power - DDR3

sheet18 : FCH-HUDSON sheet48 : Power - P1.1V_AUX(Chipset power)


sheet54: MOUNT HOLE

sheet19: 80 port/BIOS sheet20: SEYMOUR S3_XT sheet21: SEYMOUR S3_XT sheet22: SEYMOUR S3_XT sheet23: SEYMOUR S3_XT sheet23: SEYMOUR S3_XT sheet53: Power - Puser Discharge

sheet24 : SEYMOUR S3_XT sheet25 : SEYMOUR S3_XT

sheet26 : GFX memory sheet27 : GFX memory sheet28 : LVDS / CAMERA

sheet29 : CRT sheet30 : HDMI



SAMSUNG PROPRIETARY

SAMBUNG FROFRIE IARY
THIS DOCUMENT CONTAINS CORFIDENTIAL
PROPRIETARY INFORMATION THAT IS
SAMBUNG ELECTRONICS CO'S PROPERTY.
DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS
EXCEPT AS AUTHORIZED BY SAMBUNG.

BOARD INFORMATION

SCHEMATIC ANNOTATIONS AND BOARD INFORMATION

| Voltage | Rails | Active in |
|--|--|-----------|
| VDC P12.0V_ALW P3.3V_MICOM P5.0V_ALW P5.0V_STB | Primary DC system power supply (7 to 21V) 12.0V always power rail 3.3V always power rail (for Micom) 5.0V always power rail 5.0V always power rail | S4 - S5 |
| P5.0V_AUX P3.3V_AUX P1.5V_AUX | 5.0V switched on power rail (off in S4-S5) 3.3V switched on power rail (off in S4-S5) 1.5V power rail for DDR (off in S4-S5) | \$3 |
| P5.0V P3.3V P1.8V P1.5V P1.05V P0.75V | 5.0V switched power rail (off in S3-S5) 3.3V switched power rail (off in S3-S5) 1.8V switched power rail (off in S3-S5) 1.5V switched power rail (off in S3-S5) 1.05V power rail for chipset (off in S3-S5) 0.9V power rail for DDR (off in S3-S5) | SO |
| VCC_CORE IGFX_CORE EGFX_CORE P1.05V (VCCP) | Core Voltage for CPU Core Voltage for IGFX Core Voltage for GPU VCC for Arrandale & IBEX Peak | S0 |

| | USB PORT Assign | PCI | Express Assign |
|--|--|--------------------------------------|---|
| PORT # | ASSIGNED TO | PORT # | ASSIGNED TO |
| 0 1 2 3 4 5 6 7 8 9 10 11 12 13 | SYSTEM PORT 0 SYSTEM PORT 1 Mini PCI Express Multi Memory Card Controller NC NC (NA WITH HM55) NC (NA WITH HM55) NC (NA WITH HM55) NC (NA WITH HM55) NC (NA WITH MM56) NC SYSTEM PORT 2 (SUB BOARD) Bluetooth Camera NC | 1 2 3 4 5 6 7 8 | Mini Card 1 (WLAN) NC NC NC LAN CONTROLLER NC |


| SATA PORT Assign | | | | | |
|------------------|-----------------|--|--|--|--|
| PORT # | ASSIGNED TO | | | | |
| 0 | HDD | | | | |
| 1 | ODD | | | | |
| 2 | (N/A WITH HM55) | | | | |
| 3 | (N/A WITH HM55) | | | | |
| 4 | | | | | |
| 5 | | | | | |


| - | l / Oscillator | | | |
|-------------------------------|---------------------------------|-------------------------------------|--|--|
| TYPE | FREQUENCY | DEVICE | USAGE | |
| Crystal Crystal Crystal | 32.768KHz 14.318MHz 25MHz | IBEX-PEAK CLOCK-Generator LAN | Real Time Clock CK-505 Intel LAN | |


| LCD Pannel D | Detect | |
|--------------|--------------|-----------------|
| Devices | Resolution | PANNEL_DETECT_0 |
| LTN140AT17 | HD(1366x768) | SEC3250 |


| 1 ² C / SMB Address | | | | | | | |
|--|--|--|---|--|--|--|--|
| Devices | Address | Hex | Bus | | | | |
| IBEX PEAK | Master | - | SMBUS Master | | | | |
| CPU Thermal Sensor SODIMMO SODIMMO SODIMM1 Thermal Sensor on SODIMMO Thermal Sensor on SODIMM1 CK-605M Shrink(Clock Generator) Thermal Sensor on board Power thermal management TS | 0111 101x 1010 000x 1010 010x 0011 000x 0011 010x 1101 001x 1101 100x 1101 100x | 7Ah A0h A4h 30h 34h D2h 98h 96h | Thermal Sensor Clock, Unused Clock Output Disable | | | | |


| DRAW Cunjiajur | DATE 8 | /19/2010 | SCALA2-AMD | | | | | | | | MSU | NG |
|-----------------------|-----------|----------|----------------------------|-----|----------|--------|----------|--|--|--|-----|----|
| CHECK Guole | DEV. STEP | МР | MAIN | | | ELEC | CTRONICS | | | | | |
| APPROVAL BC LEE | REV | rev. 1.0 | BOARD INFO | | PART NO. | BA41-0 | XXXXXA | | | | | |
| MODULE CODE undefined | LAST EDIT | | March 16, 2011 16:50:09 PM | PAG | E 3 | 01 | 54 | | | | | |








































SAMSUNG PROPRIETARY

THIS DOCUMENT CONTAINS CONFIDENTIAL PROPRIETARY INFORMATION THAT IS SAMSUNG ELECTRONICS CO'S PROPERTY. DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY SAMSUNG.

Strap






DEBUG STRAPS


| | PCI3_AD(27) | PCI3_AD(26) | PCI3_AD(25) | PCI3_AD(24) | PCI3_AD(23) |
|---------------|---------------------------|-----------------------------------|--------------------------|---------------------------------------|------------------------------------|
| | Bypass PCI PLL | ILA auto run Enable | Bypass FC CLK | I2C ROM Enable | Booting from PCI memory |
| STRAP HIGH | USE PCI PLL DEFAULT | DISABLE ILA AUTORUN DEFAULT | USE FC PLL DEFAULT | USE DEFAULT PCIE STRAPS DEFAULT | DISABLE PCI MEM BOOT DEFAULT |
| STRAP LOW | BYPASS PCI PLL | ENABLE ILA AUTORUN | BYPASS FC PLL | USE EEPROM PCIE STRAPS | ENABLE PCI MEM BOOT |


| PULL HIGH | HDA3_AUD_SDO AZ_SDOUT | PCI3_CLK2 | PCI3_CLK3 | PCI_CLK4 | LPC3_CLK0 | LPC3_CLK1 |
|--------------|--------------------------------|--|-------------------------------------|---------------------------------|---------------------------|-----------------------------|
| | LOW POWER MODE | Watchdog Timer Enabled | USE DEBUG STRAP | non_Fusion CLOCK MODE | EC ENABLE | CLKGEN ENABLE DEFAULT |
| PULL LOW | PERFORMANCE MODE DEFAULT | Watchdog Timer Disabled DEFAULT | IGNORE DEBUG STRAP DEFAULT | FUSION CLOCK MODE DEFAULT | EC DISABLED DEFAULT | CLKGEN DISABLED |





Remove SB_TEST pins for mass production. (For ASIC debug only - AMD)


| DESIGN Cunjiajun | B/19/2010 | SCALA2-AMD | | SAN | ISUN | IG |
|--------------------|-----------------|----------------------------|-----|----------|-------------|--------|
| CHECK Guolei | DEV. STEP MP | CPU | | | ELECTF | RONICS |
| APPROVAL BC LEE | rev. 1.0 | BGA CPU (4/5) | | PART NO. | BA41-0XX | XXXA |
| MODULE CODE | LAST EDIT | March 16, 2011 16:50:09 PM | PAG | 18 | OF | 54 |























SAMSUNG PROPRIETARY LVDS LOGIC THIS DOCUMENT CONTAINS CONFIDENTIAL PROPRIETARY INFORMATION THAT IS SAMSUNG ELECTRONICS CO'S PROPERTY. DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY SAMSUNG. **LCD Connector + CAMERA Backlight On** LCD_VDD3V P3.3V KBC3 BKLTON 4 R512 M 1K 1% LCD3_BKLTON PEG3_BKLTEN -SMD-MNT LCD3_BKLTON LCD3_BRIT USB3 LCD CAMERA-USB3_LCD_CAMERA+ 900ULCD1_ACLK LCD1_ACLK# LCD1_ADATA1 LCD1_ADATA1# LCD1_ADATA2 LCD1_ADATA2# LCD1_ADATA0 LCD1_ADATA0# LCD3_EDID_CLK LCD3_EDID_DATA TYPE: ANGLE **LED Power LCD Power** LCD_VDD3V LCD_VDD3V LCD3_BKLTON PEG3_LCDVDDON R526 W 10K 1% G PEG3_LCDVDDON_R_MN R525 nostuff P3.3V_VDD_INV_EN_MN SAMSUNG Cunjiajun 8/19/2010 SCALA2-AMD ELECTRONICS GRAPHICS IF Guole LVDS BA41-0XXXXXA BC LEE March 16, 2011 16:50:09 PM PAGE 28 OF

