

第1次作業題目-隨堂-HW1

學號：113111114

姓名：黃品綾

作業撰寫時間：160 mins

最後撰寫文件日期：2026/10/03

本份文件包含以下主題：(至少需下面兩項，若是有多者可以自行新增)

- ☒ 說明內容
- ☒ 其他 (可以包含心得或是想跟老師反映)

說明內容

1.

圖檔事點連結進入到老師的倉庫後 找到右上角的fork點選 01

The screenshot shows a GitHub repository interface. At the top, the repository name '115-1HW1' is displayed with a 'Public' badge. To the right are buttons for 'Watch' (0) and 'Fork' (19). Below this, a navigation bar shows 'main' branch, '1 Branch', and '0 Tags'. A search bar 'Go to file' and buttons 'Add file' and 'Code' are present. The main content area lists two files: 'answer.md' and 'b8bb5130-39ae-4f02-a5a2-caf9ac57ab80_第1...', both committed by 'altoliaw3' in the 'feat(init): First version' commit, dated 'last week'. Below the file list is a section titled 'Ask Copilot about this repository' with the text 'This repository doesn't have a README yet. Ask Copilot to learn how this project works.' and three buttons: 'Give me a high-level overview', 'How can I contribute?', and 'Generate a README'. On the right sidebar, the 'About' section states 'No description, website provided.' and lists 'Activity', '0 stars', '0 watching', and '19 forks'. The 'Releases' section shows 'No releases published', and the 'Packages' section shows 'No packages published'.

點選右下角create fork 02

Create a new fork

A *fork* is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project. [View existing forks.](#)

Required fields are marked with an asterisk (*).

Owner *

 qianys25

/

Repository name *

115-1HW1

✔ 115-1HW1 is available.

By default, forks are named the same as their upstream repository. You can customize the name to distinguish it further.

Description

0 / 350 characters

☒ Copy the `main` branch only

Contribute back to altoliaw3/115-1HW1 by adding your own branch. [Learn more.](#)

 You are creating a fork in your personal account.

Create fork

複製網址 03

 **115-1HW1** Public

forked from [altoliaw3/115-1HW1](#)

 main

 1 Branch

 0 Tags

Go to file

T

Add file

 Code

This branch is up to date with `altoliaw3/115-1HW1:main`.

 altoliaw3 feat(init): First version

 answer.md feat(init): First version

 b8bb5130-39ae-4f02-a5a2-caf9ac57ab80_第1... feat(init): First version

README

Add a README

Help people interested in this repository understand your project

Local Codespaces

Clone

HTTPS

SSH

GitHub CLI

https://github.com/qianys25/115-1HW1.git

Clone using the web URL.

Open in GitHub Copilot app

Open with GitHub Desktop

Download ZIP

輸入圖檔內容 04

```
PS C:\Users\User> git clone https://github.com/qianyus25/115-1HW1.git
Cloning into '115-1HW1'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 4 (delta 0), reused 4 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), 466.34 KiB | 3.35 MiB/s, done.
PS C:\Users\User>
```

輸入完後就可以開啟檔案了，也可以找到檔案開啟 05


```
remote: Total 4 (delta 0), reused 4 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), 466.34 KiB | 3.35 MiB/s, done.
PS C:\Users\User> cd 115-1HW1
PS C:\Users\User\115-1HW1> dir

目錄: C:\Users\User\115-1HW1

Mode                LastWriteTime         Length Name
----                -
-a-----         2026/10/3 下午 07:03             1809 answer.md
-a-----         2026/10/3 下午 07:03      566685 b8bb5130-39ae-4f02-a5a2-caf9ac57ab80_第1次作業題目-作業-HW1.pdf

PS C:\Users\User\115-1HW1> code .
PS C:\Users\User\115-1HW1>
```

成功開啟檔案 06



3. 標題

使用# 可以建立標題，#的數量不同可以表示不同層級的標題。

Ans:

標題字

次標題字

小標題字

2. 粗體 斜線 使用**可將內容變成粗體 使用*可將內容變成斜線

Ans: **粗體** *斜線*

3. 無序清單 有序清單

Ans: 使用 - 可以建立無順序的清單。

Ans:

- 01
- 02
- 03

使用數字加上 . 可以建立有順序的清單。

Ans:

1. 01
2. 02
3. 03

4. 小區塊語法 大區塊語法 使用反引號 ` 來建立小區塊。 使用4個空格 來建立大區塊

Ans: 通常用於一段相關內容的撰寫，一小段文字或是註釋都可能會用小區塊來表示 而篇幅較大又不希望與一般段落內容混在一起的文字，就會使用大區塊來包覆。

6. 程式碼

使用三個反引號 ``` 可以顯示多行程式碼，也可以在後面指定程式語言。

Ans:

```
console.log("Hello Git!");
```

7. 超連結

使用 [文字](網址) 可以建立超連結。

Ans:

```
[GitHub](https://github.com/qianyus25/115-1HW1.git)
```

8. 圖片

使用 ![圖片說明](圖片路徑) 可以將圖片放入 Markdown 文件中。

Ans: ![fork截圖](img/01.png)

9. 分隔線

使用 --- 可以建立分隔線。

Ans:

10. 表格

使用 | 可以建立表格，並使用 --- 分隔標題與內容。

Ans:

```
|---|---|
```

3. 查看目前有哪些分支 並建立一個新的分支 + 直接切換過去。

07 ![查看目前有哪些分支 並建立一個新的分支 + 直接切換過去。](img/07.png)

新增hello.txt檔案

08 ![新增hello.txt檔案](img/08.png)

設定 Git 的名字 電子信箱

09 ![設定 Git 的名字 電子信箱](img/09.png)

在自己的 feature 分支完成 hello.txt → commit → 合併到 main → 上傳 GitHub。

10 ![在自己的 feature 分支完成 hello.txt → commit → 合併到 main → 上傳 GitHub。](img/10.png)

上傳檔案

12 ![上傳檔案](img/12.png)

4.

11 ![github帳號位址](img/11.png)

其他