

qien@qien: ~

System load: 0.02

Processes: 122

Usage of /: 55.2% of 9.75GB

Users logged in: 1

Memory usage: 29%

IPv4 address for enp0s3: 192.168.131.145

Swap usage: 0%

\* Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s just raised the bar for easy, resilient and secure K8s cluster deployment.

<https://ubuntu.com/engage/secure-kubernetes-at-the-edge>

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

8 additional security updates can be applied with ESM Apps.

Learn more about enabling ESM Apps service at <https://ubuntu.com/esm>

New release '22.04.3 LTS' available.

Run 'do-release-upgrade' to upgrade to it.

Last login: Thu Nov 16 16:38:27 2023

qien@qien:~\$ sudo service ssh status

[sudo] password for qien:

ssh.service - OpenBSD Secure Shell server

Loaded: loaded (/lib/systemd/system/ssh.service; enabled; vendor preset: enabled)

Active: active (running) since Thu 2023-11-16 16:34:50 UTC; 9min ago

Docs: man:sshd(8)

man:sshd\_config(5)

Process: 687 ExecStartPre=/usr/sbin/sshd -t (code=exited, status=0/SUCCESS)

Main PID: 741 (sshd)

Tasks: 1 (limit: 2257)

Memory: 4.0M

CGroup: /system.slice/ssh.service

└─741 sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups

Nov 16 16:34:49 qien systemd[1]: Starting OpenBSD Secure Shell server...

Nov 16 16:34:50 qien sshd[741]: Server listening on 0.0.0.0 port 22.

Nov 16 16:34:50 qien sshd[741]: Server listening on :: port 22.

Nov 16 16:34:50 qien systemd[1]: Started OpenBSD Secure Shell server.

Nov 16 16:42:30 qien sshd[1309]: Accepted password for qien from 192.168.131.64 port 22.

Nov 16 16:42:30 qien sshd[1309]: pam\_unix(sshd:session): session opened for user qien

Status last updated: 16/11/2023 16:42:30

Apache2 Ubuntu Default Page

ubuntu

It works!

This is the default welcome page used to test the correct operation of the Apache2 server installation on Ubuntu systems. It is based on the equivalent page on Debian, from which Apache packaging is derived. If you can read this page, it means that the Apache HTTP server is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this page is currently unavailable due to maintenance. If the problem persists, please contact your site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration into several files optimized for interaction with Ubuntu tools. The configuration system is documented in `/usr/share/doc/apache2/README.Debian.gz`. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/
|-- apache2.conf
|-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
```