
Cash entry — print first

01

Vehicle arrives, driver presses the ticket button, the ticket is the transaction identifier.




solid wire = happy path · tangerine = print-failure fallback

GATE_FLOW_SPEC §2.1 · daemons/gate_in.py · workers/critical/print_worker.py

RFID member entry — gate first

02

Member card is the identifier: validation passes, gate opens immediately, ticket is optional.




Expiring within 5 days

Warning track 11/12, then continue normally.

E-money entry — gate first

03


Card tap, balance courtesy check, gate opens. No money moves until the vehicle exits.



Cash exit — pay, receipt, open

04

Operator scans the ticket, collects cash, confirms, then opens the gate from the booth.



Exit is method-agnostic

Wiegand · PASSTI · POS race.
FIRST_COMPLETED wins;
the other two are cancelled.


Two-step exit

Cash never auto-opens.
Receipt runs async; a print
failure does not block exit.

RFID exit — tap and go

05

Member taps at the exit lane; the system validates, closes the transaction, and opens the relay.



Fully automatic

No operator action needed: the card tap completes payment and opens the gate.


Losing listeners

After the first completion the PASSTI and POS listeners are cancelled for this vehicle.

E-money exit — deduct then open

06

Tap, look up the stay, deduct through the PASSTI reader, then open only on a confirmed result.



Any failure keeps the gate closed

Vehicle still at the lane.
Operator can fall back to cash
or the next tap re-arms payment.

solid wire = happy path · tangerine = critical fallback · dashed = retry

GATE_FLOW_SPEC §3.4 · protocols/passti · booth_bridge/websocket_server.py