


1.  deploy web application into war

2.  Find the war file according to the path

3.  Copy and paste it into the webapps folder under Tomcat


4. Open startup and run Tomcat.



```
PS D:\西财\大一下\Java EE\apache-tomcat-9.0.44\bin>
PS D:\西财\大一下\Java EE\apache-tomcat-9.0.44\bin> .\startup.bat
Using CATALINA_BASE: "D:\西财\大一下\Java EE\apache-tomcat-9.0.44"
Using CATALINA_HOME: "D:\西财\大一下\Java EE\apache-tomcat-9.0.44"
Using CATALINA_TMPDIR: "D:\西财\大一下\Java EE\apache-tomcat-9.0.44\temp"
Using JRE_HOME: "C:\Program Files\Java\jdk1.8.0_261"
Using CLASSPATH: "D:\西财\大一下\Java EE\apache-tomcat-9.0.44\bin\bootstrap.jar;D:\西财\大一下\Java EE\apache-tomcat-9.0.44\bin\tomcat-juli.jar"
Using CATALINA_OPTS: ""
PS D:\西财\大一下\Java EE\apache-tomcat-9.0.44\bin>
```

```
13-May-2021 20:18:07.458 洪℃侖 [main] org.apache.catalina.startup.HostConfig.deployDirectory 鐳岌eb 孳旂戢纈纈答閨 | 讲
錄扮汨褰[D:\瓊脣儲\澮τ 鐳涑娛Java EE\apache-tomcat-9.0.44\webapps\examples]
13-May-2021 20:18:08.184 洪℃侖 [main] org.apache.catalina.startup.HostConfig.deployDirectory Web孳旂戢纈纈答閨 緯[D:\
瓊脣儲\澮τ 鐳涑娛Java EE\apache-tomcat-9.0.44\webapps\examples]鐳劬儀纈插凡鐳-726]姣 鋁吧甞鋁?
13-May-2021 20:18:08.199 洪℃侖 [main] org.apache.catalina.startup.HostConfig.deployDirectory 鐳岌eb 孳旂戢纈纈答閨 | 讲
錄扮汨褰[D:\瓊脣儲\澮τ 鐳涑娛Java EE\apache-tomcat-9.0.44\webapps\host-manager]
13-May-2021 20:18:08.279 洪℃侖 [main] org.apache.catalina.startup.HostConfig.deployDirectory Web孳旂戢纈纈答閨 緯[D:\
瓊脣儲\澮τ 鐳涑娛Java EE\apache-tomcat-9.0.44\webapps\host-manager]鐳劬儀纈插凡鐳-60]姣 鋁吧甞鋁?
13-May-2021 20:18:08.295 洪℃侖 [main] org.apache.catalina.startup.HostConfig.deployDirectory 鐳岌eb 孳旂戢纈纈答閨 | 讲
錄扮汨褰[D:\瓊脣儲\澮τ 鐳涑娛Java EE\apache-tomcat-9.0.44\webapps\manager]
13-May-2021 20:18:08.373 洪℃侖 [main] org.apache.catalina.startup.HostConfig.deployDirectory Web孳旂戢纈纈答閨 緯[D:\
瓊脣儲\澮τ 鐳涑娛Java EE\apache-tomcat-9.0.44\webapps\manager]鐳劬儀纈插凡鐳-78]姣 鋁吧甞鋁?
13-May-2021 20:18:08.404 洪℃侖 [main] org.apache.catalina.startup.HostConfig.deployDirectory 鐳岌eb 孳旂戢纈纈答閨 | 讲
錄扮汨褰[D:\瓊脣儲\澮τ 鐳涑娛Java EE\apache-tomcat-9.0.44\webapps\ROOT]
13-May-2021 20:18:08.470 洪℃侖 [main] org.apache.catalina.startup.HostConfig.deployDirectory Web孳旂戢纈纈答閨 緯[D:\
瓊脣儲\澮τ 鐳涑娛Java EE\apache-tomcat-9.0.44\webapps\ROOT]鐳劬儀纈插凡鐳-66]姣 鋁吧甞鋁?
13-May-2021 20:18:08.506 洪℃侖 [main] org.apache.coyote.AbstractProtocol.start 寮€ 濃纈崗纈 鐳哨鼻纈刑"http-nio-8080"
13-May-2021 20:18:08.522 洪℃侖 [main] org.apache.catalina.startup.Catalina.start [1938]姣 錫庯涓涔" 樅錫 姘
```

5. So we can input URL "localhost:8080" :



6. Then we can use "localhost:8080/unnamed/" to open this web

