

Universal POM Bra Locked - Correct / Agent / Final

Cell format	correct/agent/final. Correct is expected final fixture value. Agent is raw size_range or size_steps agent output. Final is output after agent_universal_measurement_size.
Color	Green: agent and final equal correct. Yellow: raw agent differs but final matches correct. Red: final differs from correct.
Counts	green=408 yellow=0 red=0
Run	universal-pom-bra-lock-intermediate-20260521-135516
Mode	lock_poms=True size_structure_source=generated_by_ai rows=17
Run folder	/Users/qin/QinProject/Muse/MuseAI/data/cache/qin-test-pdf-report/universal-pom-bra-lock-intermediate-20260521-135516

Size structure key	Value used by UniversalPOMHelper
source	generated_by_ai
size_system	"EU"
wearer	"women"
size_format	"bra"
size_headers	["70A", "70B", "70C", "75B", "75C", "75D", "80B", "80C", "80D", "85B", "85C", "85D"]
base_size	"75D"
unit	"cm"

Prompt used for this run

DETACHABLE MULTIWAY SILHOUETTE CODE SUPPLIER
CUPS, OUTER CRADLE, WINGS FLORAL BURNOUT COTTON AS PER ARTWORK
NECKLINE CUT-OUT LACE TRIM AS PER SWATCH CAVIAR 19-4006TPG
CF AND SIDE CRADLE LINING DENIER CAVIAR 19-4006TPG
NAYMW-01
SHOULDER STRAPS PLAIN EDGE 10MM ELASTIC CAVIAR 19-4006TPG
UNDERARM TO TOP WING PLAIN EDGE 10MM ELASTIC CAVIAR 19-4006TPG
PRODUCT CODE
UNDERBAND PLAIN EDGE 10MM ELASTIC CAVIAR 19-4006TPG
SWAN HOOKS AND SLIDES AS STANDARD CAVIAR 19-4006TPG
HOOK & EYE 3 X 2 AS STANDARD CAVIAR 19-4006TPG
FOAM CUP STANDARD MULTIWAY CUP CAVIAR 19-4006TPG
AROUND CUP AND SIDE SEAM BONE INSERT WIRECASING CAVIAR 19-4006TPG
SIDE SEAM INSERT CLEAR BONE N/A
WIRES AS STANDARD N/A
NRNC-01
THREAD COLOUR MATCH TO BASE COLOUR CAVIAR 19-4006TPG
2 X CF BUTTONS CAVIAR 19-4006TPG

Points of measure 70A 70B 70C 75B 75C 75D 80B 80C 80D 85B 85C 85D +/- Tol
Under Band - Relaxed (Including 1st hook & eye) 55 55 55 60 60 60 65 65 65 70 70 70 1
Under Band - Extended (Including 1st hook & eye) 77 77 77 82 82 82 87 87 87 92 92 92 1
Center front bridge width at top edge - including wire 2 2 2 2 2 2 2 2 2 2 0.5
Center front bridge depth - Outer excluding picot edge 4.7 5.1 5.5 5.5 5.9 6.3 5.9 6.3 6.7 6.3 6.7 7.1 0.5
Top wing - including 1st hook & eye / including wire casing 17.3 16.3 15.3 18 17 16 19.7 18.7 17.7 21.4 20.4 19.4 0.4
Neck edge - along cup edge excluding wire 19.4 20.2 21 21 21.8 22.6 21.8 22.6 23.4 22.6 23.4 24.2 0.1
Around cup seam - meas at wire at center Bar tack to bar tack 19.4 21.2 23 23 24.8 26.6 24.8 26.6 28.4 26.6 28.4 30.2 0.1
Cup height - at center (excluding wire) 11.2 12.6 14 14 15.4 16.8 15.4 16.8 18.2 16.8 18.2 19.6 0.2
Side boning height 8 8.5 9 9 9.5 10 9.5 10 10.5 10 10.5 11 0.3
Dart Length excluding wire casing (only applicable for print colors)-Revised 8 8.5 9 9 9.5 10 9.5 10 10.5 10 10.5 11 0.5
Wire play 1 1 1 1 1 1 1 1 1 1 1 1 0.3
Strap position at front from excl. wire casing 3.4 3.7 4 4 4.3 4.6 4.3 4.6 4.9 0.6 4.9 5.2 0.5
Shoulder Strap length 38 38 38 38 38 38 38 38 38 38 38 0.5
Shoulder Strap width 1 1 1 1 1.2 1 1.2 1.2 1.2 1.2 1.2 0.4
Hook & eye width 3.8 3.8 3.8 3.8 5.5 3.8 5.5 5.5 5.5 5.5 5.5 0.4
Bottom wing elastic width 1 1 1 1 1.2 1 1.2 1.2 1.2 1.2 1.2 0
Top wing elastic width 1 1 1 1 1.2 1 1.2 1.2 1.2 1.2 1.2 0

Full Range Matrix: correct/agent/final

#	POM	70A	70B	70C	75B	75C	75D	80B	80C	80D	85B	85C	85D
1	Under Band - Relaxed (Including 1st hook & eye)	55/55/55	55/55/55	55/55/55	60/60/60	60/60/60	60/60/60	65/65/65	65/65/65	65/65/65	70/70/70	70/70/70	70/70/70
2	Under Band - Extended (Including 1st hook & eye)	77/77/77	77/77/77	77/77/77	82/82/82	82/82/82	82/82/82	87/87/87	87/87/87	87/87/87	92/92/92	92/92/92	92/92/92
3	Center front bridge width at top edge - including wire	2/2/2	2/2/2	2/2/2	2/2/2	2/2/2	2/2/2	2/2/2	2/2/2	2/2/2	2/2/2	2/2/2	2/2/2
4	Center front bridge depth - Outer excluding picot edge	4.7/4.7/4.7	5.1/5.1/5.1	5.5/5.5/5.5	5.5/5.5/5.5	5.9/5.9/5.9	6.3/6.3/6.3	5.9/5.9/5.9	6.3/6.3/6.3	6.7/6.7/6.7	6.3/6.3/6.3	6.7/6.7/6.7	7.1/7.1/7.1
5	Top wing - including 1st hook & eye / including wire casing	17.3/17.3/17.3	16.3/16.3/16.3	15.3/15.3/15.3	18/18/18	17/17/17	16/16/16	19.7/19.7/19.7	18.7/18.7/18.7	17.7/17.7/17.7	21.4/21.4/21.4	20.4/20.4/20.4	19.4/19.4/19.4
6	Neck edge - along cup edge excluding wire	19.4/19.4/19.4	20.2/20.2/20.2	21/21/21	21/21/21	21.8/21.8/21.8	22.6/22.6/22.6	21.8/21.8/21.8	22.6/22.6/22.6	23.4/23.4/23.4	22.6/22.6/22.6	23.4/23.4/23.4	24.2/24.2/24.2
7	Around cup seam - meas at wire at center Bar tack to bar tack	19.4/19.4/19.4	21.2/21.2/21.2	23/23/23	23/23/23	24.8/24.8/24.8	26.6/26.6/26.6	24.8/24.8/24.8	26.6/26.6/26.6	28.4/28.4/28.4	26.6/26.6/26.6	28.4/28.4/28.4	30.2/30.2/30.2
8	Cup height - at center (excluding wire)	11.2/11.2/11.2	12.6/12.6/12.6	14/14/14	14/14/14	15.4/15.4/15.4	16.8/16.8/16.8	15.4/15.4/15.4	16.8/16.8/16.8	18.2/18.2/18.2	16.8/16.8/16.8	18.2/18.2/18.2	19.6/19.6/19.6
9	Side boning height	8/8/8	8.5/8.5/8.5	9/9/9	9/9/9	9.5/9.5/9.5	10/10/10	9.5/9.5/9.5	10/10/10	10.5/10.5/10.5	10/10/10	10.5/10.5/10.5	11/11/11
10	Dart Length excluding wire casing (only applicable for print colors)-Revised	8/8/8	8.5/8.5/8.5	9/9/9	9/9/9	9.5/9.5/9.5	10/10/10	9.5/9.5/9.5	10/10/10	10.5/10.5/10.5	10/10/10	10.5/10.5/10.5	11/11/11
11	Wire play	1/1/1	1/1/1	1/1/1	1/1/1	1/1/1	1/1/1	1/1/1	1/1/1	1/1/1	1/1/1	1/1/1	1/1/1
12	Strap position at front from excl. wire casing	3.4/3.4/3.4	3.7/3.7/3.7	4/4/4	4/4/4	4.3/4.3/4.3	4.6/4.6/4.6	4.3/4.3/4.3	4.6/4.6/4.6	4.9/4.9/4.9	0.6/0.6/0.6	4.9/4.9/4.9	5.2/5.2/5.2
13	Shoulder Strap length	38/38/38	38/38/38	38/38/38	38/38/38	38/38/38	38/38/38	38/38/38	38/38/38	38/38/38	38/38/38	38/38/38	38/38/38
14	Shoulder Strap width	1/1/1	1/1/1	1/1/1	1/1/1	1/1/1	1.2/1.2/1.2	1/1/1	1.2/1.2/1.2	1.2/1.2/1.2	1.2/1.2/1.2	1.2/1.2/1.2	1.2/1.2/1.2
15	Hook & eye width	3.8/3.8/3.8	3.8/3.8/3.8	3.8/3.8/3.8	3.8/3.8/3.8	3.8/3.8/3.8	5.5/5.5/5.5	3.8/3.8/3.8	5.5/5.5/5.5	5.5/5.5/5.5	5.5/5.5/5.5	5.5/5.5/5.5	5.5/5.5/5.5
16	Bottom wing elastic width	1/1/1	1/1/1	1/1/1	1/1/1	1/1/1	1.2/1.2/1.2	1/1/1	1.2/1.2/1.2	1.2/1.2/1.2	1.2/1.2/1.2	1.2/1.2/1.2	1.2/1.2/1.2
17	Top wing elastic width	1/1/1	1/1/1	1/1/1	1/1/1	1/1/1	1.2/1.2/1.2	1/1/1	1.2/1.2/1.2	1.2/1.2/1.2	1.2/1.2/1.2	1.2/1.2/1.2	1.2/1.2/1.2

Full Step Matrix: correct/agent/final

#	POM	70A	70B	70C	75B	75C	75D	80B	80C	80D	85B	85C	85D
1	Under Band - Relaxed (Including 1st hook & eye)	0/0/0	0/0/0	-5/-5/-5	0/0/0	0/0/0	0/0/0	5/5/5	0/0/0	0/0/0	5/5/5	0/0/0	0/0/0
2	Under Band - Extended (Including 1st hook & eye)	0/0/0	0/0/0	-5/-5/-5	0/0/0	0/0/0	0/0/0	5/5/5	0/0/0	0/0/0	5/5/5	0/0/0	0/0/0
3	Center front bridge width at top edge - including wire	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
4	Center front bridge depth - Outer excluding picot edge	-0.4/-0.4/-0.4	-0.4/-0.4/-0.4	0/0/0	-0.4/-0.4/-0.4	-0.4/-0.4/-0.4	0/0/0	-0.4/-0.4/-0.4	0.4/0.4/0.4	0.4/0.4/0.4	-0.4/-0.4/-0.4	0.4/0.4/0.4	0.4/0.4/0.4
5	Top wing - including 1st hook & eye / including wire casing	1/1/1	1/1/1	-2.7/-2.7/-2.7	1/1/1	1/1/1	0/0/0	3.7/3.7/3.7	-1/-1/-1	-1/-1/-1	3.7/3.7/3.7	-1/-1/-1	-1/-1/-1
6	Neck edge - along cup edge excluding wire	-0.8/-0.8/-0.8	-0.8/-0.8/-0.8	0/0/0	-0.8/-0.8/-0.8	-0.8/-0.8/-0.8	0/0/0	-0.8/-0.8/-0.8	0.8/0.8/0.8	0.8/0.8/0.8	-0.8/-0.8/-0.8	0.8/0.8/0.8	0.8/0.8/0.8
7	Around cup seam - meas at wire at center Bar tack to bar tack	-1.8/-1.8/-1.8	-1.8/-1.8/-1.8	0/0/0	-1.8/-1.8/-1.8	-1.8/-1.8/-1.8	0/0/0	-1.8/-1.8/-1.8	1.8/1.8/1.8	1.8/1.8/1.8	-1.8/-1.8/-1.8	1.8/1.8/1.8	1.8/1.8/1.8
8	Cup height - at center (excluding wire)	-1.4/-1.4/-1.4	-1.4/-1.4/-1.4	0/0/0	-1.4/-1.4/-1.4	-1.4/-1.4/-1.4	0/0/0	-1.4/-1.4/-1.4	1.4/1.4/1.4	1.4/1.4/1.4	-1.4/-1.4/-1.4	1.4/1.4/1.4	1.4/1.4/1.4
9	Side boning height	-0.5/-0.5/-0.5	-0.5/-0.5/-0.5	0/0/0	-0.5/-0.5/-0.5	-0.5/-0.5/-0.5	0/0/0	-0.5/-0.5/-0.5	0.5/0.5/0.5	0.5/0.5/0.5	-0.5/-0.5/-0.5	0.5/0.5/0.5	0.5/0.5/0.5
10	Dart Length excluding wire casing (only applicable for print colors)-Revised	-0.5/-0.5/-0.5	-0.5/-0.5/-0.5	0/0/0	-0.5/-0.5/-0.5	-0.5/-0.5/-0.5	0/0/0	-0.5/-0.5/-0.5	0.5/0.5/0.5	0.5/0.5/0.5	-0.5/-0.5/-0.5	0.5/0.5/0.5	0.5/0.5/0.5
11	Wire play	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
12	Strap position at front from excl. wire casing	-0.3/-0.3/-0.3	-0.3/-0.3/-0.3	0/0/0	-0.3/-0.3/-0.3	-0.3/-0.3/-0.3	0/0/0	-0.3/-0.3/-0.3	0.3/0.3/0.3	0.3/0.3/0.3	-4.3/-4.3/-4.3	4.3/4.3/4.3	0.3/0.3/0.3
13	Shoulder Strap length	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0	0/0/0
14	Shoulder Strap width	0/0/0	0/0/0	0/0/0	0/0/0	-0.2/-0.2/-0.2	0/0/0	-0.2/-0.2/-0.2	0.2/0.2/0.2	0/0/0	0/0/0	0/0/0	0/0/0
15	Hook & eye width	0/0/0	0/0/0	0/0/0	0/0/0	-1.7/-1.7/-1.7	0/0/0	-1.7/-1.7/-1.7	1.7/1.7/1.7	0/0/0	0/0/0	0/0/0	0/0/0
16	Bottom wing elastic width	0/0/0	0/0/0	0/0/0	0/0/0	-0.2/-0.2/-0.2	0/0/0	-0.2/-0.2/-0.2	0.2/0.2/0.2	0/0/0	0/0/0	0/0/0	0/0/0
17	Top wing elastic width	0/0/0	0/0/0	0/0/0	0/0/0	-0.2/-0.2/-0.2	0/0/0	-0.2/-0.2/-0.2	0.2/0.2/0.2	0/0/0	0/0/0	0/0/0	0/0/0