

Tinopal® SFP

Product Description

Tinopal SFP is a fluorescent optical brightener for photographic color developer baths, adhesive compositions, or as fluorescent tracers.

Key Features & Benefits

- Brilliant bluish whitening effects

- Anti-stain properties

- Excellent solubility in water

Chemical Composition

Hexasodium 2,2'-[vinylenebis[(3-sulphonato-4,1-phenylene)imino[6-(diethyl-amino)-1,3,5-triazine-4,2-diyl]imino]]bis(benzene-1,4-disulphonate)

Properties

Typical Properties

Appearance light yellow powder CAS number 41098-56-0

Molecular weight g/mol 1,305

pH in deionized water (at 20° C / 68° F) 8 – 10.5


Solubility in deionized water

(at 20° C / 68° F) g/g solution > 100/100Iron content ppm < 25

These typical values should not be interpreted as specifications.

April 2019 Rev 3 page 1 of 3

Absorption and Emission Spectra in a 1:1 blend of DMF and water (cell thickness = 1cm)



Application

Tinopal SFP is a fluorescent optical brightener that provides anti-stain properties and brilliant bluish whitening effects in photographic color developer baths to enhance the apparent whiteness of processed color prints, where it may also act as both an optical brightener and as anti-stain agent.

Tinopal SFP is recommended for applications such as:

- · Photographic color developer baths
- · Water-based coatings
- · Over print varnish applications

Processing

The high water solubility of Tinopal SFP allows easy incorporation into the Part A of a typical color developer. It is recommended to dissolve the quantity of Tinopal SFP in water and then to add the organic solvent to the solution.

Recommended Concentrations

The amount of Tinopal SFP required for optimum performance should be determined in laboratory trials covering a concentration range and is dependent upon the type of color paper to be processed and the type of color developer used.

• 0.5 – 1.0 g/l color developer at working strength.

Safety

General

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State, and Local health and safety regulations, thorough ventilation of the workplace, good skin care, and wearing of protective goggles.

Safety Data Sheet

All safety information is provided in the Safety Data Sheet for Tinopal SFP.

Storage

Please refer to the "Handling and Storage of Polymer Dispersions" brochure.

April 2019 Rev 3 page 2 of 3

Important

The descriptions, designs, and data contained herein are presented for your guidance only. Because there are many factors under your control which may affect processing or application/use it is necessary for you to make appropriate tests to determine whether the product is suitable for your particular purpose prior to use. NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, OR DATA MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, DATA OR DESIGNS PROVIDED BE PRESUMED TO BE A PART OF OUR TERMS AND CONDITIONS OF SALE. Further, you expressly understand and agree that the descriptions, designs, and data furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for same or results obtained from use thereof, all such being given to you and accepted by you at your risk.

Tinopal is a registered trademark of BASF Group.

© BASF Corporation, 2019



BASF Corporation is fully committed to the Responsible Care® initiative in the USA, Canada, and Mexico. For more information on Responsible Care® go to: U.S.: www.basf.us/responsiblecare_usa Canada: www.basf.us/responsiblecare canada

México: www.basf.us/responsiblecare_canada

BASF Corporation

Dispersions and Resins 11501 Steele Creek Road Charlotte, North Carolina 28273 Phone: (800) 251 – 0612

Email: CustCare-Charlotte@basf.com

Email: edtech-info@basf.com www.basf.us/dpsolutions

April 2019 Rev 3 page 3 of 3