软件安装

yum search bind
yum install bind-chroot.x86_64 bind.x86_64

本机 IP: 192.168.142.130 DNS: /etc/resolv.conf

```
# Generated by NetworkManager
search sogou-inc.com localdomain
nameserver 10.129.181.221
nameserver 10.129.181.222
nameserver 192.168.142.2
```

配置

vim /etc/named.conf

最后加入一行

vim /etc/named.jack.zones

添加内容如下:

```
zone "dddjack.com" IN {
    type master;
    file "dddjack.com.zone";
    allow-query { any; };
    #allow-update { none; };
};

# zone "dddjack.com" IN {
    type master;
    file "dddjack.com.zone";
    allow-query { any; };
    #allow-update { none; };
};

# zone "142.168.192.in-addr.arpa" IN {
    type master;
    file "dddjack.com.loopback";
    allow-query { any; };
    # allow-query { any; };
# #allow-update { none; };
# #allow-update { none; };
```

vim /var/named/dddjack.com.zone

内容如下:

CentOS7 DNS Server 配置手册

```
STTL 1D
                                                       IN SOA @ qtj.ddddjack.com. (
@
         IN SOA @ qtj.ddddjack.com. (
2016113003
                                        serial
1D
                                      refresh
1H
                                        retry
                                                                     dnsl.dddjack.com.
1W
                                       expire
                                                dns1
                                                ab
3H)
        ; minimum
        NS
                 127.0.0.1
        Α
                                               注意上图 dns1 域名和 ip 行设置关系,否则会报错。
        AAAA
                  ::1
@
         IN
                  NS
                           dns1.dddjack.com.
dns1
         IN
                 Α
                          192.168.142.122
                          192.168.142.150
         IN
ab
                 Α
         IN
                 Α
                          192.168.142.151
         IN
                 Α
                          192.168.200.152
```

chgrp named xxx

修改如下文件权限

```
oot@jackqin002 /var/named $ll /etc/named*
rw-r---. 1 root named 1708 Nov 30 17:22 /etc/named.conf
rw-r---. 1 root root 1558 Nov 30 17:20 /etc/named.conf.bak
-rw-r--r-. 1 root<u>named</u> 2389 Sep 28 21:14 /etc/named.iscdlv.key
-rw-r----. 1 root named 265 Nov 30 19:58 /etc/named.jack.zones
rw-r----. 1 root named
                          931 Jun 21
                                      2007 /etc/named.rfc1912.zones
                          487 Jul 19
-rw-r--r--. 1 root named
                                      2010 /etc/named.root.key
/etc/named:
total 0
root@jackqinθ<mark>02 /var/named</mark> $ll dddjack.com.zone
rw-r----. 1 named named 287 Nov 30 20:07 dddjack.com.zone
root@jackqin002 /var/na
```

systemctl restart named

重启

systemctl enable named

开机启动

systemctl status named

```
# firewall-cmd --reload
# firewall-cmd --list-all

设置防火墙并生效并检查

root@jackqin002 /var/named $firewall-cmd --list-all
public (default, active)
  interfaces: eno16777736 eno50332208
  sources:
  services: dhcpv6-client ssh
  ports: 53/udp 53/tcp
  masquerade: no
  forward-ports:
  icmp-blocks:
  rich rules:
```

firewall-cmd --add-port=53/udp -permanent # firewall-cmd --add-port=53/tcp -permanent

校验

netstat -anotlp | grep :53

确认 DNS 服务启动

```
root@jackqin002 /var/named $netstat -anotlp |grep :53
                     0 192.168.122.1:53
0 192.168.142.130:53
                                                    0.0.0.0:*
             0
                                                                                                                         off (0.00/0/0)
tcp
                                                                                 LISTEN
                                                                                                14736/named
                                                                                                                         off (0.00/0/0)
off (0.00/0/0)
off (0.00/0/0)
tcp
             0
                                                                                 LISTEN
                                                                                                14736/named
                                                                                 LISTEN
                     0 10.129.149.89:53
tcp
             0
                                                    0.0.0.0:*
                                                                                                14736/named
tcp
             0
                     0 127.0.0.1:53
                                                     0.0.0.0:*
                                                                                 LISTEN
                                                                                                14736/named
             0
                     0 :::53
                                                                                                14736/named
                                                                                                                         off (0.00/0/0)
tcp6
                                                                                 LISTEN
                                                     :::*
```

```
# dig www.baidu.com
```

- # dig @192.168.142.130 www.baidu.com
- # dig @192.168.142.130 www.baidu.com +trace
- # dig @192.168.142.130 abc.dddjack.com
- # dig @192.168.142.130 ab.dddjack.com

```
ot@jackqin002 /var/named $dig @192.168.142.130 abc.dddjack.com
  >>> DiG 9.9.4-RedHat-9.9.4-29.el7_2.4 <>>> @192.168.142.130 abc.dddjack.com
  (1 server found)
;; global options: +cmd
   Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NXDOMAIN, id: 36045
;; flags: qr aa rd ra; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1
;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 4096
;; QUESTION SECTION:
;abc.dddjack.com.
;; AUTHORITY SECTION:
                              10800
                                                             dddjack.com. qtj.ddddjack.com. 2016113003 86400 3600 604800 10800
dddjack.com.
                                        ΙN
                                                   S0A
;; Query time: 0 msec
;; SERVER: 192.168.142.130#53(192.168.142.130)
;; WHEN: Wed Nov 30 20:23:24 CST 2016
;; MSG SIZE rcvd: 93
 oot@jackqin002 /var/named $dig @192.168.142.130 ab.dddjack.com
  <>>> DiG 9.9.4-RedHat-9.9.4-29.el7 2.4 <<>> @192.168.142.130 ab.dddjack.com
; (1 server found)
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 26681
;; flags: qr aa rd ra; QUERY: 1, ANSWER: 3, AUTHORITY: 1, ADDITIONAL: 2
;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 4096
;; QUESTION SECTION:
;ab.dddjack.com.
                                                   ΙN
                                                             Α
;; ANSWER SECTION:
ab.dddjack.com.
                                                             192.168.142.150
192.168.142.151
                              86400
                                        ΙN
ab.dddjack.com.
                              86400
                                         ΙN
                                                   Α
ab.dddjack.com.
                              86400
                                                             192.168.200.152
                                         ΙN
                                                   Δ
;; AUTHORITY SECTION:
                              86400
                                                             dns1.dddjack.com.
dddjack.com.
                                        ΙN
                                                  NS
;; ADDITIONAL SECTION:
dns1.dddjack.com.
                                                             192.168.142.122
                              86400
                                        IN
                                                   Δ
;; Query time: 0 msec
;; SERVER: 192.168.142.130#53(192.168.142.130)
;; WHEN: Wed Nov 30 20:23:30 CST 2016
;; MSG SIZE rcvd: 126
```

其他

修改 dddjack.com.zone, 并 systemctl restart named,重新 dig 可以看到更新的 DNS 配置。